Indiana State Department of Health Databook

Indiana Registered Nurse Survey, 2001

Table of Contents

Educational Profile

Distribution Profile

Principal Position Profile

Nursing Faculty Profile

Principal Setting Profile

Chapter III, Advanced Practice Nurses (APN) Profile

Summary Fact Sheet

Overall Profile
Distribution Profile
General Demographic and Professional Characteristics
Activity Profile
Principal Position Profile
Principal Setting Profile

Overall Profile

Distribution Profile

General Demographic and Professional Characteristics

Back to Indiana Health Care Professional Development Commission

Indiana Registered Nurse Survey, 2001

Executive Summary

The Indiana State Department of Health (ISDH) and the Indiana Health Professions Bureau (HPB) collaborated in implementing the 2001 Indiana Registered Nurse (RN) Survey, at the recommendation of the Indiana Health Care Professional Development Commission. The goal was to gather data on the adequacy of supply and distribution of RNs in Indiana. This is the second time the RN population has been surveyed, so it was possible to compare some of the 2001 data with data gathered by the 1997 RN survey.

The survey had a 93.6 percent response rate. Of the 72,928 RNs who renewed their license and received a voluntary survey, 68,258 returned a survey with at least one response on it. Of the 54,132 RNs who reported that they were actively working in nursing, 52,807 had a usable principal position zip code. Of these, 45,615 were actively working in nursing in Indiana; 4,566 reported that they were actively working in nursing in a Neighboring State (Illinois, Kentucky, Michigan, or Ohio); and 2,626 reported that they were actively working in nursing in another location. The databook contains information on the 45,615 RNs who reported that they were actively working in nursing in Indiana

Highlights from the Survey Data

General Demographic and Professional Profile
- **Table II-A(1)** Survey data indicate that the number of RNs practicing in Indiana grew from 38,721 in 1997 to 45,615 in 2001, and increase of about 18 percent.

- **Table II-A(3)** The number of RNs of Hispanic origin grew by almost 33 percent between 1997 and 2001, from 418 (1.1 percent of the RN workforce) to 555 (1.3 percent of the RN workforce).

- **Table II-A(4)** The racial composition of Indiana RNs changed between 1997 and 2001. The number of black/African American RNs grew from 1,011 in 1997 to 1,344 in 2001, an increase of almost 33 percent. While the overall RN workforce proportion of Asian/Pacific Islander RNs stayed the same between 1997 and 2001 (1 percent), in terms of actual numbers there was almost a 20 percent increase in this part of the workforce. The American Indiana/Native Alaskan part of the RN workforce grew by a little over 7 percent (from 68 in 1997 to 73 in 2001), even though the overall proportion of this group in the RN workforce remained the same. Because the "Multi-racial" category was not present on the 1997 survey, no conclusion can be drawn about increases or decreases in the "Other" or "Multi-racial" categories regarding 2001 survey data.

- **Table II-A(5)** In 2001, Indiana RNs appear to have an older profile than in 1997. In 1997, 86 percent of the RN workforce was 54 or younger. In 2001, 81 percent of the RN workforce fit this description. Furthermore, the number of RNs 30 or younger declined between 1997 and 2001,

from 4,376 to 3,903, a decrease of almost 11 percent.

- **Table II-A(6a)**, Chart II-A(6b) and Table II-A(7) The number of filled nursing positions appears to have increased for all settings, except for home care/hospice. The greatest percentage increases appear to have taken place in positions in hospital emergency rooms/departments, mental health/addictions facilities or units, ambulatory care settings (surgical /other), and urgent care centers/clinics. Much slower growth has occurred in nursing education, longterm care facilities/units, positions related to hospital dual in- & out-patient settings and community/public health clinics.

Educational Profile

- **Table II-B(1) and Chart II-B(1)** The number and proportion of diploma nurses in the RN workforce is declining while the number and proportion of bachelor's level RNs is increasing. In 1997, diploma nurses comprised 21 percent of the RN workforce and numbered 8,121. In 2001, the number of diploma nurses declined to 6,663 (14.7 percent of the RN workforce), a decrease of approximately 18 percent. In contrast, bachelor's-prepared RNs grew by almost 35 percent, from 11,667 (30.2 percent) in 1997 to 15,745 (34.8 percent) in 2001. Associate degree RNs grew in number, from 17,077 in 1997 to 19,879 in 2001, an increase of approximately 16 percent. However, associate degree RNs declined slightly in their overall proportion of the RN workforce, from 44.2 percent in 1997 to 43.9 percent in 2001. Master's-prepared RNs grew in number and proportion, from 1,690 (4.4 percent) in 1997 to 2,828 (6.2 percent), an increase of 67 percent. Doctorally-prepared nurses experienced the greatest increase of all, growing from 94 (0.2 percent) in 1997 to 172 in 2001 (0.4 percent), an increase of 83 percent.

Distribution Profile

- **Table II-C(1), Map II-C(1) and Table II-C(2)** RNs can be found in all Indiana counties. The bulk of the state's RNs are found in the state's more populous counties. These counties also tend to have more diverse RN workforces.

Principal Position Profile

- **Table II-D(1)** While females are represented in all principal position categories, males are represented in all but one: certified nurse midwife. While males are generally under-represented in most principal position categories, they make up a significant proportion of certified nurse anesthetists.

- **Table II-D(4a) and Table II-D(4b)** Nurses between the ages of 31 and 54 make up the majority of RNs in every category of principal position. However, some principal position categories appear to be more heavily weighted toward the older end of this age bracket, including head nurses or assistant head nurses, clinical nurse specialists, certified nurse anesthetists, certified nurse midwives, home care nurses, hospice nurses, school nurses, case managers/care coordinators, administrator/managers, quality assurance/utilization review, nursing consultants, nursing faculty, and RNs in continuing education/staff development. Higher proportions of younger RNs work as

staff/general nurses than RNs in other age groups, although this principal position category makes up the largest single group of RNs in every age category.

- **Table II-D(6) and Table II-D(7)** Overall, Indiana RNs are almost evenly divided between those who work full-time (an average of 40 or more hours per week) and those who work part-time (an average of 1-39 hours per week) although in almost all principal positions, the majority of RNs in work full-time.

Nursing Faculty

- **Table II-E(1)** The number of RNs who responded that their principal position was that of nursing faculty (faculty in a nursing program) dropped from 692 in 1997 to 665 in 2001, a decrease of almost 4 percent.

- **Table II-E(2), Table II-E(3), and Table II-E(4)** The nursing faculty workforce became slightly more diverse between 1997 and 2001. The proportion of males among nursing faculty rose from 1.3 percent (9) in 1997 to 1.8 percent (12) in 2001, and nursing faculty of Hispanic origin increased somewhat, as did the number of black/African American nursing faculty.

- **Table II-E(5)** Nursing faculty have an older age profile in 2001 than they did in 1997. In 1997, 31.2 percent of nursing faculty were age 31-44, whereas in 2001, this dropped to 17.6 percent. Thirty-eight percent of nursing faculty were over the age of 55 in 2001, compared to about 28 percent in 1997.

Principal Setting Profile

- **Table II-F(1) and Chart II-F(1)** All settings except for home/hospice care have gained RNs between 1997 and 2001.

- **Table II-F(2)** Male RNs are better represented in hospital emergency rooms/emergency departments and mental health/addictions facilities/units than in other health care settings, although the largest proportions of males work in hospital in- & out-patient settings, which is also true of female RNs.

- **Table II-F(3)** RNs of Hispanic origin are slightly better represented in hospital settings, community/public health clinics and nursing education than in other settings.

- **Table II-F(4a) and Table II-F(4b)** The settings demonstrating the greatest diversity in terms of race are community/public health clinics, mental health/addictions facilities/units, hospital in-patient settings, and longterm care facilities/units.

- **Table II-F(5a) and Table II-F(5b)** While all RN employment settings have RNs across the age spectrum, some have much higher proportions of RNs age 55 and older, including nursing education (37.9 percent), mental health/addictions facility/units (30.7 percent), community/public

health clinics (29.5 percent), school/college settings (28.0 percent) and longterm care facilities/units (27.9 percent). Younger nurses are more likely to work in hospital settings than in other types of settings, with the work setting distribution profile changing as age increases.

- **Table II-F(7a) and Table II-F(7b)** Except for hospital in-patient settings, the largest proportion of RNs in every type of setting worked an average of 40-49 hours per week.

Advanced Practice Nurse (APN) Profile[1]

- **Chart III-A(1)** APNs in all categories have grown markedly since 1997. There were 1,188 APNs in 2001 in Indiana, compared to 426 APNs in 1997. Clinical Nurse Specialists (CNSs) have increased by over 150 percent, from 34 in 1997 to 86 in 2001; Nurse Practitioners (NPs) have increased by 183 percent, from 374 in 1997 to 1,060 in 2001; and Certified Nurse Midwives (CNMs) have increased by 133 percent, from 18 in 1997 to 42 in 2001.

- **Table III-C(5a) and Table III-C(5b)** As expected, the highest nursing degree for most APNs is a master's degree.

- **Table III-D(1a) and Table III-D(1b)** The bulk of APNs work between 30 and 49 hours per week on average.

- **Table III-D(2), Table III-D(3) and Table III-D(4)** In terms of activity, a significant number of APNs in all three categories work substantial hours per week even in older age categories.

- **Table III-E(1a) and Table III-E(1b)** NPs exhibit the greatest diversity in terms of principal position among the three types of APNs. They function in almost all survey categories of principal position.

- **Table III-F(1a), Table III-F(1b) and Table III-F(2)** NPs also exhibit the greatest diversity in terms of principal setting among the three types of APNs, appearing in every survey category of principal setting. They are most prominent in private office settings and primary care centers/clinics. CNSs are most prominent in mental health/addiction facilities/units, and CNMs are prominent in private offices and community/public health clinics.

Unemployed RNs

- **Table IV-A(1)** The number of unemployed RNs was approximately 15 percent lower in 2001 than in 1997: 647 compared to 762.

- **Table IV-A(3)** A higher proportion of unemployed RNs were in older age categories in 2001 than in 1997. In 1997, 16.3 percent of unemployed RNs were 55 or older, compared to 29.6 percent in 2001.

Indiana Registered Nurse Survey, 2001

Table I B

Survey Response Rate
by Indiana County of Mailing Address
or Other Mailing Address [1]

	Survey Response	%	Blank Surveys	%	Unreturned Surveys	%	Total
Total	**68,258**	**93.6**	**568**	**0.8**	**4,102**	**5.6**	**72,928**
Neighboring States[2]	6,702	92.8	72	1.0	451	6.2	7,243
Other Location	3,708	90.2	58	1.4	344	8.4	4,110
Indiana	**57,830**	**93.9**	**438**	**0.7**	**3,307**	**5.4**	**61,575**
Adams	316	97.2	1	0.3	8	2.5	325
Allen	3,852	94.4	33	0.8	197	4.8	4,082
Bartholomew	636	94.2	6	0.9	33	4.9	675
Benton	56	91.8		0.0	5	8.2	61
Blackford	94	93.1	1	1.0	6	5.9	101
Boone	661	91.3	4	0.6	59	8.1	724
Brown	125	94.7	1	0.8	6	4.5	132
Carroll	160	97.6	1	0.6	3	1.8	164
Cass	319	94.9	2	0.6	15	4.5	336
Clark	761	93.8	3	0.4	47	5.8	811
Clay	314	95.7	1	0.3	13	4.0	328
Clinton	242	93.1	3	1.2	15	5.8	260
Crawford	34	91.9		0.0	3	8.1	37
Daviess	251	95.4		0.0	12	4.6	263
Dearborn	287	93.8	3	1.0	16	5.2	306
Decatur	174	94.6	2	1.1	8	4.3	184
De Kalb	353	94.4	4	1.1	17	4.5	374
Delaware	962	95.8	6	0.6	36	3.6	1,004
Dubois	385	96.0	2	0.5	14	3.5	401
Elkhart	1,374	94.6	15	1.0	63	4.3	1,452
Fayette	186	93.9	1	0.5	11	5.6	198
Floyd	678	93.9	7	1.0	37	5.1	722
Fountain	139	93.9		0.0	9	6.1	148
Franklin	88	98.9		0.0	1	1.1	89
Fulton	166	96.5	1	0.6	5	2.9	172

Gibson	365	94.6	3	0.8	18	4.7	366
Grant	716	94.8	4	0.5	35	4.6	755
Greene	231	93.9	1	0.4	14	5.7	246
Hamilton	2,997	92.3	20	0.6	230	7.1	3,247
Hancock	730	93.5	9	1.2	42	5.4	781
Harrison	280	94.3	1	0.3	16	5.4	297
Hendricks	1,734	92.2	18	1.0	128	6.8	1,880
Henry	427	95.1	3	0.7	19	4.2	449
Howard	790	93.1	7	0.8	52	6.1	849
Huntington	362	95.3	2	0.5	16	4.2	380
Jackson	274	94.8	4	1.4	11	3.8	289
Jasper	340	94.4	1	0.3	19	5.3	360
Lay	144	98.0		0.0	3	2.0	147
Jefferson	296	95.2	2	0.6	13	4.2	311
Jennings	150	92.6		0.0	12	7.4	162
Johnson	1,428	93.9	4	0.3	89	5.9	1,521
Knox	599	93.6	3	0.5	38	5.9	640
Kosciusko	424	94.2	2	0.4	24	5.3	450
Lagrange	141	95.9	1	0.7	5	3.4	147
Lake	4,643	94.3	31	0.6	249	5.1	4,923
LaPorte	1,118	94.4	11	0.9	55	4.6	1184
Lawrence	339	92.9	3	0.8	23	6.3	365
Madison	1,128	94.2	5	0.4	64	5.3	1,197
Marion	7,941	92.3	72	0.8	595	6.9	8,608
Marshall	336	93.6	5	1.4	18	5.0	359
Martin	104	92.0	6	5.3	3	2.7	113
Miami	239	93.0	2	0.8	16	6.2	257
Monroe	890	92.8	4	0.4	65	6.8	959
Montgomery	229	95.0	1	0.4	11	4.6	241
Morgan	562	94.3	5	0.8	29	4.9	596
Newton	62	95.4		0.0	3	4.6	65
Noble	256	94.8	1	0.4	13	4.8	270
Ohio	72	93.5	1	1.3	4	5.2	77
Orange	124	93.2	1	0.8	8	6.0	133
Owen	83	95.4	1	1.1	3	3.4	87
Parke	115	90.6		0.0	12	9.4	127
Perry	106	96.4		0.0	4	3.6	110
Pike	188	93.5	5	2.5	8	4.0	201
Porter	1,954	94.9	22	1.1	83	4.0	2,059

County	Count	%	Count	%	Count	%	Total
Posey	226	97.4	2	0.9	4	1.7	232
Pulaski	127	94.1	1	0.7	7	5.2	135
Putnam	239	94.8		0.0	13	5.2	252
Randolph	215	93.9	1	0.4	13	5.7	229
Ripley	235	94.8	1	0.4	12	4.8	248
Rush	138	94.5	1	0.7	7	4.8	146
St. Joseph	2,433	94.6	11	0.4	127	4.9	2,571
Scott	132	91.7	4	2.8	8	5.6	144
Shelby	347	92.8	2	0.5	25	6.7	374
Spencer	175	95.6	2	1.1	6	3.3	183
Starke	199	95.2		0.0	10	4.8	209
Steuben	255	97.3	2	0.8	5	1.9	262
Sullivan	251	96.9	1	0.4	7	2.7	259
Switzerland	58	98.3		0.0	1	1.7	59
Tippecanoe	1,214	93.4	6	0.5	80	6.2	1,300
Tipton	176	96.2	1	0.5	6	3.3	183
Union	53	94.6		0.0	3	5.4	56
Vanderburgh	1,894	95.7	14	0.7	71	3.6	1,979
Vermillion	128	96.2	1	0.8	4	3.0	133
Vigo	1,064	93.6	9	0.8	64	5.6	1,137
Wabash	237	94.8	3	1.2	10	4.0	250
Warren	68	93.2		0.0	5	6.8	73
Warrick	764	94.1	4	0.5	44	5.4	812
Washington	159	94.6	1	0.6	8	4.8	168
Wayne	623	94.5	3	0.5	33	5.0	659
Wells	301	94.1	4	1.3	15	4.7	320
White	220	95.2	2	0.9	9	3.9	231
Whitley	369	93.7	4	1.0	21	5.3	394

[1] Mailing address location may not be the same as principal position location. All other tables in the databook are based on zip code of principal position location as reported on the survey.

[2] Neighboring states = Illinois, Kentucky, Michigan, and Ohio.

Indiana Registered Nurse Survey, 2001

Survey Procedure, Response Rates, and Derivation of the Analysis Pool

Chart I-D, Work Status Profile

Question 1 of the survey (see Appendix A) was to determine RNs' current work status. Of the 68,242 RNs with an active license and no restrictive license status code, all but 277 gave a response to the work status question. Of the 67,965 who gave a response, 54,132 (79.7 percent) reported were actively working in nursing.

Missing: 277. Rounding may influence the calculation of total percent.

Indiana Registered Nurse Survey, 2001

Survey Procedure, Response Rates, and Derivation of the Analysis Pool

Chart I-E, RNs with an Indiana License, by State of Principal Position Location

Question 6 of the survey (see Appendix A) was to determine the location of principal position zip code for RNs who said they were active in nursing. Of the 54,132 RNs who were active in nursing, 52,807 had a usable principal position zip code. Only 1,325 active RNs had no usable principal location zip code information.

* Neighboring States include Illinois, Kentucky, Michigan, and Ohio.

Indiana Registered Nurse Survey, 2001

Map I-E, Active RNs with an Indiana License, by State and County of Principal Position Location (Indiana and Neighboring States Only)[1]

[1] This dot density map depicts density of RNs in a particular county, not the precise location of each RN.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(1), Number of RNs, 1997 and 2001

	1997	%	2001	%
RNs	38,721	100.0%	45,615	100.0%
Total	**38,721**	**100.0%**	**45,615**	**100.0%**

Table II-A(2), RNs by Sex, 1997 and 2001

Sex	1997	%	2001	%
Female	36,572	96.3%	43,192	95.7%
Male	1,403	3.7%	1,951	4.3%
Total	**37,975**	**100.0%**	**45,143**	**100.0%**
	Missing: 746		Missing: 472	

Table II-A(3), RNs by Hispanic Origin, 1997 and 2001

Hispanic Or.	1997	%	2001	%
Hispanic Or.	418	1.1%	555	1.3%
No Hispanic Or.	35,956	98.9%	40,723	98.7%
Total	**36,374**	**100.0%**	**41,278**	**100.0%**
	Missing: 2,347		Missing: 4,337	

Table II-A(4), RNs by Race, 1997 and 2001

Race	1997	%	2001	%
White	36,653	95.4%	42,650	94.8%
Black/Af. Am.	1,011	2.6%	1,344	3.0%
Asian/Pac. Is.	378	1.0%	453	1.0%
Am. Ind/Nat. Al.	68	0.2%	73	0.2%
Multi-racial	NA[1]	NA[1]	155	0.3%
Other	326	0.8%	319	0.7%
Total	**38,436**	**100.0%**	**44,994**	**100.0%**
	Missing: 285		Missing: 621	

Table II-A(5), RNs by Age, 1997 and 2001

Age	1997	%	2001	%
30 or younger	4,376	11.5%	3,903	8.7%
31-44	17,488	45.8%	16,793	37.3%
45-54	10,999	28.8%	15,911	35.4%
55-64	4,658	12.2%	7,121	15.8%
65 and older	665	1.7%	1,279	2.8%
Total	**38,186**	**100.0%**	**45,007**	**100.0%**
	Missing: 535		Missing: 608	

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(6a), Increase/Decrease in RNs by Principal Setting, All Positions, 1997 and 2001

Principal Setting	1997	Column %	2001	Column %	% Change
All Settings	37,946	100.0%	45,420	100.0%	19.7%
Hospital (in- & out-patient)	10,878	28.7%	11,905	26.2%	9.4%
Hospital (in-patient)	9,161	24.1%	11,867	26.1%	29.5%
Hospital (out-patient)	993	2.6%	1,226	2.7%	23.5%
Hospital ER/ED	1,248	3.3%	2,167	4.8%	73.6%
Urgent care center/clinic	224	0.6%	321	0.7%	43.3%
Ambulatory care setting (surgical/other)	1,190	3.1%	1,916	4.2%	61.0%
Physician/dentist private office	2,231	5.9%	3,152	6.9%	41.3%
Primary care center/clinic	695	1.8%	853	1.9%	22.7%
Mental health/addictions facility/unit	698	1.8%	1,184	2.6%	69.6%
Community/public health clinic	608	1.6%	681	1.5%	12.0%
Longterm care facility/unit	3,149	8.3%	3,358	7.4%	6.6%
Home care/hospice	3,445	9.1%	2,433	5.4%	-29.4%
Nursing education	671	1.8%	709	1.6%	5.7%
School/college setting	1,076	2.8%	1,290	2.8%	19.9%
Other	1,679	4.4%	2,358	5.2%	40.4%
	Missing: 775		Missing: 195		

Chart II-A(6b), Percentage Increase/Decrease in RNs Between 1997 and 2001, by Aggregated Setting

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001

This table is presented on 21 separate pages by principal position. Please select a principal position link below to view that portion of the table, or select the "next page" link to view each part of the table in sequence.

Select this link to view or print the complete table in Adobe Portable Document Format (pdf).

All Positions	Longterm Care Nurse
Staff/General Nurse	Home Care Nurse
Charge Nurse/Team Leader	Hospice Nurse
Head Nurse/Assistant	Case Manager/Care Coordinator
Office Nurse	Administrator/Manager
Nurse Clinician	Quality Assurance/Util. Review
Clinical Nurse Specialist	Nursing Consultant
Certified Nurse Anesthetist	Faculty in a Nursing Program
Nurse Practitioner	Continuing Ed./Staff Development
Certified Nurse Midwife	Other
School Nurse	

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]

All Positions

Principal Setting	1997	Row %	2001	Row %
All Settings	**37,946**	**100.0%**	**45,420**	**100.0%**
Hospital (in- & out-patient)	10,878	100.0%	11,905	100.0%
Hospital (in-patient)	9,161	100.0%	11,867	100.0%
Hospital (out-patient)	993	100.0%	1,226	100.0%
Hospital ER/ED	1,248	100.0%	2,167	100.0%
Urgent care center/clinic	224	100.0%	321	100.0%
Ambulatory care setting (surgical/other)	1,190	100.0%	1,916	100.0%
Physician/dentist private office	2,231	100.0%	3,152	100.0%
Primary care center/clinic	695	100.0%	853	100.0%
Mental health/addictions facility/unit	698	100.0%	1,184	100.0%
Community/public health clinic	608	100.0%	681	100.0%
Longterm care facility/unit[2]	3,149	100.0%	3,358	100.0%
Home care/hospice[2]	3,445	100.0%	2,433	100.0%
Nursing education	671	100.0%	709	100.0%
School/college setting	1,076	100.0%	1,290	100.0%
Other	1,679	100.0%	2,358	100.0%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey.

Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Active RNs with an Indiana License and an Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]

Principal Position

Principal Setting	All Positions				Staff/General Nurse				Charge Nurse/Team Leader				Head Nurse/Assistant			
	1997	Row %	2001	Row %	1997	Row %	2001	Row %	1997	Row %	2001	Row %	1997	Row %	2001	Row %
All Settings	37,946	100.0%	45,420	100.0%	17,614	46.4%	21,776	47.9%	4,404	11.6%	4,443	9.8%	1,148	3.0%	1,078	2.4%
Hospital (in- & out-patient)	10,878	100.0%	11,905	100.0%	6,798	62.5%	7,555	63.5%	1,182	10.9%	1,186	10.0%	441	4.1%	401	3.4%
Hospital (in-patient)	9,161	100.0%	11,867	100.0%	6,827	74.5%	8,917	75.1%	1,418	15.5%	1,695	14.3%	198	2.2%	209	1.8%
Hospital (out-patient)	993	100.0%	1,226	100.0%	553	55.7%	661	53.9%	67	6.7%	104	8.5%	33	3.3%	39	3.2%
Hospital ER/ED	1,248	100.0%	2,167	100.0%	919	73.6%	1,615	74.5%	211	16.9%	349	16.1%	37	3.0%	47	2.2%
Urgent care center/clinic	224	100.0%	321	100.0%	87	38.8%	121	37.7%	26	11.6%	31	9.7%	9	4.0%	7	2.2%
Ambulatory care setting (surgical/other)	1,190	100.0%	1,916	100.0%	590	49.6%	1,313	68.5%	95	8.0%	157	8.2%	51	4.3%	50	2.6%
Physician/dentist private office	2,231	100.0%	3,152	100.0%	68	3.0%	98	3.1%	11	0.5%	25	0.8%	19	0.9%	30	1.0%
Primary care center/clinic	695	100.0%	853	100.0%	82	11.8%	95	11.1%	37	5.3%	32	3.8%	11	1.6%	12	1.4%
Mental health/addictions facility/unit	698	100.0%	1,184	100.0%	232	33.2%	503	42.5%	191	27.4%	271	22.9%	40	5.7%	30	2.5%
Community/public health clinic	608	100.0%	681	100.0%	125	20.6%	128	18.8%	18	3.0%	22	3.2%	17	2.8%	17	2.5%
Longterm care facility/unit[2]	3,149	100.0%	3,358	100.0%	897	28.5%	307	9.1%	967	30.7%	359	10.7%	216	6.9%	171	5.1%
Home care/hospice[2]	3,445	100.0%	2,433	100.0%	96	2.8%	55	2.3%	66	1.9%	38	1.6%	23	0.7%	12	0.5%
Nursing education	671	100.0%	709	100.0%	7	1.0%	2	0.3%	5	0.7%	1	0.1%				
School/college setting	1,076	100.0%	1,290	100.0%	33	3.1%	42	3.3%	7	0.7%	7	0.5%	13	1.2%	6	0.5%
Other	1,679	100.0%	2,358	100.0%	300	17.9%	364	15.4%	103	6.1%	166	7.0%	40	2.4%	47	2.0%

Missing: 195 in 2001; 775 in 1997

Principal Position

Principal Setting	Office Nurse				Nurse Clinician				Clinical Nurse Specialist				Certified Nurse Anesthetist			
	1997	Row %	2001	Row %	1997	Row %	2001	Row %	1997	Row %	2001	Row %	1997	Row %	2001	Row %
All Settings	2,393	6.3%	3,096	6.8%	237	0.6%	237	0.5%	331	0.9%	443	1.0%	76	0.2%	140	0.3%
Hospital (in- & out-patient)	25	0.2%	43	0.4%	76	0.7%	86	0.7%	137	1.3%	165	1.4%	61	0.6%	97	0.8%
Hospital (in-patient)	5	0.1%	7	0.1%	39	0.4%	37	0.3%	47	0.5%	67	0.6%	5	0.1%	8	0.1%
Hospital (out-patient)	58	5.8%	75	6.1%	22	2.2%	30	2.4%	23	2.3%	30	2.4%	1	0.1%		
Hospital ER/ED		0.0%	1	0.0%	2	0.2%	3	0.1%	3	0.2%	6	0.3%				
Urgent care center/clinic	51	22.8%	75	23.4%	4	1.8%	1	0.3%	1	0.4%	2	0.6%				
Ambulatory care setting (surgical/other)	99	8.3%	65	3.4%	12	1.0%	15	0.8%	14	1.2%	15	0.8%	9	0.8%	30	1.6%
Physician/dentist private office	1,714	76.8%	2,273	72.1%	23	1.0%	23	0.7%	31	1.4%	42	1.3%			2	0.1%
Primary care center/clinic	311	44.7%	352	41.3%	5	0.7%	8	0.9%	7	1.0%	15	1.8%				
Mental health/addictions facility/unit	9	1.3%	39	3.3%	7	1.0%	11	0.9%	22	3.2%	46	3.9%				
Community/public health clinic	45	7.4%	85	12.5%	22	3.6%	10	1.5%	2	0.3%	6	0.9%			1	0.1%
Longterm care facility/unit[2]	4	0.1%	12	0.4%	1	0.03%	1	0.03%	1	0.03%	5	0.1%				
Home care/hospice[2]	3	0.1%	7	0.3%	13	0.4%	5	0.2%	11	0.3%	6	0.2%				
Nursing education	3	0.4%	2	0.3%			1	0.1%	1	0.1%	1	0.1%				
School/college setting	11	1.0%	13	1.0%	1	0.1%	1	0.1%	3	0.3%	2	0.2%				
Other	55	3.3%	47	2.0%	10	0.6%	5	0.2%	28	1.7%	35	1.5%			2	0.1%

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]

Principal Position

Principal Setting	Nurse Practitioner				Certified Nurse Midwife				School Nurse				Longterm Care Nurse[2]			
	1997	Row %	2001	Row %	1997	Row %	2001	Row %	1997	Row %	2001	Row %	1997	Row %	2001	Row %
All Settings	668	1.8%	1,174	2.6%	22	0.1%	49	0.1%	869	2.3%	1,114	2.5%			1,634	3.6%
Hospital (in- & out-patient)	43	0.4%	70	0.6%	6	0.1%	6	0.1%							8	0.1%
Hospital (in-patient)	21	0.2%	35	0.3%			2	0.02%							37	0.3%
Hospital (out-patient)	54	5.4%	72	5.9%											2	0.2%
Hospital ER/ED	8	0.6%	32	1.5%												
Urgent care center/clinic	14	6.3%	38	11.8%												
Ambulatory care setting (surgical/other)	70	5.9%	33	1.7%	2	0.2%			2	0.2%	1	0.1%				
Physician/dentist private office	218	9.8%	444	14.1%	3	0.1%	20	0.6%							1	0.03%
Primary care center/clinic	151	21.7%	217	25.4%	3	0.4%	6	0.7%			1	0.1%				
Mental health/addictions facility/unit	4	0.6%	10	0.8%					2	0.3%	3	0.3%			9	0.8%
Community/public health clinic	29	4.8%	79	11.6%	4	0.7%	10	1.5%	5	0.8%	4	0.6%			1	0.1%
Longterm care facility/unit[2]	8	0.3%	30	0.9%											1,558	46.4%
Home care/hospice[2]	1	0.03%	3	0.1%											2	0.1%
Nursing education			3	0.4%					1	0.1%	1	0.1%			2	0.3%
School/college setting	20	1.9%	37	2.9%					852	79.2%	1,094	84.8%			1	0.1%
Other	27	1.6%	71	3.0%	4	0.2%	5	0.2%	7	0.4%	10	0.4%			13	0.6%

Principal Position

Principal Setting	Home Care Nurse				Hospice Nurse[2]				Case Manager/Care Coordinator				Administrator/Manager			
	1997	Row %	2001	Row %	1997	Row %	2001	Row %	1997	Row %	2001	Row %	1997	Row %	2001	Row %
All Settings	2,277	6.0%	1,485	3.3%			381	0.8%	1,229	3.2%	1,430	3.1%	3,048	8.0%	2,801	6.2%
Hospital (in- & out-patient)	21	0.2%	16	0.1%			7	0.1%	234	2.2%	313	2.6%	925	8.5%	936	7.9%
Hospital (in-patient)	3	0.03%	2	0.02%			13	0.1%	163	1.8%	274	2.3%	218	2.4%	251	2.1%
Hospital (out-patient)	29	2.9%	9	0.7%			2	0.2%	29	2.9%	36	2.9%	56	5.6%	65	5.3%
Hospital ER/ED	1	0.1%					1	0.05%	4	0.3%	12	0.6%	50	4.0%	66	3.0%
Urgent care center/clinic									4	1.8%	7	2.2%	17	7.6%	27	8.4%
Ambulatory care setting (surgical/other)	1	0.1%							14	1.2%	10	0.5%	132	11.1%	149	7.8%
Physician/dentist private office									11	0.5%	13	0.4%	60	2.7%	96	3.0%
Primary care center/clinic							1	0.1%	15	2.2%	18	2.1%	48	6.9%	57	6.7%
Mental health/addictions facility/unit	2	0.3%	5	0.4%					30	4.3%	46	3.9%	88	12.6%	122	10.3%
Community/public health clinic	22	3.6%	26	3.8%			1	0.1%	50	8.2%	43	6.3%	74	12.2%	67	9.8%
Longterm care facility/unit[2]	1	0.03%	6	0.2%			5	0.1%	115	3.7%	120	3.6%	594	18.9%	398	11.9%
Home care/hospice[2]	2,174	63.1%	1,396	57.4%			337	13.9%	278	8.1%	156	6.4%	566	16.4%	324	13.3%
Nursing education			3	0.4%							2	0.3%	26	3.9%	7	1.0%
School/college setting			1	0.1%					1	0.1%	3	0.2%	24	2.2%	33	2.6%
Other	23	1.4%	21	0.9%			14	0.6%	281	16.7%	377	16.0%	170	10.1%	203	8.6%

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Active RNs with an Indiana License and an Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]

Principal Position

Principal Setting	Quality Assurance/Util. Review				Nursing Consultant				Faculty in a Nursing Program				Continuing Ed./Staff Development			
	1997	Row %	2001	Row %	1997	Row %	2001	Row %	1997	Row %	2001	Row %	1997	Row %	2001	Row %
All Settings	507	1.3%	471	1.0%	184	0.5%	269	0.6%	681	1.8%	664	1.5%	463	1.2%	579	1.3%
Hospital (in- & out-patient)	162	1.5%	154	1.3%	19	0.2%	34	0.3%	7	0.1%	10	0.1%	201	1.8%	259	2.2%
Hospital (in-patient)	55	0.6%	74	0.6%	5	0.1%	4	0.0%	12	0.1%	15	0.1%	45	0.5%	81	0.7%
Hospital (out-patient)	1	0.1%	2	0.2%	1	0.1%	2	0.2%			1	0.1%	2	0.2%	2	0.2%
Hospital ER/ED			5	0.2%									2	0.2%	11	0.5%
Urgent care center/clinic					1	0.4%							1	0.4%		
Ambulatory care setting (surgical/other)	3	0.3%	2	0.1%	1	0.1%	1	0.1%			1	0.1%	5	0.4%	10	0.5%
Physician/dentist private office	1	0.04%	6	0.2%	1		6	0.2%							3	0.1%
Primary care center/clinic	4	0.6%	7	0.8%	1	0.1%					1	0.1%	1	0.1%	4	0.5%
Mental health/addictions facility/unit	18	2.6%	26	2.2%	6	0.9%	4	0.3%	5	0.7%	1	0.1%	4	0.6%	9	0.8%
Community/public health clinic	8	1.3%	6	0.9%	7	1.2%	5	0.7%	5	0.8%	1	0.1%	3	0.5%		
Longterm care facility/unit[2]	35	1.1%	28	0.8%	53	1.7%	96	2.9%	5	0.2%	2	0.1%	107	3.4%	123	3.7%
Home care/hospice[2]	84	2.4%	45	1.8%	6	0.2%	8	0.3%					29	0.8%	11	0.5%
Nursing education	1	0.1%	1	0.1%	3	0.4%	2	0.3%	563	83.9%	628	88.6%	56	8.3%	44	6.2%
School/college setting	1	0.1%			1	0.1%			76	7.1%			1	0.1%	4	0.3%
Other	134	8.0%	115	4.9%	79	4.7%	107	4.5%	8	0.5%	4	0.2%	6	0.4%	18	0.8%

Principal Position

Principal Setting	Other			
	1997	Row %	2001	Row %
All Settings	1,795	4.7%	2,156	4.7%
Hospital (in- & out-patient)	540	5.0%	559	4.7%
Hospital (in-patient)	100	1.1%	139	1.2%
Hospital (out-patient)	64	6.4%	94	7.7%
Hospital ER/ED	11	0.9%	19	0.9%
Urgent care center/clinic	9	4.0%	12	3.7%
Ambulatory care setting (surgical/other)	90	7.6%	64	3.3%
Physician/dentist private office	71	3.2%	70	2.2%
Primary care center/clinic	19	2.7%	27	3.2%
Mental health/addictions facility/unit	38	5.4%	49	4.1%
Community/public health clinic	172	28.3%	169	24.8%
Longterm care facility/unit[2]	145	4.6%	137	4.1%
Home care/hospice[2]	95	2.8%	28	1.2%
Nursing education	5	0.7%	9	1.3%
School/college setting	32	3.0%	46	3.6%
Other	404	24.1%	734	31.1%

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Staff/General Nurse

Principal Setting	1997	Row %	2001	Row %
All Settings	**17,614**	**46.4%**	**21,776**	**47.9%**
Hospital (in- & out-patient)	6,798	62.5%	7,555	63.5%
Hospital (in-patient)	6,827	74.5%	8,917	75.1%
Hospital (out-patient)	553	55.7%	661	53.9%
Hospital ER/ED	919	73.6%	1,615	74.5%
Urgent care center/clinic	87	38.8%	121	37.7%
Ambulatory care setting (surgical/other)	590	49.6%	1,313	68.5%
Physician/dentist private office	68	3.0%	98	3.1%
Primary care center/clinic	82	11.8%	95	11.1%
Mental health/addictions facility/unit	232	33.2%	503	42.5%
Community/public health clinic	125	20.6%	128	18.8%
Longterm care facility/unit[2]	897	28.5%	307	9.1%
Home care/hospice[2]	96	2.8%	55	2.3%
Nursing education	7	1.0%	2	0.3%
School/college setting	33	3.1%	42	3.3%
Other	300	17.9%	364	15.4%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Charge Nurse/Team Leader

Principal Setting	1997	Row %	2001	Row %
All Settings	**4,404**	**11.6%**	**4,443**	**9.8%**
Hospital (in- & out-patient)	1,182	10.9%	1,186	10.0%
Hospital (in-patient)	1,418	15.5%	1,695	14.3%
Hospital (out-patient)	67	6.7%	104	8.5%
Hospital ER/ED	211	16.9%	349	16.1%
Urgent care center/clinic	26	11.6%	31	9.7%
Ambulatory care setting (surgical/other)	95	8.0%	157	8.2%
Physician/dentist private office	11	0.5%	25	0.8%
Primary care center/clinic	37	5.3%	32	3.8%
Mental health/addictions facility/unit	191	27.4%	271	22.9%
Community/public health clinic	18	3.0%	22	3.2%
Longterm care facility/unit[2]	967	30.7%	359	10.7%
Home care/hospice[2]	66	1.9%	38	1.6%
Nursing education	5	0.7%	1	0.1%
School/college setting	7	0.7%	7	0.5%
Other	103	6.1%	166	7.0%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Head Nurse/Assistant

Principal Setting	1997	Row %	2001	Row %
All Settings	**1,148**	**3.0%**	**1,078**	**2.4%**
Hospital (in- & out-patient)	441	4.1%	401	3.4%
Hospital (in-patient)	198	2.2%	209	1.8%
Hospital (out-patient)	33	3.3%	39	3.2%
Hospital ER/ED	37	3.0%	47	2.2%
Urgent care center/clinic	9	4.0%	7	2.2%
Ambulatory care setting (surgical/other)	51	4.3%	50	2.6%
Physician/dentist private office	19	0.9%	30	1.0%
Primary care center/clinic	11	1.6%	12	1.4%
Mental health/addictions facility/unit	40	5.7%	30	2.5%
Community/public health clinic	17	2.8%	17	2.5%
Longterm care facility/unit[2]	216	6.9%	171	5.1%
Home care/hospice[2]	23	0.7%	12	0.5%
Nursing education				
School/college setting	13	1.2%	6	0.5%
Other	40	2.4%	47	2.0%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Office Nurse

Principal Setting	1997	Row %	2001	Row %
All Settings	**2,393**	**6.3%**	**3,096**	**6.8%**
Hospital (in- & out-patient)	25	0.2%	43	0.4%
Hospital (in-patient)	5	0.1%	7	0.1%
Hospital (out-patient)	58	5.8%	75	6.1%
Hospital ER/ED		0.0%	1	0.0%
Urgent care center/clinic	51	22.8%	75	23.4%
Ambulatory care setting (surgical/other)	99	8.3%	65	3.4%
Physician/dentist private office	1,714	76.8%	2,273	72.1%
Primary care center/clinic	311	44.7%	352	41.3%
Mental health/addictions facility/unit	9	1.3%	39	3.3%
Community/public health clinic	45	7.4%	85	12.5%
Longterm care facility/unit[2]	4	0.1%	12	0.4%
Home care/hospice[2]	3	0.1%	7	0.3%
Nursing education	3	0.4%	2	0.3%
School/college setting	11	1.0%	13	1.0%
Other	55	3.3%	47	2.0%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Nurse Clinician

Principal Setting	1997	Row %	2001	Row %
All Settings	**237**	**0.6%**	**237**	**0.5%**
Hospital (in- & out-patient)	76	0.7%	86	0.7%
Hospital (in-patient)	39	0.4%	37	0.3%
Hospital (out-patient)	22	2.2%	30	2.4%
Hospital ER/ED	2	0.2%	3	0.1%
Urgent care center/clinic	4	1.8%	1	0.3%
Ambulatory care setting (surgical/other)	12	1.0%	15	0.8%
Physician/dentist private office	23	1.0%	23	0.7%
Primary care center/clinic	5	0.7%	8	0.9%
Mental health/addictions facility/unit	7	1.0%	11	0.9%
Community/public health clinic	22	3.6%	10	1.5%
Longterm care facility/unit[2]	1	0.03%	1	0.03%
Home care/hospice[2]	13	0.4%	5	0.2%
Nursing education			1	0.1%
School/college setting	1	0.1%	1	0.1%
Other	10	0.6%	5	0.2%

Missing: 195 in 2001; 775 in 1997

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Clinical Nurse Specialist

Principal Setting	1997	Row %	2001	Row %
All Settings	**331**	**0.9%**	**443**	**1.0%**
Hospital (in- & out-patient)	137	1.3%	165	1.4%
Hospital (in-patient)	47	0.5%	67	0.6%
Hospital (out-patient)	23	2.3%	30	2.4%
Hospital ER/ED	3	0.2%	6	0.3%
Urgent care center/clinic	1	0.4%	2	0.6%
Ambulatory care setting (surgical/other)	14	1.2%	15	0.8%
Physician/dentist private office	31	1.4%	42	1.3%
Primary care center/clinic	7	1.0%	15	1.8%
Mental health/addictions facility/unit	22	3.2%	46	3.9%
Community/public health clinic	2	0.3%	6	0.9%
Longterm care facility/unit[2]	1	0.03%	5	0.1%
Home care/hospice[2]	11	0.3%	6	0.2%
Nursing education	1	0.1%	1	0.1%
School/college setting	3	0.3%	2	0.2%
Other	28	1.7%	35	1.5%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Certified Nurse Anesthetist

Principal Setting	1997	Row %	2001	Row %
All Settings	**76**	**0.2%**	**140**	**0.3%**
Hospital (in- & out-patient)	61	0.6%	97	0.8%
Hospital (in-patient)	5	0.1%	8	0.1%
Hospital (out-patient)	1	0.1%		
Hospital ER/ED				
Urgent care center/clinic				
Ambulatory care setting (surgical/other)	9	0.8%	30	1.6%
Physician/dentist private office			2	0.1%
Primary care center/clinic				
Mental health/addictions facility/unit				
Community/public health clinic			1	0.1%
Longterm care facility/unit[2]				
Home care/hospice[2]				
Nursing education				
School/college setting				
Other			2	0.1%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Nurse Practitioner

Principal Setting	1997	Row %	2001	Row %
All Settings	**668**	**1.8%**	**1,174**	**2.6%**
Hospital (in- & out-patient)	43	0.4%	70	0.6%
Hospital (in-patient)	21	0.2%	35	0.3%
Hospital (out-patient)	54	5.4%	72	5.9%
Hospital ER/ED	8	0.6%	32	1.5%
Urgent care center/clinic	14	6.3%	38	11.8%
Ambulatory care setting (surgical/other)	70	5.9%	33	1.7%
Physician/dentist private office	218	9.8%	444	14.1%
Primary care center/clinic	151	21.7%	217	25.4%
Mental health/addictions facility/unit	4	0.6%	10	0.8%
Community/public health clinic	29	4.8%	79	11.6%
Longterm care facility/unit[2]	8	0.3%	30	0.9%
Home care/hospice[2]	1	0.03%	3	0.1%
Nursing education			3	0.4%
School/college setting	20	1.9%	37	2.9%
Other	27	1.6%	71	3.0%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Certified Nurse Midwife

Principal Setting	1997	Row %	2001	Row %
All Settings	**22**	**0.1%**	**49**	**0.1%**
Hospital (in- & out-patient)	6	0.1%	6	0.1%
Hospital (in-patient)			2	0.02%
Hospital (out-patient)				
Hospital ER/ED				
Urgent care center/clinic				
Ambulatory care setting (surgical/other)	2	0.2%		
Physician/dentist private office	3	0.1%	20	0.6%
Primary care center/clinic	3	0.4%	6	0.7%
Mental health/addictions facility/unit				
Community/public health clinic	4	0.7%	10	1.5%
Longterm care facility/unit[2]				
Home care/hospice[2]				
Nursing education				
School/college setting				
Other	4	0.2%	5	0.2%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

School Nurse

Principal Setting	1997	Row %	2001	Row %
All Settings	**869**	**2.3%**	**1,114**	**2.5%**
Hospital (in- & out-patient)				
Hospital (in-patient)				
Hospital (out-patient)				
Hospital ER/ED				
Urgent care center/clinic				
Ambulatory care setting (surgical/other)	2	0.2%	1	0.1%
Physician/dentist private office				
Primary care center/clinic			1	0.1%
Mental health/addictions facility/unit	2	0.3%	3	0.3%
Community/public health clinic	5	0.8%	4	0.6%
Longterm care facility/unit[2]				
Home care/hospice[2]				
Nursing education	1	0.1%	1	0.1%
School/college setting	852	79.2%	1,094	84.8%
Other	7	0.4%	10	0.4%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Longterm Care Nurse[2]

Principal Setting	1997	Row %	2001	Row %
All Settings			**1,634**	**3.6%**
Hospital (in- & out-patient)			8	0.1%
Hospital (in-patient)			37	0.3%
Hospital (out-patient)			2	0.2%
Hospital ER/ED				
Urgent care center/clinic				
Ambulatory care setting (surgical/other)				
Physician/dentist private office			1	0.03%
Primary care center/clinic				
Mental health/addictions facility/unit			9	0.8%
Community/public health clinic			1	0.1%
Longterm care facility/unit[2]			1,558	46.4%
Home care/hospice[2]			2	0.1%
Nursing education			2	0.3%
School/college setting			1	0.1%
Other			13	0.6%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

2 Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Home Care Nurse

Principal Setting	1997	Row %	2001	Row %
All Settings	**2,277**	**6.0%**	**1,485**	**3.3%**
Hospital (in- & out-patient)	21	0.2%	16	0.1%
Hospital (in-patient)	3	0.03%	2	0.02%
Hospital (out-patient)	29	2.9%	9	0.7%
Hospital ER/ED	1	0.1%		
Urgent care center/clinic				
Ambulatory care setting (surgical/other)	1	0.1%		
Physician/dentist private office				
Primary care center/clinic				
Mental health/addictions facility/unit	2	0.3%	5	0.4%
Community/public health clinic	22	3.6%	26	3.8%
Longterm care facility/unit[2]	1	0.03%	6	0.2%
Home care/hospice[2]	2,174	63.1%	1,396	57.4%
Nursing education			3	0.4%
School/college setting			1	0.1%
Other	23	1.4%	21	0.9%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Hospice Nurse[2]

Principal Setting	1997	Row %	2001	Row %
All Settings			**381**	**0.8%**
Hospital (in- & out-patient)			7	0.1%
Hospital (in-patient)			13	0.1%
Hospital (out-patient)			2	0.2%
Hospital ER/ED			1	0.05%
Urgent care center/clinic				
Ambulatory care setting (surgical/other)				
Physician/dentist private office				
Primary care center/clinic			1	0.1%
Mental health/addictions facility/unit				
Community/public health clinic			1	0.1%
Longterm care facility/unit[2]			5	0.1%
Home care/hospice[2]			337	13.9%
Nursing education				
School/college setting				
Other			14	0.6%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Case Manager/Care Coordinator

Principal Setting	1997	Row %	2001	Row %
All Settings	**1,229**	**3.2%**	**1,430**	**3.1%**
Hospital (in- & out-patient)	234	2.2%	313	2.6%
Hospital (in-patient)	163	1.8%	274	2.3%
Hospital (out-patient)	29	2.9%	36	2.9%
Hospital ER/ED	4	0.3%	12	0.6%
Urgent care center/clinic	4	1.8%	7	2.2%
Ambulatory care setting (surgical/other)	14	1.2%	10	0.5%
Physician/dentist private office	11	0.5%	13	0.4%
Primary care center/clinic	15	2.2%	18	2.1%
Mental health/addictions facility/unit	30	4.3%	46	3.9%
Community/public health clinic	50	8.2%	43	6.3%
Longterm care facility/unit[2]	115	3.7%	120	3.6%
Home care/hospice[2]	278	8.1%	156	6.4%
Nursing education			2	0.3%
School/college setting	1	0.1%	3	0.2%
Other	281	16.7%	377	16.0%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Administrator/Manager

Principal Setting	1997	Row %	2001	Row %
All Settings	**3,048**	**8.0%**	**2,801**	**6.2%**
Hospital (in- & out-patient)	925	8.5%	936	7.9%
Hospital (in-patient)	218	2.4%	251	2.1%
Hospital (out-patient)	56	5.6%	65	5.3%
Hospital ER/ED	50	4.0%	66	3.0%
Urgent care center/clinic	17	7.6%	27	8.4%
Ambulatory care setting (surgical/other)	132	11.1%	149	7.8%
Physician/dentist private office	60	2.7%	96	3.0%
Primary care center/clinic	48	6.9%	57	6.7%
Mental health/addictions facility/unit	88	12.6%	122	10.3%
Community/public health clinic	74	12.2%	67	9.8%
Longterm care facility/unit[2]	594	18.9%	398	11.9%
Home care/hospice[2]	566	16.4%	324	13.3%
Nursing education	26	3.9%	7	1.0%
School/college setting	24	2.2%	33	2.6%
Other	170	10.1%	203	8.6%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Quality Assurance/Util. Review

Principal Setting	1997	Row %	2001	Row %
All Settings	**507**	**1.3%**	**471**	**1.0%**
Hospital (in- & out-patient)	162	1.5%	154	1.3%
Hospital (in-patient)	55	0.6%	74	0.6%
Hospital (out-patient)	1	0.1%	2	0.2%
Hospital ER/ED			5	0.2%
Urgent care center/clinic				
Ambulatory care setting (surgical/other)	3	0.3%	2	0.1%
Physician/dentist private office	1	0.04%	6	0.2%
Primary care center/clinic	4	0.6%	7	0.8%
Mental health/addictions facility/unit	18	2.6%	26	2.2%
Community/public health clinic	8	1.3%	6	0.9%
Longterm care facility/unit[2]	35	1.1%	28	0.8%
Home care/hospice[2]	84	2.4%	45	1.8%
Nursing education	1	0.1%	1	0.1%
School/college setting	1	0.1%		
Other	134	8.0%	115	4.9%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Nursing Consultant

Principal Setting	1997	Row %	2001	Row %
All Settings	**184**	**0.5%**	**269**	**0.6%**
Hospital (in- & out-patient)	19	0.2%	34	0.3%
Hospital (in-patient)	5	0.1%	4	0.0%
Hospital (out-patient)	1	0.1%	2	0.2%
Hospital ER/ED				
Urgent care center/clinic	1	0.4%		
Ambulatory care setting (surgical/other)	1	0.1%	1	0.1%
Physician/dentist private office	1		6	0.2%
Primary care center/clinic	1	0.1%		
Mental health/addictions facility/unit	6	0.9%	4	0.3%
Community/public health clinic	7	1.2%	5	0.7%
Longterm care facility/unit[2]	53	1.7%	96	2.9%
Home care/hospice[2]	6	0.2%	8	0.3%
Nursing education	3	0.4%	2	0.3%
School/college setting	1	0.1%		
Other	79	4.7%	107	4.5%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Faculty in a Nursing Program

Principal Setting	1997	Row %	2001	Row %
All Settings	**681**	**1.8%**	**664**	**1.5%**
Hospital (in- & out-patient)	7	0.1%	10	0.1%
Hospital (in-patient)	12	0.1%	15	0.1%
Hospital (out-patient)			1	0.1%
Hospital ER/ED				
Urgent care center/clinic				
Ambulatory care setting (surgical/other)			1	0.1%
Physician/dentist private office				
Primary care center/clinic			1	0.1%
Mental health/addictions facility/unit	5	0.7%	1	0.1%
Community/public health clinic	5	0.8%	1	0.1%
Longterm care facility/unit[2]	5	0.2%	2	0.1%
Home care/hospice[2]				
Nursing education	563	83.9%	628	88.6%
School/college setting	76	7.1%		
Other	8	0.5%	4	0.2%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Continuing Ed./Staff Development

Principal Setting	1997	Row %	2001	Row %
All Settings	**463**	**1.2%**	**579**	**1.3%**
Hospital (in- & out-patient)	201	1.8%	259	2.2%
Hospital (in-patient)	45	0.5%	81	0.7%
Hospital (out-patient)	2	0.2%	2	0.2%
Hospital ER/ED	2	0.2%	11	0.5%
Urgent care center/clinic	1	0.4%		
Ambulatory care setting (surgical/other)	5	0.4%	10	0.5%
Physician/dentist private office			3	0.1%
Primary care center/clinic	1	0.1%	4	0.5%
Mental health/addictions facility/unit	4	0.6%	9	0.8%
Community/public health clinic	3	0.5%		
Longterm care facility/unit[2]	107	3.4%	123	3.7%
Home care/hospice[2]	29	0.8%	11	0.5%
Nursing education	56	8.3%	44	6.2%
School/college setting	1	0.1%	4	0.3%
Other	6	0.4%	18	0.8%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(7), RNs by Principal Setting and Principal Position, 1997 and 2001[1]
(continued)

Other

Principal Setting	1997	Row %	2001	Row %
All Settings	**1,795**	**4.7%**	**2,156**	**4.7%**
Hospital (in- & out-patient)	540	5.0%	559	4.7%
Hospital (in-patient)	100	1.1%	139	1.2%
Hospital (out-patient)	64	6.4%	94	7.7%
Hospital ER/ED	11	0.9%	19	0.9%
Urgent care center/clinic	9	4.0%	12	3.7%
Ambulatory care setting (surgical/other)	90	7.6%	64	3.3%
Physician/dentist private office	71	3.2%	70	2.2%
Primary care center/clinic	19	2.7%	27	3.2%
Mental health/addictions facility/unit	38	5.4%	49	4.1%
Community/public health clinic	172	28.3%	169	24.8%
Longterm care facility/unit[2]	145	4.6%	137	4.1%
Home care/hospice[2]	95	2.8%	28	1.2%
Nursing education	5	0.7%	9	1.3%
School/college setting	32	3.0%	46	3.6%
Other	404	24.1%	734	31.1%

Missing: 195 in 2001; 775 in 1997

---

[1] A blank cell indicates that there were no data in a category.

[2] Differences in 1997 and 2001 figures for some positions in relation to this setting may be influenced by changes in

survey selection options. For example, "Long term care nurse" and "Hospice nurse" were added to the 2001 survey. Respondents may have chosen one of these instead of "Staff/general nurse" or "Charge nurse/team leader."

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an Indiana Principal Position Location

General Demographic and Professional Characteristics

Table II-A(8), RNs by Principal Setting, Principal Position, and Average Age1997 and 2001[1]

Principal Position

Principal Setting	All Positions		Staff/General Nurse		Charge Nurse/Team Leader		Head Nurse/Assistant	
	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age
All Settings	**43.0**	**45.3**	**41.1**	**43.1**	**42.6**	**44.5**	**45.2**	**47.3**
Hospital (in- & out-patient)	42.2	44.7	40.7	43.4	42.0	44.6	44.7	47.2
Hospital (in-patient)	40.8	42.5	40.1	41.8	41.6	43.0	44.7	47.1
Hospital (out-patient)	43.9	46.7	43.4	46.4	44.1	45.5	45.5	48.1
Hospital ER/ED	40.1	41.9	39.2	41.3	41.6	42.8	46.3	45.7
Urgent care center/clinic	44.3	47.1	44.0	47.9	43.1	46.8	*43.9	*53.9
Ambulatory care setting (surgical/other)	42.9	44.7	42.2	44.0	42.2	44.9	45.4	46.5
Physician/dentist private office	44.6	45.8	43.1	45.5	40.9	42.2	45.1	43.8
Primary care center/clinic	44.9	46.4	45.8	47.3	43.5	43.8	43.0	52.5
Mental health/addictions facility/unit	46.4	49.0	45.7	48.9	46.7	48.2	47.1	50.8
Community/public health clinic	47.8	48.9	48.8	50.0	46.7	49.9	52.1	53.8
Longterm care facility/unit	44.7	48.3	44.7	50.3	43.3	47.9	45.0	45.7
Home care/hospice	43.6	47.8	45.6	50.2	44.7	48.2	42.8	47.1
Nursing education	48.9	51.8	*40.6	*50.5	*46.2	*38.0		
School/college setting	48.3	49.6	50.5	51.5	*49.7	*54.9	57.2	*49.2
Other	46.4	49.2	45.6	48.3	45.7	46.6	48.1	50.9

Principal Position

Principal Setting	Office Nurse		Nurse Clinician		Clinical Nurse Specialist		Certified Nurse Anesthetist	
	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age
All Settings	**44.8**	**46.0**	**43.5**	**45.7**	**44.1**	**48.1**	**48.2**	**48.6**
Hospital (in- & out-patient)	40.0	45.7	42.2	45.4	43.5	47.7	48.0	47.4
Hospital (in-patient)	*49.4	*39.5	40.4	43.2	42.0	45.2	*50.8	*50.9
Hospital (out-patient)	43.2	45.4	44.4	48.8	45.3	49.9	*33.0	
Hospital ER/ED		*37.0	*37.5	49.0	*45.7	42.0		
Urgent care center/clinic	45.2	45.5	*43.8	*47.0	*63.0	*55.0		
Ambulatory care setting (surgical/other)	42.5	45.6	41.2	42.9	41.7	46.0	*49.6	52.3
Physician/dentist private office	45.0	46.0	41.8	40.9	43.2	45.8		*42.5
Primary care center/clinic	45.1	46.6	*40.8	*43.9	*52.3	50.7		
Mental health/addictions facility/unit	*41.4	47.2	*51.1	46.9	47.0	51.5		
Community/public health clinic	40.6	42.9	54.1	56.7	*48.5	*52.5		*49.0
Longterm care facility/unit	*39.8	39.4	*45.0	*42.0	*37.0	*54.0		
Home care/hospice	*46.3	*43.1	40.2	*47.4	48.1	*53.0		
Nursing education	*54.0	*59.0		*62.0	*45.0	*47.0		
School/college setting	45.8	52.7	*62.0	*42.0	*45.0	*50.5		
Other	44.8	50.2	45.5	*49.8	45.6	49.4		*57.5

Principal Position

Principal Setting	Nurse Practitioner		Certified Nurse Midwife		School Nurse		Longterm Care Nurse[2]	
	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age
All Settings	**43.5**	**45.8**	**44.0**	**45.4**	**48.1**	**49.4**		**48.6**
Hospital (in- & out-patient)	42.6	46.2	43.3	*49.8				*47.1
Hospital (in-patient)	41.1	43.8		*41.5				45.1
Hospital (out-patient)	44.2	46.5						*37.5
Hospital ER/ED	*42.8	41.7						
Urgent care center/clinic	44.4	43.4						
Ambulatory care setting (surgical/other)	45.0	50.5	*45.0		*45.5	*52.0		
Physician/dentist private office	42.5	45.1	*42.3	44.8				*40.0

Primary care center/clinic	43.2	45.2	*43.3	*44.2		*48.0		
Mental health/addictions facility/unit	*42.8	49.3			*52.5	*47.7		*46.6
Community/public health clinic	44.0	46.6	*45.3	46.7	45.6	*50.7		*55.0
Longterm care facility/unit	*42.3	45.7						48.8
Home care/hospice	*62.0	*44.0						*38.5
Nursing education		*52.3			*37.0	*40.0		*44.0
School/college setting	47.2	48.5			48.1	49.4		*48.0
Other	46.3	49.4	*45.6	*42.2	*55.4	52.4		52.3

Principal Position

Principal Setting	Home Care Nurse		Hospice Nurse		Case Manager/Care Coordinator		Administrator/ Manager	
	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age[2]	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age
All Settings	43.1	47.8		48.6	43.9	47.0	46.0	48.5
Hospital (in- & out-patient)	40.7	46.9		*54.4	44.6	47.9	46.9	49.0
Hospital (in-patient)	*46.3	*45.0		48.1	42.7	46.4	45.9	47.4
Hospital (out-patient)	44.4	*49.8		*46.0	44.7	48.9	46.8	48.2
Hospital ER/ED	*36.0			*50.0	*42.0	46.3	43.9	46.0
Urgent care center/clinic					*45.5	*45.6	45.3	49.7
Ambulatory care setting (surgical/other)	*43.0				46.3	*42.8	43.8	47.2
Physician/dentist private office					41.7	48.2	46.9	47.5
Primary care center/clinic				*52.0	45.9	43.2	47.4	47.9
Mental health/addictions facility/unit	*47.5	*48.0			44.4	48.0	47.4	49.3
Community/public health clinic	44.1	47.5		*39.0	45.1	46.2	50.9	51.2
Longterm care facility/unit	40.0	*61.7		*46.4	42.8	44.4	45.4	47.7
Home care/hospice	*43.0	47.7		48.5	43.1	45.8	44.3	48.2
Nursing education		*46.3				*55.0	51.6	*56.6
School/college setting		*76.0			*50.0	*51.7	50.7	51.5
Other	45.0	53.0		49.8	44.9	48.2	46.8	49.6

Principal Position

Principal Setting	Quality Assurance/ Util. Review		Nursing Consultant		Faculty in a Nursing Program		Continuing Ed./Staff Development		Other	
	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age	1997 Ave. Age	2001 Ave. Age
All Settings	46.4	48.5	46.9	48.2	49.0	51.9	45.5	47.8	46.6	49.0
Hospital (in- & out-patient)	46.7	48.6	45.2	44.4	46.3	*42.9	45.2	48.0	45.9	47.5
Hospital (in-patient)	46.4	49.4	*40.6	*42.3	*47.6	50.6	42.0	46.4	43.6	47.4
Hospital (out-patient)	*60.0	*49.5	*36.0	*42.5		*62.0	*37.5	*44.0	43.3	47.6
Hospital ER/ED		*53.3					*46.0	46.8	45.9	45.5
Urgent care center/clinic			*57.0				*44.0		*40.4	50.5
Ambulatory care setting (surgical/other)	*47.0	*48.5	*58.0	*50.0		*56.0	*43.8	47.3	43.4	44.6
Physician/dentist private office	*44.0	*49.2	*35.0	*42.0				*42.3	43.4	48.0
Primary care center/clinic	*52.8	*55.3	*41.0			*52.0		*47.8	*46.6	44.5
Mental health/addictions facility/unit	46.7	49.0	*47.0	*52.3	*50.8	*41.0	*47.0	*57.8	46.7	51.5
Community/public health clinic	*50.1	*48.8	*52.4	*54.8	*51.4	*50.0	*41.0		48.2	50.8
Longterm care facility/unit	49.2	48.0	48.4	48.1	*48.6	*57.0	47.2	47.7	48.8	49.6
Home care/hospice	46.6	48.9	*47.0	*50.5			46.0	48.4	46.5	49.3
Nursing education	*49.1	*50.0	50.6	*61.0	49.1	52.1	47.4	49.6	49.8	*46.3
School/college setting	*48.0		*56.0		49.1		*54.0	*48.0	47.2	48.8
Other	44.6	47.1	46.1	49.3	*49.8	*51.5	41.8	46.5	*48.6	50.5

Missing: 801 in 2001; 1,291 in 1997

_____

[1] A blank cell indicates that there were no data in a category.

[2] "Longterm care nurse" and "Hospice nurse" were not categories on the 1997 survey.

* Fewer than 10 RNs in this calculation. Data should be interpreted appropriately.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Educational Profile

Table II-B(1), RNs by Highest Degree in Nursing, 1997 and 2001

Highest Degree in Nursing	1997	%	2001	%
Diploma	8,121	21.0%	6,663	14.7%
Associate	17,077	44.2%	19,879	43.9%
Bachelor's	11,667	30.2%	15,745	34.8%
Master's	1,690	4.4%	2,828	6.2%
Doctorate	94	0.2%	172	0.4%
Total	38,649	100.0%	45,287	100.0%
	Missing: 72		Missing: 328	

Chart II-B(1), RNs by Highest Degree in Nursing, 1997 and 2001

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Educational Profile

Table II-B(2a), RNs by Highest Degree in Nursing and Sex, 1997 and 2001

Highest Degree in Nursing	Female	Row %	Male	Row %	Total	Row %
Total	**42,899**	**95.7%**	**1,940**	**4.3%**	**44,839**	**100.0%**
Diploma	6,473	98.1%	123	1.9%	6,596	100.0%
Associate	18,615	94.6%	1,063	5.4%	19,678	100.0%
Bachelor's	14,958	95.9%	641	4.1%	15,599	100.0%
Master's	2,689	96.1%	108	3.9%	2,797	100.0%
Doctorate	164	97.0%	5	3.0%	169	100.0%
Missing: 776						

Table II-B(2b), RNs by Sex and Highest Degree in Nursing, 1997 and 2001

Highest Degree in Nursing	Female	Column %	Male	Column %	Total	Column %
Total	**42,899**	**100.0%**	**1,940**	**100.0%**	**44,839**	**100.0%**
Diploma	6,473	15.1%	123	6.3%	6,596	14.7%
Associate	18,615	43.4%	1,063	54.8%	19,678	43.9%
Bachelor's	14,958	34.9%	641	33.0%	15,599	34.8%
Master's	2,689	6.3%	108	5.6%	2,797	6.2%
Doctorate	164	0.4%	5	0.3%	169	0.4%
Missing: 776						

**Table II-B(3a), RNs by Highest Degree in Nursing
and Hispanic Origin, 1997 and 2001**

Highest Degree in Nursing	Hispanic Origin	Row %	No Hispanic Origin	Row %	Total	Row %

All Degrees	**553**	**1.3%**	**40,461**	**98.7%**	**41,014**	**100.0%**
Diploma	29	0.5%	5,853	99.5%	5,882	100.0%
Associate	283	1.6%	17,719	98.4%	18,002	100.0%
Bachelor's	207	1.4%	14,226	98.6%	14,433	100.0%
Master's	33	1.3%	2,517	98.7%	2,550	100.0%
Doctorate	1	0.7%	146	99.3%	147	100.0%
Missing: 4,601						

Table II-B(3b), RNs by Hispanic Origin
and Highest Degree in Nursing, 1997 and 2001

Highest Degree in Nursing	Hispanic Origin	Column %	No Hispanic Origin	Column %	Total	Column %
All Degrees	**553**	**100.0%**	**40,461**	**100.0%**	**41,014**	**100.0%**
Diploma	29	5.2%	5,853	14.5%	5,882	14.3%
Associate	283	51.2%	17,719	43.8%	18,002	43.9%
Bachelor's	207	37.4%	14,226	35.2%	14,433	35.2%
Master's	33	6.0%	2,517	6.2%	2,550	6.2%
Doctorate	1	0.2%	146	0.4%	147	0.4%
Missing: 4,601						

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Educational Profile

Table II-B(4a), RNs by Highest Degree in Nursing and Race, 2001[1]

Highest Degree in Nursing	White	Row %	Black/Af. Amer.	Row %	Asian/Pac. Islander	Row %
Total	42,368	94.8%	1,332	3.0%	449	1.0%
Diploma	6,383	97.0%	99	1.5%	62	0.9%
Associate	18,649	95.1%	586	3.0%	94	0.5%
Bachelor's	14,554	93.6%	542	3.5%	262	1.7%
Master's	2,627	94.2%	97	3.5%	31	1.1%
Doctorate	155	93.4%	8	4.8%		

Highest Degree in Nursing	Am. Ind./ Nat. Al.	Row %	Multi-racial	Row %	Other	Row %	Total	Row %
Total	72	0.2%	154	0.3%	316	0.7%	44,691	100.0%
Diploma	8	0.1%	2	0.03%	25	0.4%	6,579	100.0%
Associate	35	0.2%	88	0.4%	149	0.8%	19,601	100.0%
Bachelor's	24	0.2%	52	0.3%	121	0.8%	15,555	100.0%
Master's	3	0.1%	12	0.4%	20	0.7%	2,790	100.0%
Doctorate	2	1.2%			1	0.6%	166	100.0%

Missing: 924

---

[1] A blank cell indicates that there were no data in this category.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Educational Profile

Table II-B(4b), RNs by Race and Highest Degree in Nursing, 2001[1]

Highest Degree in Nursing	White	Col %	Black/Af. Amer.	Col %	Asian/Pac. Islander	Col %
Total	42,368	100.0%	1,332	100.0%	449	100.0%
Diploma	6,383	15.1%	99	7.4%	62	13.8%
Associate	18,649	44.0%	586	44.0%	94	20.9%
Bachelor's	14,554	34.4%	542	40.7%	262	58.4%
Master's	2,627	6.2%	97	7.3%	31	6.9%
Doctorate	155	0.4%	8	0.6%		

Highest Degree in Nursing	Am. Ind./ Nat. Al.	Col %	Multi-racial	Col %	Other	Col %	Total	Col %
Total	72	100.0%	154	100.0%	316	100.0%	44,691	100.0%
Diploma	8	11.1%	2	1.3%	25	7.9%	6,579	14.7%
Associate	35	48.6%	88	57.1%	149	47.2%	19,601	43.9%
Bachelor's	24	33.3%	52	33.8%	121	38.3%	15,555	34.8%
Master's	3	4.2%	12	7.8%	20	6.3%	2,790	6.2%
Doctorate	2	2.8%			1	0.3%	166	0.4%

Missing: 924

_____

[1] A blank cell indicates that there were no data in this category.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Educational Profile

Table II-B(5a), RNs by Highest Degree in Nursing and Age, 2001[1]

Highest Degree in Nursing	30 or younger	Row %	31-44	Row %	45-54	Row %
Total	3,887	8.7%	16,701	37.4%	15,771	35.3%
Diploma	67	1.0%	1,198	18.4%	2,170	33.3%
Associate	1,648	8.4%	7,944	40.4%	7,491	38.1%
Bachelor's	2,111	13.6%	6,730	43.3%	4,796	30.9%
Master's	61	2.2%	811	29.2%	1,248	44.9%
Doctorate			18	10.7%	66	39.1%

Highest Degree in Nursing	55-64	Row %	65 and over	Row %	Total	Row %
Total	7,060	15.8%	1,261	2.8%	44,680	100.0%
Diploma	2,440	37.4%	645	9.9%	6,520	100.0%
Associate	2,330	11.8%	260	1.3%	19,673	100.0%
Bachelor's	1,666	10.7%	237	1.5%	15,540	100.0%
Master's	557	20.1%	101	3.6%	2,778	100.0%
Doctorate	67	39.6%	18	10.7%	169	100.0%

Missing: 935

---

[1] A blank cell indicates that there were no data in this category.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Educational Profile

Table II-B(5b), RNs by Age and Highest Degree in Nursing, 2001[1]

Highest Degree in Nursing	30 or younger	Column %	31-44	Column %	45-54	Column %
Total	3,887	100.0%	16,701	100.0%	15,771	100.0%
Diploma	67	1.7%	1,198	7.2%	2,170	13.8%
Associate	1,648	42.4%	7,944	47.6%	7,491	47.5%
Bachelor's	2,111	54.3%	6,730	40.3%	4,796	30.4%
Master's	61	1.6%	811	4.9%	1,248	7.9%
Doctorate			18	0.1%	66	0.4%

Highest Degree in Nursing	55-64	Column %	65 and over	Column %	Total	Column %
Total	7,060	100.0%	1,261	100.0%	44,680	100.0%
Diploma	2,440	34.6%	645	51.1%	6,520	14.6%
Associate	2,330	33.0%	260	20.6%	19,673	44.0%
Bachelor's	1,666	23.6%	237	18.8%	15,540	34.8%
Master's	557	7.9%	101	8.0%	2,778	6.2%
Doctorate	67	0.9%	18	1.4%	169	0.4%

Missing: 935

---

[1] A blank cell indicates that there were no data in this category.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Map II-C(1), RNs by County of Principal Position Location, 2001[1]

[1] This dot density map depicts the relative density of RNs in a particular county, not the precise location of each RN.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Distribution Profile

Table II-C(1), RNs by County of Principal Position Location, 2001

	IN Rural[1]	Fed. Rural[1]	Number	%
All Counties			45,615	100.0%
Adams	R		182	0.4%
Allen			3,617	7.9%
Bartholomew		R	572	1.3%
Benton	R	R	19	0.04%
Blackford	R	R	40	0.1%
Boone			190	0.4%
Brown	R	R	35	0.1%
Carroll	R	R	37	0.1%
Cass		R	266	0.6%
Clark			565	1.2%
Clay			98	0.2%
Clinton			129	0.3%
Crawford	R	R	10	0.02%
Daviess		R	171	0.4%
Dearborn			215	0.5%
Decatur		R	124	0.3%
De Kalb			193	0.4%
Delaware			945	2.1%
Dubois		R	426	0.9%
Elkhart			1,255	2.8%
Fayette		R	131	0.3%
Floyd			546	1.2%
Fountain	R	R	30	0.1%
Franklin	R	R	37	0.1%

County	Col1	Col2	Votes	Percent
Fulton	R	R	108	0.2%
Gibson	R	R	138	0.3%
Grant		R	530	1.2%
Greene	R	R	127	0.3%
Hamilton			1,188	2.6%
Hancock			312	0.7%
Harrison			123	0.3%
Hendricks			565	1.2%
Henry		R	246	0.5%
Howard			689	1.5%
Huntington			184	0.4%
Jackson		R	206	0.5%
Jasper	R	R	152	0.3%
Jay	R	R	82	0.2%
Jefferson		R	243	0.5%
Jennings	R	R	72	0.2%
Johnson			518	1.1%
Knox		R	536	1.2%
Kosciusko		R	294	0.6%
Lagrange	R	R	79	0.2%
Lake			4,226	9.3%
La Porte		R	832	1.8%
Lawrence		R	254	0.6%
Madison			801	1.8%
Marion			10,182	22.3%
Marshall	R	R	236	0.5%
Martin	R	R	38	0.1%
Miami		R	138	0.3%
Monroe			839	1.8%
Montgomery		R	171	0.4%
Morgan			245	0.5%
Newton	R	R	23	0.1%
Noble	R	R	130	0.3%

Ohio	R		17	0.04%
Orange	R	R	68	0.1%
Owen	R	R	24	0.1%
Parke	R	R	40	0.1%
Perry	R	R	88	0.2%
Pike	R	R	67	0.1%
Porter			1,125	2.5%
Posey			55	0.1%
Pulaski	R	R	77	0.2%
Putnam	R	R	120	0.3%
Randolph	R	R	82	0.2%
Ripley	R	R	145	0.3%
Rush	R	R	78	0.2%
St. Joseph			2,268	5.0%
Scott	R		77	0.2%
Shelby			184	0.4%
Spencer	R	R	54	0.1%
Starke	R	R	99	0.2%
Steuben	R	R	128	0.3%
Sullivan	R	R	117	0.3%
Switzerland	R	R	14	0.03%
Tippecanoe			1,139	2.5%
Tipton			106	0.2%
Union	R	R	14	0.03%
Vanderburgh			2,316	5.1%
Vermillion	R		81	0.2%
Vigo			1,106	2.4%
Wabash		R	146	0.3%
Warren	R	R	40	0.1%
Warrick			328	0.7%
Washington	R	R	80	0.2%
Wayne		R	583	1.3%
Wells	R		159	0.3%

White	R	R	110	0.2%
Whitley			140	0.3%

[1] See Chapter 1 for a discussion of state and federal rural definitions.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Distribution Profile

Table II-C(2), RNs by County of Principal Position Location,
Race, and Hispanic Origin, 2001[1]
(part 1 of 3)

NOTE: This table is presented here across 3 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

| | IN Rural1 | Fed. Rural1 | Race | | | | | |
			White	Row %	Black/Af. Amer.	Row %	Asian/ Pac. Islander	Row %
All Counties			**42,650**	**94.8%**	**1,344**	**3.0%**	**453**	**1.0%**
Adams	R		178	99.4%				
Allen			3,443	96.6%	56	1.6%	24	0.7%
Bartholomew		R	556	98.4%	4	0.7%	2	0.4%
Benton	R	R	19	100.0%				
Blackford	R	R	40	100.0%				
Boone			188	98.9%	1	0.5%		
Brown	R	R	35	100.0%				
Carroll	R	R	36	97.3%	1	2.7%		
Cass		R	262	99.2%			2	0.8%
Clark			546	97.0%	10	1.8%	2	0.4%
Clay			96	98.0%	2	2.0%		
Clinton			124	98.4%				
Crawford	R	R	9	100.0%				
Daviess		R	166	98.8%				
Dearborn			209	99.1%			1	0.5%
Decatur		R	120	99.2%			1	0.8%
De Kalb			192	100.0%				
Delaware			913	97.5%	10	1.1%	5	0.5%

County								
Dubois		R	421	99.8%	1	0.2%		
Elkhart			1,197	96.2%	18	1.4%	15	1.2%
Fayette		R	125	98.4%				
Floyd			527	97.2%	10	1.8%	2	0.4%
Fountain	R	R	30	100.0%				
Franklin	R	R	36	97.3%				
Fulton	R	R	106	99.1%				
Gibson	R	R	135	98.5%	1	0.7%	1	0.7%
Grant		R	495	95.0%	13	2.5%	4	0.8%
Greene	R	R	124	99.2%				
Hamilton			1,133	97.0%	11	0.9%	11	0.9%
Hancock			303	98.4%			4	1.3%
Harrison			119	100.0%				
Hendricks			544	98.0%	6	1.1%	1	0.2%
Henry		R	239	99.2%				
Howard			647	96.3%	15	2.2%	4	0.6%
Huntington			176	96.7%	2	1.1%	1	0.5%
Jackson		R	203	100.0%				
Jasper	R	R	149	98.0%	1	0.7%	1	0.7%
Jay	R	R	82	100.0%				
Jefferson		R	237	98.8%	2	0.8%	1	0.4%
Jennings	R	R	68	97.1%	1	1.4%		
Johnson			508	98.3%	2	0.4%	5	1.0%
Knox		R	527	99.2%			2	0.4%
Kosciusko		R	285	98.3%			1	0.3%
Lagrange	R	R	77	98.7%	1	1.3%		
Lake			3,424	82.8%	431	10.4%	133	3.2%
La Porte		R	783	94.8%	19	2.3%	13	1.6%
Lawrence		R	249	99.6%				
Madison			761	96.3%	19	2.4%	3	0.4%
Marion			9,193	91.5%	576	5.7%	129	1.3%
Marshall	R	R	225	98.3%	2	0.9%		
Martin	R	R	37	97.4%			1	2.6%

County			Count	%	Count	%	Count	%
Miami		R	134	97.8%				
Monroe			813	98.3%	3	0.4%	7	0.8%
Montgomery		R	166	100.0%				
Morgan			237	97.5%	2	0.8%	2	0.8%
Newton	R	R	23	100.0%				
Noble	R	R	126	99.2%				
Ohio	R		17	100.0%				
Orange	R	R	65	97.0%				
Owen	R	R	24	100.0%				
Parke	R	R	40	100.0%				
Perry	R	R	87	98.9%				
Pike	R	R	66	100.0%				
Porter			1,078	97.6%			16	1.4%
Posey			55	100.0%				
Pulaski	R	R	75	100.0%				
Putnam	R	R	114	96.6%				
Randolph	R	R	80	100.0%				
Ripley	R	R	142	99.3%			1	0.7%
Rush	R	R	77	98.7%				
St. Joseph			2,118	94.5%	67	3.0%	29	1.3%
Scott	R		77	100.0%				
Shelby			181	98.9%	1	0.5%	1	0.5%
Spencer	R	R	52	96.3%	2	3.7%		
Starke	R	R	98	100.0%				
Steuben	R	R	125	100.0%				
Sullivan	R	R	113	99.1%				
Switzerland	R	R	14	100.0%				
Tippecanoe			1,094	97.7%	10	0.9%	7	0.6%
Tipton			102	99.0%				
Union	R	R	14	100.0%				
Vanderburgh			2,255	98.1%	25	1.1%	9	0.4%
Vermillion	R		80	98.8%				
Vigo			1,067	97.5%	9	0.8%	7	0.6%

Wabash		R	143	99.3%				
Warren	R	R	39	100.0%				
Warrick			320	98.2%	4	1.2%		
Washington	R	R	79	98.8%				
Wayne		R	562	97.7%	6	1.0%	3	0.5%
Wells	R		155	98.7%			1	0.6%
White	R	R	109	99.1%				
Whitley			137	99.3%			1	0.7%

[1] See Chapter 1 for a discussion of state and federal rural definitions. Other than rural designation columns, a blank cell indicates that there were no data in a particular category.
[2] Hispanic can be of any race.

]

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Distribution Profile

Table II-C(2), RNs by County of Principal Position Location,
Race, and Hispanic Origin, 2001[1]
(part 2 of 3)

NOTE: This table is presented here across 3 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

			Race							
	IN Rural1	Fed. Rural1	Am. Ind./ Nat. Al.	Row %	Multi-racial	Row %	Other	Row %	Total	Row %
All Counties			73	0.2%	155	0.3%	319	0.7%	44,994	100.0%
Adams	R		1	0.6%					179	100.0%
Allen			6	0.2%	9	0.3%	25	0.7%	3,563	100.0%
Bartholomew		R	2	0.4%			1	0.2%	565	100.0%
Benton	R	R							19	100.0%
Blackford	R	R							40	100.0%
Boone							1	0.5%	190	100.0%
Brown	R	R							35	100.0%
Carroll	R	R							37	100.0%
Cass		R							264	100.0%
Clark			1	0.2%	1	0.2%	3	0.5%	563	100.0%
Clay									98	100.0%
Clinton			1	0.8%	1	0.8%			126	100.0%
Crawford	R	R							9	100.0%
Daviess		R			1	0.6%	1	0.6%	168	100.0%
Dearborn			1	0.5%					211	100.0%
Decatur		R							121	100.0%
De Kalb									192	100.0%
Delaware			1	0.1%	4	0.4%	3	0.3%	936	100.0%
Dubois		R							422	100.0%

County										
Elkhart			1	0.1%	3	0.2%	10	0.8%	1,244	100.0%
Fayette		R	1	0.8%			1	0.8%	127	100.0%
Floyd			1	0.2%	1	0.2%	1	0.2%	542	100.0%
Fountain	R	R							30	100.0%
Franklin	R	R					1	2.7%	37	100.0%
Fulton	R	R					1	0.9%	107	100.0%
Gibson	R	R							137	100.0%
Grant		R			3	0.6%	6	1.2%	521	100.0%
Greene	R	R			1	0.8%			125	100.0%
Hamilton			4	0.3%	3	0.3%	6	0.5%	1,168	100.0%
Hancock					1	0.3%			308	100.0%
Harrison									119	100.0%
Hendricks			1	0.2%			3	0.5%	555	100.0%
Henry		R			2	0.8%			241	100.0%
Howard			2	0.3%	1	0.1%	3	0.4%	672	100.0%
Huntington			1	0.5%	2	1.1%			182	100.0%
Jackson		R							203	100.0%
Jasper	R	R					1	0.7%	152	100.0%
Jay	R	R							82	100.0%
Jefferson		R							240	100.0%
Jennings	R	R			1	1.4%			70	100.0%
Johnson					1	0.2%	1	0.2%	517	100.0%
Knox		R			1	0.2%	1	0.2%	531	100.0%
Kosciusko		R	1	0.3%			3	1.0%	290	100.0%
Lagrange	R	R							78	100.0%
Lake			5	0.1%	31	0.7%	111	2.7%	4,135	100.0%
La Porte		R	1	0.1%	4	0.5%	6	0.7%	826	100.0%
Lawrence		R			1	0.4%			250	100.0%
Madison					2	0.3%	5	0.6%	790	100.0%
Marion			17	0.2%	53	0.5%	77	0.8%	10,045	100.0%
Marshall	R	R					2	0.9%	229	100.0%
Martin	R	R							38	100.0%
Miami		R	3	2.2%					137	100.0%
Monroe					2	0.2%	2	0.2%	827	100.0%

County										
Montgomery		R							166	100.0%
Morgan			2	0.8%					243	100.0%
Newton	R	R							23	100.0%
Noble	R	R			1	0.8%			127	100.0%
Ohio	R								17	100.0%
Orange	R	R	1	1.5%			1	1.5%	67	100.0%
Owen	R	R							24	100.0%
Parke	R	R							40	100.0%
Perry	R	R			1	1.1%			88	100.0%
Pike	R	R							66	100.0%
Porter			1	0.1%	1	0.1%	9	0.8%	1,105	100.0%
Posey									55	100.0%
Pulaski	R	R							75	100.0%
Putnam	R	R	2	1.7%	1	0.8%	1	0.8%	118	100.0%
Randolph	R	R							80	100.0%
Ripley	R	R							143	100.0%
Rush	R	R			1	1.3%			78	100.0%
St. Joseph			6	0.3%	8	0.4%	14	0.6%	2,242	100.0%
Scott	R								77	100.0%
Shelby									183	100.0%
Spencer	R	R							54	100.0%
Starke	R	R							98	100.0%
Steuben	R	R							125	100.0%
Sullivan	R	R			1	0.9%			114	100.0%
Switzerland	R	R							14	100.0%
Tippecanoe			3	0.3%	2	0.2%	4	0.4%	1,120	100.0%
Tipton					1	1.0%			103	100.0%
Union	R	R							14	100.0%
Vanderburgh			1	0.04%	4	0.2%	4	0.2%	2,298	100.0%
Vermillion	R						1	1.2%	81	100.0%
Vigo			3	0.3%	2	0.2%	6	0.5%	1,094	100.0%
Wabash		R	1	0.7%					144	100.0%
Warren	R	R							39	100.0%
Warrick					1	0.3%	1	0.3%	326	100.0%

County												
Washington	R	R	1	1.3%							80	100.0%
Wayne		R					2	0.3%	2	0.3%	575	100.0%
Wells	R								1	0.6%	157	100.0%
White	R	R	1	0.9%							110	100.0%
Whitley											138	100.0%
		Missing: 621										

[1] See Chapter 1 for a discussion of state and federal rural definitions. Other than rural designation columns, a blank cell indicates that there were no data in a particular category.
[2] Hispanic can be of any race.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an Indiana Principal Position Location

Distribution Profile

Table II-C(2), RNs by County of Principal Position Location, Race, and Hispanic Origin, 2001[1]

	IN Rural[1]	Fed. Rural[1]	White	Row %	Black/Af. Amer.	Row %	Asian/ Pac. Islander	Row %	Am. Ind./ Nat. Al.	Row %	Multi-racial	Row %	Other	Row %	Total	Row %	Hisp. Origin	Row %	No Hisp. Origin	Row %	Total	Row %
All Counties			**42,650**	**94.8%**	**1,344**	**3.0%**	**453**	**1.0%**	**73**	**0.2%**	**155**	**0.3%**	**319**	**0.7%**	**44,994**	**100.0%**	**555**	**1.3%**	**40,723**	**98.7%**	**41,278**	**100.0%**
Adams	R		178	99.4%					1	0.6%					179	100.0%			166	100.0%	166	100.0%
Allen			3,443	96.6%	56	1.6%	24	0.7%	6	0.2%	9	0.3%	25	0.7%	3,563	100.0%	44	1.3%	3,260	98.7%	3,304	100.0%
Bartholomew		R	556	98.4%	4	0.7%	2	0.4%	2	0.4%			1	0.2%	565	100.0%	4	0.8%	514	99.2%	518	100.0%
Benton	R	R	19	100.0%											19	100.0%			17	100.0%	17	100.0%
Blackford	R	R	40	100.0%											40	100.0%			39	100.0%	39	100.0%
Boone			188	98.9%	1	0.5%							1	0.5%	190	100.0%	1	0.6%	171	99.4%	172	100.0%
Brown	R	R	35	100.0%											35	100.0%			31	100.0%	31	100.0%
Carroll	R	R	36	97.3%	1	2.7%									37	100.0%			34	100.0%	34	100.0%
Cass		R	262	99.2%			2	0.8%							264	100.0%			247	100.0%	247	100.0%
Clark			546	97.0%	10	1.8%	2	0.4%	1	0.2%	1	0.2%	3	0.5%	563	100.0%	6	1.2%	513	98.8%	519	100.0%
Clay			96	98.0%	2	2.0%									98	100.0%			90	100.0%	90	100.0%
Clinton			124	98.4%					1	0.8%	1	0.8%			126	100.0%			115	100.0%	115	100.0%
Crawford	R	R	9	100.0%											9	100.0%			9	100.0%	9	100.0%
Daviess		R	166	98.8%							1	0.6%	1	0.6%	168	100.0%	2	1.3%	156	98.7%	158	100.0%
Dearborn			209	99.1%			1	0.5%	1	0.5%					211	100.0%			193	100.0%	193	100.0%
Decatur		R	120	99.2%			1	0.8%							121	100.0%			116	100.0%	116	100.0%
De Kalb			192	100.0%											192	100.0%			186	100.0%	186	100.0%
Delaware			913	97.5%	10	1.1%	5	0.5%	1	0.1%	4	0.4%	3	0.3%	936	100.0%	4	0.5%	852	99.5%	856	100.0%
Dubois		R	421	99.8%	1	0.2%									422	100.0%	1	0.2%	407	99.8%	408	100.0%
Elkhart			1,197	96.2%	18	1.4%	15	1.2%	1	0.1%	3	0.2%	10	0.8%	1,244	100.0%	18	1.6%	1,138	98.4%	1,156	100.0%
Fayette		R	125	98.4%					1	0.8%			1	0.8%	127	100.0%			119	100.0%	119	100.0%
Floyd			527	97.2%	10	1.8%	2	0.4%	1	0.2%	1	0.2%	1	0.2%	542	100.0%	2	0.4%	501	99.6%	503	100.0%
Fountain	R	R	30	100.0%											30	100.0%			28	100.0%	28	100.0%
Franklin	R	R	36	97.3%									1	2.7%	37	100.0%			34	100.0%	34	100.0%
Fulton	R	R	106	99.1%									1	0.9%	107	100.0%	1	1.0%	97	99.0%	98	100.0%
Gibson	R	R	135	98.5%	1	0.7%	1	0.7%							137	100.0%			131	100.0%	131	100.0%
Grant		R	495	95.0%	13	2.5%	4	0.8%			3	0.6%	6	1.2%	521	100.0%	7	1.4%	481	98.6%	488	100.0%
Greene	R	R	124	99.2%							1	0.8%			125	100.0%			118	100.0%	118	100.0%
Hamilton			1,133	97.0%	11	0.9%	11	0.9%	4	0.3%	3	0.3%	6	0.5%	1,168	100.0%	8	0.7%	1,070	99.3%	1,078	100.0%
Hancock			303	98.4%			4	1.3%			1	0.3%			308	100.0%	1	0.4%	283	99.6%	284	100.0%
Harrison			119	100.0%											119	100.0%			112	100.0%	112	100.0%
Hendricks			544	98.0%	6	1.1%	1	0.2%	1	0.2%			3	0.5%	555	100.0%	2	0.4%	491	99.6%	493	100.0%
Henry		R	239	99.2%							2	0.8%			241	100.0%	1	0.5%	221	99.5%	222	100.0%
Howard			647	96.3%	15	2.2%	4	0.6%	2	0.3%	1	0.1%	3	0.4%	672	100.0%	9	1.5%	608	98.5%	617	100.0%
Huntington			176	96.7%	2	1.1%	1	0.5%	1	0.5%	2	1.1%			182	100.0%	4	2.5%	159	97.5%	163	100.0%
Jackson		R	203	100.0%											203	100.0%			192	100.0%	192	100.0%
Jasper	R	R	149	98.0%	1	0.7%	1	0.7%					1	0.7%	152	100.0%	4	3.0%	128	97.0%	132	100.0%
Jay	R	R	82	100.0%											82	100.0%			79	100.0%	79	100.0%
Jefferson		R	237	98.8%	2	0.8%	1	0.4%							240	100.0%	3	1.3%	220	98.7%	223	100.0%
Jennings	R	R	68	97.1%	1	1.4%					1	1.4%			70	100.0%			65	100.0%	65	100.0%
Johnson			508	98.3%	2	0.4%	5	1.0%			1	0.2%	1	0.2%	517	100.0%	2	0.4%	475	99.6%	477	100.0%
Knox		R	527	99.2%			2	0.4%			1	0.2%	1	0.2%	531	100.0%	5	1.0%	483	99.0%	488	100.0%
Kosciusko		R	285	98.3%			1	0.3%	1	0.3%			3	1.0%	290	100.0%	3	1.1%	267	98.9%	270	100.0%
Lagrange	R	R	77	98.7%	1	1.3%									78	100.0%			74	100.0%	74	100.0%
Lake			3,424	82.8%	431	10.4%	133	3.2%	5	0.1%	31	0.7%	111	2.7%	4,135	100.0%	214	5.8%	3,450	94.2%	3,664	100.0%
La Porte		R	783	94.8%	19	2.3%	13	1.6%	1	0.1%	4	0.5%	6	0.7%	826	100.0%	17	2.2%	748	97.8%	765	100.0%

[1] See Chapter 1 for a discussion of state and federal rural classifications. Other than the rural designation columns, a blank cell indicates that there were no data in a particular category.

[2] Hispanic can be of any race.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an Indiana Principal Position Location

Distribution Profile

Table II-C(2), RNs by County of Principal Position Location, Race, and Hispanic Origin, 2001[1]

	IN Rural[1]	Fed. Rural[1]	White	Row %	Black/Af. Amer.	Row %	Asian/ Pac. Islander	Row %	Am. Ind./ Nat. Al.	Row %	Multi-racial	Row %	Other	Row %	Total	Row %	Hisp. Origin	Row %	No Hisp. Origin	Row %	Total	Row %
All Counties			**42,650**	**94.8%**	**1,344**	**3.0%**	**453**	**1.0%**	**73**	**0.2%**	**155**	**0.3%**	**319**	**0.7%**	**44,994**	**100.0%**	**555**	**1.3%**	**40,723**	**98.7%**	**41,278**	**100.0%**
Lawrence		R	249	99.6%							1	0.4%			250	100.0%			232	100.0%	232	100.0%
Madison			761	96.3%	19	2.4%	3	0.4%			2	0.3%	5	0.6%	790	100.0%	4	0.5%	725	99.5%	729	100.0%
Marion			9,193	91.5%	576	5.7%	129	1.3%	17	0.2%	53	0.5%	77	0.8%	10,045	100.0%	94	1.0%	9,070	99.0%	9,164	100.0%
Marshall	R	R	225	98.3%	2	0.9%							2	0.9%	229	100.0%	4	1.9%	212	98.1%	216	100.0%
Martin	R	R	37	97.4%			1	2.6%							38	100.0%			34	100.0%	34	100.0%
Miami		R	134	97.8%					3	2.2%					137	100.0%			127	100.0%	127	100.0%
Monroe			813	98.3%	3	0.4%	7	0.8%			2	0.2%	2	0.2%	827	100.0%	6	0.8%	741	99.2%	747	100.0%
Montgomery		R	166	100.0%											166	100.0%	1	0.6%	161	99.4%	162	100.0%
Morgan			237	97.5%	2	0.8%	2	0.8%	2	0.8%					243	100.0%	2	0.9%	226	99.1%	228	100.0%
Newton	R	R	23	100.0%											23	100.0%			22	100.0%	22	100.0%
Noble	R	R	126	99.2%							1	0.8%			127	100.0%			118	100.0%	118	100.0%
Ohio	R		17	100.0%											17	100.0%			14	100.0%	14	100.0%
Orange	R	R	65	97.0%					1	1.5%			1	1.5%	67	100.0%			63	100.0%	63	100.0%
Owen	R	R	24	100.0%											24	100.0%			21	100.0%	21	100.0%
Parke	R	R	40	100.0%											40	100.0%			38	100.0%	38	100.0%
Perry	R	R	87	98.9%							1	1.1%			88	100.0%			79	100.0%	79	100.0%
Pike	R	R	66	100.0%											66	100.0%			63	100.0%	63	100.0%
Porter			1,078	97.6%			16	1.4%	1	0.1%	1	0.1%	9	0.8%	1,105	100.0%	30	3.1%	939	96.9%	969	100.0%
Posey			55	100.0%											55	100.0%			50	100.0%	50	100.0%
Pulaski	R	R	75	100.0%											75	100.0%			72	100.0%	72	100.0%
Putnam	R	R	114	96.6%					2	1.7%	1	0.8%	1	0.8%	118	100.0%	2	1.8%	108	98.2%	110	100.0%
Randolph	R	R	80	100.0%											80	100.0%			79	100.0%	79	100.0%
Ripley	R	R	142	99.3%			1	0.7%							143	100.0%			134	100.0%	134	100.0%
Rush	R	R	77	98.7%							1	1.3%			78	100.0%			73	100.0%	73	100.0%
St. Joseph			2,118	94.5%	67	3.0%	29	1.3%	6	0.3%	8	0.4%	14	0.6%	2,242	100.0%	15	0.7%	2,023	99.3%	2,038	100.0%
Scott	R		77	100.0%											77	100.0%			75	100.0%	75	100.0%
Shelby			181	98.9%	1	0.5%	1	0.5%							183	100.0%	3	1.8%	167	98.2%	170	100.0%
Spencer	R	R	52	96.3%	2	3.7%									54	100.0%			50	100.0%	50	100.0%
Starke	R	R	98	100.0%											98	100.0%			87	100.0%	87	100.0%
Steuben	R	R	125	100.0%											125	100.0%			117	100.0%	117	100.0%
Sullivan	R	R	113	99.1%							1	0.9%			114	100.0%			112	100.0%	112	100.0%
Switzerland	R	R	14	100.0%											14	100.0%			14	100.0%	14	100.0%
Tippecanoe			1,094	97.7%	10	0.9%	7	0.6%	3	0.3%	2	0.2%	4	0.4%	1,120	100.0%	7	0.7%	1,027	99.3%	1,034	100.0%
Tipton			102	99.0%							1	1.0%			103	100.0%	1	1.0%	95	99.0%	96	100.0%
Union	R	R	14	100.0%											14	100.0%			14	100.0%	14	100.0%
Vanderburgh			2,255	98.1%	25	1.1%	9	0.4%	1	0.04%	4	0.2%	4	0.2%	2,298	100.0%	13	0.6%	2,132	99.4%	2,145	100.0%
Vermillion	R		80	98.8%									1	1.2%	81	100.0%			77	100.0%	77	100.0%
Vigo			1,067	97.5%	9	0.8%	7	0.6%	3	0.3%	2	0.2%	6	0.5%	1,094	100.0%	5	0.5%	1,017	99.5%	1,022	100.0%
Wabash		R	143	99.3%					1	0.7%					144	100.0%			127	100.0%	127	100.0%
Warren	R	R	39	100.0%											39	100.0%			35	100.0%	35	100.0%
Warrick			320	98.2%	4	1.2%					1	0.3%	1	0.3%	326	100.0%	1	0.3%	307	99.7%	308	100.0%
Washington	R	R	79	98.8%					1	1.3%					80	100.0%			77	100.0%	77	100.0%
Wayne		R	562	97.7%	6	1.0%	3	0.5%			2	0.3%	2	0.3%	575	100.0%	2	0.4%	514	99.6%	516	100.0%
Wells	R		155	98.7%			1	0.6%					1	0.6%	157	100.0%	2	1.4%	142	98.6%	144	100.0%
White	R	R	109	99.1%					1	0.9%					110	100.0%			100	100.0%	100	100.0%
Whitley			137	99.3%			1	0.7%							138	100.0%			125	100.0%	125	100.0%

Missing: 621   Missing: 4,337

[1] See Chapter 1 for a discussion of state and federal rural classifications. Other than the rural designation columns, a blank cell indicates that there were no data in a particular category.

[2] Hispanic can be of any race.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Distribution Profile

**Table II-C(2), RNs by County of Principal Position Location,
Race, and Hispanic Origin, 2001[1]**
(part 3 of 3)

NOTE: This table is presented here across 3 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

	IN Rural1	Fed. Rural1	Hispanic Origin[2]					
			Hisp. Origin	Row %	No Hisp. Origin	Row %	Total	Row %
All Counties			**555**	**1.3%**	**40,723**	**98.7%**	**41,278**	**100.0%**
Adams	R				166	100.0%	166	100.0%
Allen			44	1.3%	3,260	98.7%	3,304	100.0%
Bartholomew		R	4	0.8%	514	99.2%	518	100.0%
Benton	R	R			17	100.0%	17	100.0%
Blackford	R	R			39	100.0%	39	100.0%
Boone			1	0.6%	171	99.4%	172	100.0%
Brown	R	R			31	100.0%	31	100.0%
Carroll	R	R			34	100.0%	34	100.0%
Cass		R			247	100.0%	247	100.0%
Clark			6	1.2%	513	98.8%	519	100.0%
Clay					90	100.0%	90	100.0%
Clinton					115	100.0%	115	100.0%
Crawford	R	R			9	100.0%	9	100.0%
Daviess		R	2	1.3%	156	98.7%	158	100.0%
Dearborn					193	100.0%	193	100.0%
Decatur		R			116	100.0%	116	100.0%
De Kalb					186	100.0%	186	100.0%
Delaware			4	0.5%	852	99.5%	856	100.0%

County								
Dubois		R	1	0.2%	407	99.8%	408	100.0%
Elkhart			18	1.6%	1,138	98.4%	1,156	100.0%
Fayette		R			119	100.0%	119	100.0%
Floyd			2	0.4%	501	99.6%	503	100.0%
Fountain	R	R			28	100.0%	28	100.0%
Franklin	R	R			34	100.0%	34	100.0%
Fulton	R	R	1	1.0%	97	99.0%	98	100.0%
Gibson	R	R			131	100.0%	131	100.0%
Grant		R	7	1.4%	481	98.6%	488	100.0%
Greene	R	R			118	100.0%	118	100.0%
Hamilton			8	0.7%	1,070	99.3%	1,078	100.0%
Hancock			1	0.4%	283	99.6%	284	100.0%
Harrison					112	100.0%	112	100.0%
Hendricks			2	0.4%	491	99.6%	493	100.0%
Henry		R	1	0.5%	221	99.5%	222	100.0%
Howard			9	1.5%	608	98.5%	617	100.0%
Huntington			4	2.5%	159	97.5%	163	100.0%
Jackson		R			192	100.0%	192	100.0%
Jasper	R	R	4	3.0%	128	97.0%	132	100.0%
Jay	R	R			79	100.0%	79	100.0%
Jefferson		R	3	1.3%	220	98.7%	223	100.0%
Jennings	R	R			65	100.0%	65	100.0%
Johnson			2	0.4%	475	99.6%	477	100.0%
Knox		R	5	1.0%	483	99.0%	488	100.0%
Kosciusko		R	3	1.1%	267	98.9%	270	100.0%
Lagrange	R	R			74	100.0%	74	100.0%
Lake			214	5.8%	3,450	94.2%	3,664	100.0%
La Porte		R	17	2.2%	748	97.8%	765	100.0%
Lawrence		R			232	100.0%	232	100.0%
Madison			4	0.5%	725	99.5%	729	100.0%
Marion			94	1.0%	9,070	99.0%	9,164	100.0%
Marshall	R	R	4	1.9%	212	98.1%	216	100.0%
Martin	R	R			34	100.0%	34	100.0%
Miami		R			127	100.0%	127	100.0%

County								
Monroe			6	0.8%	741	99.2%	747	100.0%
Montgomery		R	1	0.6%	161	99.4%	162	100.0%
Morgan			2	0.9%	226	99.1%	228	100.0%
Newton	R	R			22	100.0%	22	100.0%
Noble	R	R			118	100.0%	118	100.0%
Ohio	R				14	100.0%	14	100.0%
Orange	R	R			63	100.0%	63	100.0%
Owen	R	R			21	100.0%	21	100.0%
Parke	R	R			38	100.0%	38	100.0%
Perry	R	R			79	100.0%	79	100.0%
Pike	R	R			63	100.0%	63	100.0%
Porter			30	3.1%	939	96.9%	969	100.0%
Posey					50	100.0%	50	100.0%
Pulaski	R	R			72	100.0%	72	100.0%
Putnam	R	R	2	1.8%	108	98.2%	110	100.0%
Randolph	R	R			79	100.0%	79	100.0%
Ripley	R	R			134	100.0%	134	100.0%
Rush	R	R			73	100.0%	73	100.0%
St. Joseph			15	0.7%	2,023	99.3%	2,038	100.0%
Scott	R				75	100.0%	75	100.0%
Shelby			3	1.8%	167	98.2%	170	100.0%
Spencer	R	R			50	100.0%	50	100.0%
Starke	R	R			87	100.0%	87	100.0%
Steuben	R	R			117	100.0%	117	100.0%
Sullivan	R	R			112	100.0%	112	100.0%
Switzerland	R	R			14	100.0%	14	100.0%
Tippecanoe			7	0.7%	1,027	99.3%	1,034	100.0%
Tipton			1	1.0%	95	99.0%	96	100.0%
Union	R	R			14	100.0%	14	100.0%
Vanderburgh			13	0.6%	2,132	99.4%	2,145	100.0%
Vermillion	R				77	100.0%	77	100.0%
Vigo			5	0.5%	1,017	99.5%	1,022	100.0%
Wabash		R			127	100.0%	127	100.0%

Warren	R	R			35	100.0%	35	100.0%
Warrick			1	0.3%	307	99.7%	308	100.0%
Washington	R	R			77	100.0%	77	100.0%
Wayne		R	2	0.4%	514	99.6%	516	100.0%
Wells	R		2	1.4%	142	98.6%	144	100.0%
White	R	R			100	100.0%	100	100.0%
Whitley					125	100.0%	125	100.0%
			Missing: 4,337					

NOTE: This table is presented here across 3 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

[1] See Chapter 1 for a discussion of state and federal rural definitions. Other than rural designation columns, a blank cell indicates that there were no data in a particular category.
[2] Hispanic can be of any race.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Principal Position Profile

**Table II-D(1), RNs by Principal Position and Sex,
and Sex and Principal Position, 2001[1]**

	Female	Row %	Male	Row %	Total	Row %
All Positions	**43,115**	**95.7%**	**1,949**	**4.3%**	**45,064**	**100.0%**
Staff/General Nurse	20,536	95.2%	1,044	4.8%	21,580	100.0%
Charge Nurse/Tm. Leader	4,144	93.8%	276	6.2%	4,420	100.0%
Head Nurse or Assistant	1,019	95.1%	52	4.9%	1,071	100.0%
Office Nurse	3,053	99.2%	26	0.8%	3,079	100.0%
Nurse Clinician	226	96.6%	8	3.4%	234	100.0%
Clinical Nurse Specialist	417	94.8%	23	5.2%	440	100.0%
Cert. Nurse Anesthetist	74	53.2%	65	46.8%	139	100.0%
Nurse Practitioner	1,109	96.4%	42	3.6%	1,151	100.0%
Cert. Nurse Midwife	49	100.0%			49	100.0%
School Nurse	1,106	99.5%	5	0.5%	1,111	100.0%
Longterm Care Nurse	1,588	97.5%	40	2.5%	1,628	100.0%
Home Care Nurse	1,415	96.2%	56	3.8%	1,471	100.0%
Hospice Nurse	366	96.1%	15	3.9%	381	100.0%
Case man./Care coord.	1,380	97.4%	37	2.6%	1,417	100.0%
Administrator/Manager	2,637	94.6%	150	5.4%	2,787	100.0%
Qual. Assur./Util. Review	453	97.6%	11	2.4%	464	100.0%
Nursing Consultant	266	98.9%	3	1.1%	269	100.0%
Faculty in Nursing Prog.	649	98.2%	12	1.8%	661	100.0%
Con. Ed./Staff Devel.	562	97.9%	12	2.1%	574	100.0%
Other	2,066	96.6%	72	3.4%	2,138	100.0%

	Female	Column %	Male	Column %
All Positions	**43,115**	**100.0%**	**1,949**	**100.0%**
Staff/General Nurse	20,536	47.6%	1,044	53.6%
Charge Nurse/Tm. Leader	4,144	9.6%	276	14.2%
Head Nurse or Assistant	1,019	2.4%	52	2.7%

Office Nurse	3,053	7.1%	26	1.3%
Nurse Clinician	226	0.5%	8	0.4%
Clinical Nurse Specialist	417	1.0%	23	1.2%
Cert. Nurse Anesthetist	74	0.2%	65	3.3%
Nurse Practitioner	1,109	2.6%	42	2.2%
Cert. Nurse Midwife	49	0.1%		
School Nurse	1,106	2.6%	5	0.3%
Longterm Care Nurse	1,588	3.7%	40	2.1%
Home Care Nurse	1,415	3.3%	56	2.9%
Hospice Nurse	366	0.8%	15	0.8%
Case man./Care coord.	1,380	3.2%	37	1.9%
Administrator/Manager	2,637	6.1%	150	7.7%
Qual. Assur./Util. Review	453	1.1%	11	0.6%
Nursing Consultant	266	0.6%	3	0.2%
Faculty in Nursing Prog.	649	1.5%	12	0.6%
Con. Ed./Staff Devel.	562	1.3%	12	0.6%
Other	2,066	4.8%	72	3.7%

Missing: 551

---

[1] A blank cell indicates that there were no data in a particular category.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Position Profile

Table II-D(2), RNs by Principal Position and Hispanic Origin, and Hispanic Origin and Principal Position, 2001[1]

	Hispanic Origin	Row %	No Hispanic Origin	Row %	Total	Row %
All Positions	**554**	**1.3%**	**40,649**	**98.7%**	**41,203**	**100.0%**
Staff/General Nurse	315	1.6%	19,493	98.4%	19,808	100.0%
Charge Nurse/Tm. Leader	60	1.5%	3,955	98.5%	4,015	100.0%
Head Nurse or Assistant	9	0.9%	975	99.1%	984	100.0%
Office Nurse	29	1.0%	2,777	99.0%	2,806	100.0%
Nurse Clinician	7	3.4%	200	96.6%	207	100.0%
Clinical Nurse Specialist	6	1.5%	394	98.5%	400	100.0%
Cert. Nurse Anesthetist	5	4.0%	119	96.0%	124	100.0%
Nurse Practitioner	14	1.3%	1,042	98.7%	1,056	100.0%
Cert. Nurse Midwife			47	100.0%	47	100.0%
School Nurse	9	0.9%	979	99.1%	988	100.0%
Longterm Care Nurse	14	0.9%	1,465	99.1%	1,479	100.0%
Home Care Nurse	15	1.1%	1,352	98.9%	1,367	100.0%
Hospice Nurse	1	0.3%	347	99.7%	348	100.0%
Case man./Care coord.	14	1.1%	1,263	98.9%	1,277	100.0%
Administrator/Manager	24	0.9%	2,544	99.1%	2,568	100.0%
Qual. Assur./Util. Review	1	0.2%	409	99.8%	410	100.0%
Nursing Consultant	2	0.8%	245	99.2%	247	100.0%
Faculty in Nursing Prog.	9	1.5%	592	98.5%	601	100.0%
Con. Ed./Staff Devel.	3	0.6%	525	99.4%	528	100.0%
Other	17	0.9%	1,926	99.1%	1,943	100.0%

	Hispanic Origin	Column %	No Hispanic Origin	Column %
All Positions	**554**	**100.0%**	**40,649**	**100.0%**
Staff/General Nurse	315	56.9%	19,493	48.0%

Charge Nurse/Tm. Leader	60	10.8%	3,955	9.7%
Head Nurse or Assistant	9	1.6%	975	2.4%
Office Nurse	29	5.2%	2,777	6.8%
Nurse Clinician	7	1.3%	200	0.5%
Clinical Nurse Specialist	6	1.1%	394	1.0%
Cert. Nurse Anesthetist	5	0.9%	119	0.3%
Nurse Practitioner	14	2.5%	1,042	2.6%
Cert. Nurse Midwife			47	0.1%
School Nurse	9	1.6%	979	2.4%
Longterm Care Nurse	14	2.5%	1,465	3.6%
Home Care Nurse	15	2.7%	1,352	3.3%
Hospice Nurse	1	0.2%	347	0.9%
Case man./Care coord.	14	2.5%	1,263	3.1%
Administrator/Manager	24	4.3%	2,544	6.3%
Qual. Assur./Util. Review	1	0.2%	409	1.0%
Nursing Consultant	2	0.4%	245	0.6%
Faculty in Nursing Prog.	9	1.6%	592	1.5%
Con. Ed./Staff Devel.	3	0.5%	525	1.3%
Other	17	3.1%	1,926	4.7%

Missing: 4,412

---

[1] A blank cell indicates that there were no data in a particular category.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Position Profile

Table II-D(3a), RNs by Principal Position and Race, 2001[1]

	White	Row %	Black/Af. Amer.	Row %	Asian/ Pac. Isl.	Row %	Am. Ind./ Alas. Nat.	Row %
All Positions	**42,580**	**94.8%**	**1,337**	**3.0%**	**451**	**1.0%**	**73**	**0.2%**
Staff/General Nurse	20,304	94.4%	646	3.0%	271	1.3%	28	0.1%
Charge Nurse/Tm. Leader	4,108	93.6%	167	3.8%	57	1.3%	9	0.2%
Head Nurse or Assistant	1,023	95.7%	28	2.6%	10	0.9%	2	0.2%
Office Nurse	3,011	97.9%	33	1.1%	16	0.5%	4	0.1%
Nurse Clinician	207	90.4%	8	3.5%	7	3.1%		
Clinical Nurse Specialist	418	95.7%	7	1.6%	4	0.9%	1	0.2%
Cert. Nurse Anesthetist	125	89.9%	3	2.2%	1	0.7%	2	1.4%
Nurse Practitioner	1,104	95.8%	26	2.3%	8	0.7%	1	0.1%
Cert. Nurse Midwife	44	91.7%	1	2.1%	1	2.1%		
School Nurse	1,045	94.7%	48	4.4%	3	0.3%	2	0.2%
Longterm Care Nurse	1,516	93.3%	59	3.6%	28	1.7%	3	0.2%
Home Care Nurse	1,415	96.4%	30	2.0%	7	0.5%	1	0.1%
Hospice Nurse	378	99.2%	1	0.3%	1	0.3%		0.0%
Case man./Care coord.	1,331	94.1%	67	4.7%	5	0.4%	2	0.1%
Administrator/Manager	2,654	95.3%	88	3.2%	15	0.5%	8	0.3%
Qual. Assur./Util. Review	437	94.6%	17	3.7%	1	0.2%	1	0.2%
Nursing Consultant	261	97.0%	3	1.1%	2	0.7%		
Faculty in Nursing Prog.	619	94.5%	25	3.8%	3	0.5%	2	0.3%
Con. Ed./Staff Devel.	550	96.0%	17	3.0%	1	0.2%	2	0.3%
Other	2,030	95.2%	63	3.0%	10	0.5%	5	0.2%

	Multi-racial	Row %	Other	Row %	Total	Row %
All Positions	**155**	**0.3%**	**319**	**0.7%**	**44,915**	**100.0%**
Staff/General Nurse	85	0.4%	176	0.8%	21,510	100.0%
Charge Nurse/Tm. Leader	16	0.4%	31	0.7%	4,388	100.0%

Head Nurse or Assistant	1	0.1%	5	0.5%	1,069	100.0%
Office Nurse	3	0.1%	10	0.3%	3,077	100.0%
Nurse Clinician			7	3.1%	229	100.0%
Clinical Nurse Specialist	3	0.7%	4	0.9%	437	100.0%
Cert. Nurse Anesthetist	3	2.2%	5	3.6%	139	100.0%
Nurse Practitioner	7	0.6%	7	0.6%	1,153	100.0%
Cert. Nurse Midwife	1	2.1%	1	2.1%	48	100.0%
School Nurse	2	0.2%	3	0.3%	1,103	100.0%
Longterm Care Nurse	3	0.2%	15	0.9%	1,624	100.0%
Home Care Nurse	4	0.3%	11	0.7%	1,468	100.0%
Hospice Nurse		0.0%	1	0.3%	381	100.0%
Case man./Care coord.	4	0.3%	5	0.4%	1,414	100.0%
Administrator/Manager	5	0.2%	14	0.5%	2,784	100.0%
Qual. Assur./Util. Review	2	0.4%	4	0.9%	462	100.0%
Nursing Consultant	2	0.7%	1	0.4%	269	100.0%
Faculty in Nursing Prog.	3	0.5%	3	0.5%	655	100.0%
Con. Ed./Staff Devel.	1	0.2%	2	0.3%	573	100.0%
Other	10	0.5%	14	0.7%	2,132	100.0%

Missing: 700

_____

[1] A blank cell indicates that there were no data in a particular category.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Position Profile

Table II-D(3b), RNs by Race and Principal Position, 2001[1]

	White	Col. %	Black/Af. Amer.	Col. %	Asian/ Pac. Isl.	Col. %	Am. Ind./ Alas. Nat.	Col. %
All Positions	**42,580**	**100.0%**	**1,337**	**100.0%**	**451**	**100.0%**	**73**	**100.0%**
Staff/General Nurse	20,304	47.7%	646	48.3%	271	60.1%	28	38.4%
Charge Nurse/Tm. Leader	4,108	9.6%	167	12.5%	57	12.6%	9	12.3%
Head Nurse or Assistant	1,023	2.4%	28	2.1%	10	2.2%	2	2.7%
Office Nurse	3,011	7.1%	33	2.5%	16	3.5%	4	5.5%
Nurse Clinician	207	0.5%	8	0.6%	7	1.6%		
Clinical Nurse Specialist	418	1.0%	7	0.5%	4	0.9%	1	1.4%
Cert. Nurse Anesthetist	125	0.3%	3	0.2%	1	0.2%	2	2.7%
Nurse Practitioner	1,104	2.6%	26	1.9%	8	1.8%	1	1.4%
Cert. Nurse Midwife	44	0.1%	1	0.1%	1	0.2%		0.0%
School Nurse	1,045	2.5%	48	3.6%	3	0.7%	2	2.7%
Longterm Care Nurse	1,516	3.6%	59	4.4%	28	6.2%	3	4.1%
Home Care Nurse	1,415	3.3%	30	2.2%	7	1.6%	1	1.4%
Hospice Nurse	378	0.9%	1	0.1%	1	0.2%		
Case man./Care coord.	1,331	3.1%	67	5.0%	5	1.1%	2	2.7%
Administrator/Manager	2,654	6.2%	88	6.6%	15	3.3%	8	11.0%
Qual. Assur./Util. Review	437	1.0%	17	1.3%	1	0.2%	1	1.4%
Nursing Consultant	261	0.6%	3	0.2%	2	0.4%		0.0%
Faculty in Nursing Prog.	619	1.5%	25	1.9%	3	0.7%	2	2.7%
Con. Ed./Staff Devel.	550	1.3%	17	1.3%	1	0.2%	2	2.7%
Other	2,030	4.8%	63	4.7%	10	2.2%	5	6.8%

	Multi-racial	Col. %	Other	Col. %	Total	Col. %
All Positions	**155**	**100.0%**	**319**	**100.0%**	**44,915**	**100.0%**
Staff/General Nurse	85	54.8%	176	55.2%	21,510	47.9%

Charge Nurse/Tm. Leader	16	10.3%	31	9.7%	4,388	9.8%
Head Nurse or Assistant	1	0.6%	5	1.6%	1,069	2.4%
Office Nurse	3	1.9%	10	3.1%	3,077	6.9%
Nurse Clinician			7	2.2%	229	0.5%
Clinical Nurse Specialist	3	1.9%	4	1.3%	437	1.0%
Cert. Nurse Anesthetist	3	1.9%	5	1.6%	139	0.3%
Nurse Practitioner	7	4.5%	7	2.2%	1,153	2.6%
Cert. Nurse Midwife	1	0.6%	1	0.3%	48	0.1%
School Nurse	2	1.3%	3	0.9%	1,103	2.5%
Longterm Care Nurse	3	1.9%	15	4.7%	1,624	3.6%
Home Care Nurse	4	2.6%	11	3.4%	1,468	3.3%
Hospice Nurse			1	0.3%	381	0.8%
Case man./Care coord.	4	2.6%	5	1.6%	1,414	3.1%
Administrator/Manager	5	3.2%	14	4.4%	2,784	6.2%
Qual. Assur./Util. Review	2	1.3%	4	1.3%	462	1.0%
Nursing Consultant	2	1.3%	1	0.3%	269	0.6%
Faculty in Nursing Prog.	3	1.9%	3	0.9%	655	1.5%
Con. Ed./Staff Devel.	1	0.6%	2	0.6%	573	1.3%
Other	10	6.5%	14	4.4%	2,132	4.7%

Missing: 700

---

[1] A blank cell indicates that there were no data in a particular category.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Position Profile

Table II-D(4a), RNs by Principal Position and Age, 2001[1]

	Ave. Age	30 and younger	Row %	31-44	Row %	45-54	Row %
All Positions	**45.3**	**3,896**	**8.7%**	**16,760**	**37.3%**	**15,881**	**35.4%**
Staff/General Nurse	43.1	2,842	13.2%	8,930	41.4%	6,741	31.2%
Charge Nurse/Tm. Leader	44.5	358	8.1%	1,813	41.0%	1,525	34.5%
Head Nurse or Assistant	47.3	28	2.6%	363	34.0%	487	45.6%
Office Nurse	46.0	253	8.3%	1,084	35.4%	1,069	34.9%
Nurse Clinician	45.7	10	4.3%	98	42.6%	82	35.7%
Clinical Nurse Specialist	48.1	6	1.4%	136	30.9%	194	44.1%
Cert. Nurse Anesthetist	48.6	1	0.7%	44	32.4%	53	39.0%
Nurse Practitioner	45.8	48	4.1%	460	39.3%	479	40.9%
Cert. Nurse Midwife	45.4	2	4.2%	18	37.5%	23	47.9%
School Nurse	49.4	18	1.6%	299	27.2%	479	43.6%
Longterm Care Nurse	48.7	75	4.7%	497	31.0%	546	34.0%
Home Care Nurse	47.8	44	3.0%	475	32.7%	591	40.6%
Hospice Nurse	48.6	14	3.7%	115	30.3%	148	38.9%
Case man./Care coord.	47.1	48	3.4%	487	34.5%	583	41.3%
Administrator/Manager	48.5	48	1.7%	802	29.2%	1,222	44.4%
Qual. Assur./Util. Review	48.5	6	1.3%	142	30.7%	201	43.5%
Nursing Consultant	48.2	5	1.9%	83	31.2%	110	41.4%
Faculty in Nursing Prog.	51.9			115	17.6%	290	44.4%
Con. Ed./Staff Devel.	47.8	19	3.3%	169	29.6%	244	42.8%
Other	49.0	71	3.4%	630	29.7%	814	38.4%

	55-64	Row %	65 & older	Row %	Total	Row %
All Positions	**7,107**	**15.8%**	**1,273**	**2.8%**	**44,917**	**100.0%**
Staff/General Nurse	2,650	12.3%	409	1.9%	21,572	100.0%
Charge Nurse/Tm. Leader	642	14.5%	84	1.9%	4,422	100.0%

Head Nurse or Assistant	166	15.5%	25	2.3%	1,069	100.0%
Office Nurse	518	16.9%	138	4.5%	3,062	100.0%
Nurse Clinician	35	15.2%	5	2.2%	230	100.0%
Clinical Nurse Specialist	96	21.8%	8	1.8%	440	100.0%
Cert. Nurse Anesthetist	31	22.8%	7	5.1%	136	100.0%
Nurse Practitioner	161	13.8%	22	1.9%	1,170	100.0%
Cert. Nurse Midwife	5	10.4%			48	100.0%
School Nurse	238	21.7%	64	5.8%	1,098	100.0%
Longterm Care Nurse	381	23.8%	105	6.5%	1,604	100.0%
Home Care Nurse	275	18.9%	69	4.7%	1,454	100.0%
Hospice Nurse	84	22.1%	19	5.0%	380	100.0%
Case man./Care coord.	268	19.0%	26	1.8%	1,412	100.0%
Administrator/Manager	616	22.4%	62	2.3%	2,750	100.0%
Qual. Assur./Util. Review	93	20.1%	20	4.3%	462	100.0%
Nursing Consultant	52	19.5%	16	6.0%	266	100.0%
Faculty in Nursing Prog.	209	32.0%	39	6.0%	653	100.0%
Con. Ed./Staff Devel.	119	20.9%	19	3.3%	570	100.0%
Other	468	22.1%	136	6.4%	2,119	100.0%

Missing: 698

---

[1] A blank cell indicates that there were no data in a particular category.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Position Profile

Table II-D(4b), RNs by Age and Principal Position, 2001[1]

	Ave. Age	30 and younger	Column %	31-44	Column %	45-54	Column %
All Positions	**45.3**	**3,896**	**100.0%**	**16,760**	**100.0%**	**15,881**	**100.0%**
Staff/General Nurse	43.1	2,842	72.9%	8,930	53.3%	6,741	42.4%
Charge Nurse/Tm. Leader	44.5	358	9.2%	1,813	10.8%	1,525	9.6%
Head Nurse or Assistant	47.3	28	0.7%	363	2.2%	487	3.1%
Office Nurse	46.0	253	6.5%	1,084	6.5%	1,069	6.7%
Nurse Clinician	45.7	10	0.3%	98	0.6%	82	0.5%
Clinical Nurse Specialist	48.1	6	0.2%	136	0.8%	194	1.2%
Cert. Nurse Anesthetist	48.6	1	0.03%	44	0.3%	53	0.3%
Nurse Practitioner	45.8	48	1.2%	460	2.7%	479	3.0%
Cert. Nurse Midwife	45.4	2	0.1%	18	0.1%	23	0.1%
School Nurse	49.4	18	0.5%	299	1.8%	479	3.0%
Longterm Care Nurse	48.7	75	1.9%	497	3.0%	546	3.4%
Home Care Nurse	47.8	44	1.1%	475	2.8%	591	3.7%
Hospice Nurse	48.6	14	0.4%	115	0.7%	148	0.9%
Case man./Care coord.	47.1	48	1.2%	487	2.9%	583	3.7%
Administrator/Manager	48.5	48	1.2%	802	4.8%	1,222	7.7%
Qual. Assur./Util. Review	48.5	6	0.2%	142	0.8%	201	1.3%
Nursing Consultant	48.2	5	0.1%	83	0.5%	110	0.7%
Faculty in Nursing Prog.	51.9			115	0.7%	290	1.8%
Con. Ed./Staff Devel.	47.8	19	0.5%	169	1.0%	244	1.5%
Other	49.0	71	1.8%	630	3.8%	814	5.1%

	55-64	Column %	65 & older	Column %	Total	Column %
All Positions	**7,107**	**100.0%**	**1,273**	**100.0%**	**44,917**	**100.0%**
Staff/General Nurse	2,650	37.3%	409	32.1%	21,572	48.0%
Charge Nurse/Tm. Leader	642	9.0%	84	6.6%	4,422	9.8%

Head Nurse or Assistant	166	2.3%	25	2.0%	1,069	2.4%
Office Nurse	518	7.3%	138	10.8%	3,062	6.8%
Nurse Clinician	35	0.5%	5	0.4%	230	0.5%
Clinical Nurse Specialist	96	1.4%	8	0.6%	440	1.0%
Cert. Nurse Anesthetist	31	0.4%	7	0.5%	136	0.3%
Nurse Practitioner	161	2.3%	22	1.7%	1,170	2.6%
Cert. Nurse Midwife	5	0.1%			48	0.1%
School Nurse	238	3.3%	64	5.0%	1,098	2.4%
Longterm Care Nurse	381	5.4%	105	8.2%	1,604	3.6%
Home Care Nurse	275	3.9%	69	5.4%	1,454	3.2%
Hospice Nurse	84	1.2%	19	1.5%	380	0.8%
Case man./Care coord.	268	3.8%	26	2.0%	1,412	3.1%
Administrator/Manager	616	8.7%	62	4.9%	2,750	6.1%
Qual. Assur./Util. Review	93	1.3%	20	1.6%	462	1.0%
Nursing Consultant	52	0.7%	16	1.3%	266	0.6%
Faculty in Nursing Prog.	209	2.9%	39	3.1%	653	1.5%
Con. Ed./Staff Devel.	119	1.7%	19	1.5%	570	1.3%
Other	468	6.6%	136	10.7%	2,119	4.7%

Missing: 698

_____

[1] A blank cell indicates that there were no data in a particular category.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an Indiana Principal Position Location

Principal Position Profile

Table II-D(5a), RNs by Principal Nursing Position and Highest Degree in Nursing, 2001[1]

Principal Position	Diploma	Row %	Associate	Row %	Bachelor's	Row %
All Positions	**6,646**	**14.7%**	**19,848**	**43.9%**	**15,721**	**34.8%**
Staff/General Nurse	2,802	12.9%	10,696	49.3%	7,918	36.5%
Charge Nurse/Tm. Leader	540	12.2%	2,264	51.2%	1,562	35.3%
Head Nurse or Assistant	181	16.9%	428	39.9%	407	37.9%
Office Nurse	799	25.9%	1,336	43.3%	931	30.2%
Nurse Clinician	28	11.9%	67	28.5%	128	54.5%
Clinical Nurse Specialist	40	9.2%	100	22.9%	77	17.7%
Cert. Nurse Anesthetist	31	22.5%	21	15.2%	35	25.4%
Nurse Practitioner	31	2.7%	33	2.8%	112	9.6%
Cert. Nurse Midwife	1	2.1%	1	2.1%	4	8.3%
School Nurse	275	24.8%	341	30.7%	437	39.4%
Longterm Care Nurse	330	20.2%	976	59.9%	309	19.0%
Home Care Nurse	264	17.9%	744	50.4%	450	30.5%
Hospice Nurse	64	16.7%	188	49.1%	115	30.0%
Case man./Care coord.	221	15.6%	553	39.1%	595	42.0%
Administrator/Manager	397	14.2%	880	31.5%	1,145	41.0%
Qual. Assur./Util. Review	94	20.1%	169	36.1%	184	39.3%
Nursing Consultant	35	13.0%	95	35.2%	111	41.1%
Faculty in Nursing Prog.	7	1.1%	9	1.4%	134	20.3%
Con. Ed./Staff Devel.	72	12.6%	165	28.8%	253	44.2%
Other	434	20.2%	782	36.5%	814	38.0%

Principal Position	Master's	Row %	Doctorate	Row %	Total	Row %
All Positions	**2,822**	**6.2%**	**172**	**0.4%**	**45,209**	**100.0%**
Staff/General Nurse	262	1.2%	6	0.03%	21,684	100.0%
Charge Nurse/Tm. Leader	58	1.3%			4,424	100.0%
Head Nurse or Assistant	57	5.3%			1,073	100.0%

Office Nurse	18	0.6%			3,084	100.0%
Nurse Clinician	12	5.1%			235	100.0%
Clinical Nurse Specialist	214	49.1%	5	1.1%	436	100.0%
Cert. Nurse Anesthetist	51	37.0%			138	100.0%
Nurse Practitioner	981	83.9%	12	1.0%	1,169	100.0%
Cert. Nurse Midwife	42	87.5%			48	100.0%
School Nurse	55	5.0%	1	0.1%	1,109	100.0%
Longterm Care Nurse	15	0.9%			1,630	100.0%
Home Care Nurse	17	1.2%			1,475	100.0%
Hospice Nurse	16	4.2%			383	100.0%
Case man./Care coord.	46	3.2%	1	0.1%	1,416	100.0%
Administrator/Manager	357	12.8%	12	0.4%	2,791	100.0%
Qual. Assur./Util. Review	20	4.3%	1	0.2%	468	100.0%
Nursing Consultant	27	10.0%	2	0.7%	270	100.0%
Faculty in Nursing Prog.	384	58.2%	126	19.1%	660	100.0%
Con. Ed./Staff Devel.	82	14.3%			572	100.0%
Other	108	5.0%	6	0.3%	2,144	100.0%

Missing: 406

---

[1] A blank cell indicates that there were no data in a particular category.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Principal Position Profile

**Table II-D(5b), RNs by Highest Degree in Nursing
and Principal Nursing Position, 2001[1]**

	Diploma	Column %	Associate	Column %	Bachelor's	Column %
All Positions	**6,646**	**100.0%**	**19,848**	**100.0%**	**15,721**	**100.0%**
Staff/General Nurse	2,802	42.2%	10,696	53.9%	7,918	50.4%
Charge Nurse/Tm. Leader	540	8.1%	2,264	11.4%	1,562	9.9%
Head Nurse or Assistant	181	2.7%	428	2.2%	407	2.6%
Office Nurse	799	12.0%	1,336	6.7%	931	5.9%
Nurse Clinician	28	0.4%	67	0.3%	128	0.8%
Clinical Nurse Specialist	40	0.6%	100	0.5%	77	0.5%
Cert. Nurse Anesthetist	31	0.5%	21	0.1%	35	0.2%
Nurse Practitioner	31	0.5%	33	0.2%	112	0.7%
Cert. Nurse Midwife	1	0.02%	1	0.01%	4	0.0%
School Nurse	275	4.1%	341	1.7%	437	2.8%
Longterm Care Nurse	330	5.0%	976	4.9%	309	2.0%
Home Care Nurse	264	4.0%	744	3.7%	450	2.9%
Hospice Nurse	64	1.0%	188	0.9%	115	0.7%
Case man./Care coord.	221	3.3%	553	2.8%	595	3.8%
Administrator/Manager	397	6.0%	880	4.4%	1,145	7.3%
Qual. Assur./Util. Review	94	1.4%	169	0.9%	184	1.2%
Nursing Consultant	35	0.5%	95	0.5%	111	0.7%
Faculty in Nursing Prog.	7	0.1%	9	0.0%	134	0.9%
Con. Ed./Staff Devel.	72	1.1%	165	0.8%	253	1.6%
Other	434	6.5%	782	3.9%	814	5.2%

	Master's	Column %	Doctorate	Column %	Total	Column %
All Positions	**2,822**	**100.0%**	**172**	**100.0%**	**45,209**	**100.0%**
Staff/General Nurse	262	9.3%	6	3.5%	21,684	48.0%
Charge Nurse/Tm. Leader	58	2.1%			4,424	9.8%
Head Nurse or Assistant	57	2.0%			1,073	2.4%

Office Nurse	18	0.6%			3,084	6.8%
Nurse Clinician	12	0.4%			235	0.5%
Clinical Nurse Specialist	214	7.6%	5	2.9%	436	1.0%
Cert. Nurse Anesthetist	51	1.8%			138	0.3%
Nurse Practitioner	981	34.8%	12	7.0%	1,169	2.6%
Cert. Nurse Midwife	42	1.5%			48	0.1%
School Nurse	55	1.9%	1	0.6%	1,109	2.5%
Longterm Care Nurse	15	0.5%			1,630	3.6%
Home Care Nurse	17	0.6%			1,475	3.3%
Hospice Nurse	16	0.6%			383	0.8%
Case man./Care coord.	46	1.6%	1	0.6%	1,416	3.1%
Administrator/Manager	357	12.7%	12	7.0%	2,791	6.2%
Qual. Assur./Util. Review	20	0.7%	1	0.6%	468	1.0%
Nursing Consultant	27	1.0%	2	1.2%	270	0.6%
Faculty in Nursing Prog.	384	13.6%	126	73.3%	660	1.5%
Con. Ed./Staff Devel.	82	2.9%			572	1.3%
Other	108	3.8%	6	3.5%	2,144	4.7%

Missing: 406

---

[1] A blank cell indicates that there were no data in a particular category.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Principal Position Profile

**Table II-D(6), RNs by Principal
and Average Weekly Hours, 2001
(Full-time, Part-time, and Overall Averages)[1]**

	Number	%	Ave. Hrs/Wk All RNs1	# FT	% FT	Ave. FT Hrs/ Wk1	# PT	% PT	Ave. PT Hrs/ Wk1	Total FT +PT
All Positions	**45,524**	**100.0%**	**35.8**	**23,322**	**51.4%**	**43.7**	**22,046**	**48.6%**	**27.5**	**45,368**
Staff/General Nurse	21,823	47.9%	33.6	8,338	38.3%	43.0	13,424	61.7%	27.8	21,762
Charge Nurse/Team Leader	4,457	9.8%	38.3	2,537	57.0%	44.1	1,914	43.0%	30.6	4,451
Head Nurse or Assistant	1,082	2.4%	43.3	948	87.6%	45.0	134	12.4%	31.5	1,082
Office Nurse	3,106	6.8%	32.7	1,325	42.9%	42.2	1,766	57.1%	25.5	3,091
Nurse Clinician	237	0.5%	39.2	164	69.2%	44.0	73	30.8%	28.2	237
Clinical Nurse Specialist	444	1.0%	39.1	305	68.7%	44.6	139	31.3%	27.0	444
Certified Nurse Anesthetist	140	0.3%	39.2	95	67.9%	46.3	45	32.1%	24.1	140
Nurse Practitioner	1,176	2.6%	37.6	726	62.1%	43.6	443	37.9%	27.8	1,169
Certified Nurse Midwife	49	0.1%	39.8	34	69.4%	47.2	15	30.6%	23.1	49
School Nurse	1,117	2.5%	33.9	471	42.6%	41.9	634	57.4%	27.9	1,105
Longterm Care Nurse	1,639	3.6%	36.4	969	59.4%	43.5	663	40.6%	26.1	1,632
Home Care Nurse	1,485	3.3%	34.5	799	54.1%	43.2	678	45.9%	24.2	1,477
Hospice Nurse	383	0.8%	36.3	227	59.3%	43.5	156	40.7%	25.9	383
Case man./Care coord.	1,431	3.1%	39.7	1,157	81.0%	42.8	271	19.0%	26.6	1,428
Administrator/Manager	2,809	6.2%	44.6	2,505	89.4%	46.6	296	10.6%	27.8	2,801
Qual. Assur./Util. Review	471	1.0%	37.5	346	73.8%	41.3	123	26.2%	26.8	469
Nursing Consultant	271	0.6%	35.9	165	61.6%	45.6	103	38.4%	20.4	268
Faculty in Nursing Prog.	665	1.5%	40.8	518	79.3%	45.8	135	20.7%	21.7	653
Con. Ed./Staff Devel.	579	1.3%	38.8	429	74.4%	43.5	148	25.6%	25.4	577
Other	2,160	4.7%	35.1	1,264	58.8%	42.7	886	41.2%	24.2	2,150
	Missing: 91		Missing: 247							

_____

[1] Full-time = Average of 40 or more hours per week; part-time = average pf 1-39 hours per week. Includes all activities in nursing.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an Indiana Principal Position Location

Principal Position Profile

Table II-D(7), RNs by Principal and Detail of Average Weekly Hours, 2001 (All Activities in Nursing)

Principal Position	Average Weekly Hours							
	1-9	Row %	10-19	Row %	20-29	Row %	30-39	Row %
All Positions	**1,191**	**2.6%**	**2,145**	**4.7%**	**6,831**	**15.1%**	**11,879**	**26.2%**
Staff/General Nurse	642	3.0%	1,189	5.5%	4,317	19.8%	7,276	33.4%
Charge Nurse/Tm. Leader	26	0.6%	69	1.6%	516	11.6%	1,303	29.3%
Head Nurse or Assistant	2	0.2%	3	0.3%	29	2.7%	100	9.2%
Office Nurse	142	4.6%	260	8.4%	542	17.5%	822	26.6%
Nurse Clinician	2	0.8%	4	1.7%	27	11.4%	40	16.9%
Clinical Nurse Specialist	4	0.9%	13	2.9%	48	10.8%	74	16.7%
Cert. Nurse Anesthetist	4	2.9%	9	6.4%	11	7.9%	21	15.0%
Nurse Practitioner	18	1.5%	45	3.8%	120	10.3%	260	22.2%
Cert. Nurse Midwife	1	2.0%	4	8.2%	5	10.2%	5	10.2%
School Nurse	62	5.6%	64	5.8%	106	9.6%	402	36.4%
Longterm Care Nurse	50	3.1%	94	5.8%	180	11.0%	339	20.8%
Home Care Nurse	49	3.3%	113	7.7%	245	16.6%	271	18.3%
Hospice Nurse	11	2.9%	19	5.0%	52	13.6%	74	19.3%
Case man./Care coord.	10	0.7%	22	1.5%	113	7.9%	126	8.8%
Administrator/Manager	15	0.5%	27	1.0%	79	2.8%	175	6.2%
Qual. Assur./Util. Review	6	1.3%	10	2.1%	45	9.6%	62	13.2%
Nursing Consultant	19	7.1%	30	11.2%	20	7.5%	34	12.7%
Faculty in Nursing Prog.	12	1.8%	38	5.8%	44	6.7%	41	6.3%
Con. Ed./Staff Devel.	16	2.8%	12	2.1%	47	8.1%	73	12.7%
Other	100	4.7%	120	5.6%	285	13.3%	381	17.7%

Principal Position	40-49	Row %	50-59	Row %	60 and over	Row %	Total
All Positions	**19,175**	**42.3%**	**2,863**	**6.3%**	**1,284**	**2.8%**	**45,368**
Staff/General Nurse	7,421	34.1%	466	2.1%	451	2.1%	21,762
Charge Nurse/Tm. Leader	2,129	47.8%	241	5.4%	167	3.8%	4,451
Head Nurse or Assistant	674	62.3%	226	20.9%	48	4.4%	1,082
Office Nurse	1,202	38.9%	90	2.9%	33	1.1%	3,091
Nurse Clinician	131	55.3%	25	10.5%	8	3.4%	237
Clinical Nurse Specialist	228	51.4%	55	12.4%	22	5.0%	444
Cert. Nurse Anesthetist	69	49.3%	16	11.4%	10	7.1%	140
Nurse Practitioner	575	49.2%	113	9.7%	38	3.3%	1,169
Cert. Nurse Midwife	21	42.9%	9	18.4%	4	8.2%	49
School Nurse	432	39.1%	29	2.6%	10	0.9%	1,105
Longterm Care Nurse	804	49.3%	114	7.0%	51	3.1%	1,632
Home Care Nurse	665	45.0%	95	6.4%	39	2.6%	1,477
Hospice Nurse	185	48.3%	34	8.9%	8	2.1%	383
Case man./Care coord.	1,002	70.2%	124	8.7%	31	2.2%	1,428
Administrator/Manager	1,452	51.8%	819	29.2%	234	8.4%	2,801
Qual. Assur./Util. Review	323	68.9%	20	4.3%	3	0.6%	469
Nursing Consultant	106	39.6%	44	16.4%	15	5.6%	268
Faculty in Nursing Prog.	318	48.7%	152	23.3%	48	7.4%	653
Con. Ed./Staff Devel.	348	60.3%	65	11.3%	16	2.8%	577
Other	1,090	50.7%	126	5.9%	48	2.2%	2,150

Missing: 247

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Nursing Faculty Profile

Table II-E(1), Number of Nursing Faculty, 1997 and 2001

	1997	%	2001	%
Faculty	692	100.0%	665	100.0%
Total	**692**	**100.0%**	**665**	**100.0%**

Table II-E(2), Nursing Faculty by Sex, 1997 and 2001

Sex	1997	%	2001	%
Female	666	98.7%	649	98.2%
Male	9	1.3%	12	1.8%
Total	**675**	**100.0%**	**661**	**100.0%**
	Missing: 17		Missing: 4	

Table II-E(3), Nursing Faculty by Hispanic Origin, 1997 and 2001

Hispanic Or.	1997	%	2001	%
Hispanic Or.	4	0.6%	9	1.5%
No Hispanic Or.	647	99.4%	592	98.5%
Total	**651**	**100.0%**	**601**	**100.0%**
	Missing: 41		Missing: 64	

Table II-E(4), Nursing Faculty by Race, 1997 and 2001

Race	1997	%	2001	%
White	655	95.6%	619	94.5%

Black/Af. Am.	18	2.6%	25	3.8%
Asian/Pac. Is.	5	0.7%	3	0.5%
Am. Ind/Nat. Al.	3	0.4%	2	0.3%
Multi-racial	NA[1]	NA[1]	3	0.5%
Other	4	0.6%	3	0.5%
Total	**685**	**100.0%**	**655**	**100.0%**
	Missing: 7		Missing: 10	

**Table II-E(5), Nursing Faculty
by Age, 1997 and 2001[2]**

Age	1997	%	2001	%
30 or younger	7	1.0%		
31-44	213	31.2%	115	17.6%
45-54	271	39.7%	290	44.4%
55-64	174	25.5%	209	32.0%
65 and older	18	2.6%	39	6.0%
Total	**683**	**100.0%**	**653**	**100.0%**
	Missing: 9		Missing: 12	

**Table II-E(6), Nursing Faculty
by Highest Degree in Nursing, 1997 and 2001**

Highest Degree in Nursing	1997	%	2001	%
Diploma	37	5.3%	7	1.1%
Associate	36	5.2%	9	1.4%
Bachelor's	193	27.9%	134	20.3%
Master's	355	51.3%	384	58.2%
Doctorate	71	10.3%	126	19.1%
Total	**692**	**100.0%**	**660**	**100.0%**
	Missing: 0		Missing: 5	

---

[1] "multi-racial was not a selection option on the 1997 survey.

[2] A blank cell indicates that there were no data in this category

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Nursing Faculty Profile

Table II-E(7), RN Faculty by Level of Students Taught
and Highest Degree in Nursing, 2001[1]

	Level of Students Taught (Faculty may teach more than one level of students.)					
Highest Degree in Nursing	**LPN Level**	**Column %**	**Diploma Level**	**Column %**	**Associate Degree Level**	**Column %**
All Degrees	**137**	**100.0%**	**21**	**100.0%**	**242**	**100.0%**
Diploma	2	1.5%	1	4.8%	1	0.4%
Associate	6	4.4%			3	1.2%
Bachelor's	89	65.0%	5	23.8%	26	10.7%
Master's	37	27.0%	13	61.9%	187	77.3%
Doctorate	3	2.2%	2	9.5%	25	10.3%

	Level of Students Taught (Faculty may teach more than one level of students.)					
Highest Degree in Nursing	**Bachelor's Level**	**Column %**	**Master's Level**	**Column %**	**Doctoral Level**	**Column %**
All Degrees	**346**	**100.0%**	**129**	**100.0%**	**28**	**100.0%**
Diploma						
Associate	1	0.3%				
Bachelor's	21	6.1%	1	0.8%		
Master's	229	66.2%	42	32.6%	4	14.3%
Doctorate	95	27.5%	86	66.7%	24	85.7%

---

[1] A blank cell indicates that there were no data in this category

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Nursing Faculty Profile

**Table II-E(8), RN Faculty by Number of Levels Taught
and Highest Degree in Nursing, 2001[1]**

Highest Degree in Nursing	1 Level	Column %	2 Levels	Column %	3 Levels	Column %	4 Levels	Column %	5 Levels	Column %
All Degrees	**432**	**100.0%**	**174**	**100.0%**	**35**	**100.0%**	**2**	**100.0%**	**2**	**100.0%**
Diploma	2	0.5%	1	0.6%						
Associate	7	1.6%			1	2.9%				
Bachelor's	123	28.5%	8	4.6%	1	2.9%				
Master's	255	59.0%	110	63.2%	11	31.4%	1	50.0%		
Doctorate	45	10.4%	55	31.6%	22	62.9%	1	50.0%	2	100.0%

Missing: 20

_____

[1] A blank cell indicates that there were no data in this category

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Principal Setting Profile

Table II-F(1), RNs by Principal Setting, 1997 and 2001

	1997	%	2001	%
All Settings	**38,362**	**100.0%**	**45,493**	**100.0%**
Hospital (in- & out-patient)	10,978	28.6%	11,916	26.2%
Hospital (in-patient)	9,243	24.1%	11,889	26.1%
Hospital (out-patient)	1,003	2.6%	1,228	2.7%
Hospital ER/ED	1,256	3.3%	2,169	4.8%
Urgent care center/clinic	226	0.6%	321	0.7%
Ambulatory care setting (surgical/other)	1,200	3.1%	1,918	4.2%
Physician/dentist private office	2,263	5.9%	3,158	6.9%
Primary care center/clinic	700	1.8%	854	1.9%
Mental health/addictions facility/unit	703	1.8%	1,187	2.6%
Community/public health clinic	614	1.6%	683	1.5%
Longterm care facility/unit	3,193	8.3%	3,368	7.4%
Home care/hospice	3,506	9.1%	2,437	5.4%
Nursing education	677	1.8%	709	1.6%
School/college setting	1,088	2.8%	1,291	2.8%
Other	1,712	4.5%	2,365	5.2%
	Missing: 359		Missing: 122	

Chart II-F(1), RNs by Aggregated Principal Setting, 1997 and 2001

	1997	2001

- Hospital
- Emer/Urg Care
- Ambulatory Settings
- Mental Health/Addictions
- Com./Pub. Health
- Longterm Care
- Home Care/Hospice
- Nursing Education
- School/College
- Other

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Principal Setting Profile

**Table II-F(2), RNs by Principal Setting and Sex,
and Sex and Principal Setting, 2001**

	Female	Row %	Male	Row %	Total	Row %	Female	Column %	Male	Column %
All Settings	**43,090**	**95.7%**	**1,944**	**4.3%**	**45,034**	**100.0%**	**43,090**	**100.0%**	**1,944**	**100.0%**
Hospital (in- & out-patient)	11,268	95.4%	545	4.6%	11,813	100.0%	11,268	26.1%	545	28.0%
Hospital (in-patient)	11,235	95.6%	521	4.4%	11,756	100.0%	11,235	26.1%	521	26.8%
Hospital (out-patient)	1,192	98.0%	24	2.0%	1,216	100.0%	1,192	2.8%	24	1.2%
Hospital ER/ED	1,898	88.4%	249	11.6%	2,147	100.0%	1,898	4.4%	249	12.8%
Urgent care center/clinic	306	96.8%	10	3.2%	316	100.0%	306	0.7%	10	0.5%
Ambulatory care setting (surgical/other)	1,826	96.2%	73	3.8%	1,899	100.0%	1,826	4.2%	73	3.8%
Physician/dentist private office	3,085	98.8%	38	1.2%	3,123	100.0%	3,085	7.2%	38	2.0%
Primary care center/clinic	827	97.9%	18	2.1%	845	100.0%	827	1.9%	18	0.9%
Mental health/addictions facility/unit	1,059	90.0%	118	10.0%	1,177	100.0%	1,059	2.5%	118	6.1%
Community/public health clinic	660	97.5%	17	2.5%	677	100.0%	660	1.5%	17	0.9%
Longterm care facility/unit	3,225	96.8%	107	3.2%	3,332	100.0%	3,225	7.5%	107	5.5%
Home care/hospice	2,330	96.4%	86	3.6%	2,416	100.0%	2,330	5.4%	86	4.4%
Nursing education	693	98.2%	13	1.8%	706	100.0%	693	1.6%	13	0.7%
School/college setting	1,273	99.6%	5	0.4%	1,278	100.0%	1,273	3.0%	5	0.3%
Other	2,213	94.9%	120	5.1%	2,333	100.0%	2,213	5.1%	120	6.2%

Missing: 581

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Principal Setting Profile

**Table II-F(3), RNs by Principal Setting and Hispanic Origin,
and Hispanic Origin and Principal Setting, 2001**

	Hispanic Origin	Row %	No Hisp. Origin	Row %	Total	Row %
All Settings	**552**	**1.3%**	**40,637**	**98.7%**	**41,189**	**100.0%**
Hospital (in- & out-patient)	161	1.5%	10,649	98.5%	10,810	100.0%
Hospital (in-patient)	182	1.7%	10,622	98.3%	10,804	100.0%
Hospital (out-patient)	13	1.2%	1,113	98.8%	1,126	100.0%
Hospital ER/ED	28	1.4%	1,949	98.6%	1,977	100.0%
Urgent care center/clinic	4	1.4%	289	98.6%	293	100.0%
Ambulatory care setting (surgical/other)	20	1.2%	1,714	98.8%	1,734	100.0%
Physician/dentist private office	28	1.0%	2,816	99.0%	2,844	100.0%
Primary care center/clinic	9	1.2%	745	98.8%	754	100.0%
Mental health/addictions facility/unit	8	0.8%	1,042	99.2%	1,050	100.0%
Community/public health clinic	10	1.6%	630	98.4%	640	100.0%
Longterm care facility/unit	23	0.8%	3,015	99.2%	3,038	100.0%
Home care/hospice	21	0.9%	2,215	99.1%	2,236	100.0%
Nursing education	10	1.6%	628	98.4%	638	100.0%
School/college setting	9	0.8%	1,132	99.2%	1,141	100.0%
Other	26	1.2%	2,078	98.8%	2,104	100.0%

	Hispanic Origin	Column %	No Hisp. Origin	Column %
All Settings	**552**	**100.0%**	**40,637**	**100.0%**
Hospital (in- & out-patient)	161	29.2%	10,649	26.2%
Hospital (in-patient)	182	33.0%	10,622	26.1%
Hospital (out-patient)	13	2.4%	1,113	2.7%
Hospital ER/ED	28	5.1%	1,949	4.8%
Urgent care center/clinic	4	0.7%	289	0.7%
Ambulatory care setting (surgical/other)	20	3.6%	1,714	4.2%

Physician/dentist private office	28	5.1%	2,816	6.9%
Primary care center/clinic	9	1.6%	745	1.8%
Mental health/addictions facility/unit	8	1.4%	1,042	2.6%
Community/public health clinic	10	1.8%	630	1.6%
Longterm care facility/unit	23	4.2%	3,015	7.4%
Home care/hospice	21	3.8%	2,215	5.5%
Nursing education	10	1.8%	628	1.5%
School/college setting	9	1.6%	1,132	2.8%
Other	26	4.7%	2,078	5.1%

Missing: 4,426

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Setting Profile

Table II-F(4a), RNs by Principal Setting and Race, 2001[1]

	White	Row %	Black/ Af. Am.	Row %	Asian/ Pac. Isl.	Row %	Am. In./ Al.Nat.	Row %
All Settings	**42,555**	**94.8%**	**1,335**	**3.0%**	**450**	**1.0%**	**73**	**0.2%**
Hospital (in- & out-patient)	11,187	95.2%	328	2.8%	101	0.9%	17	0.1%
Hospital (in-patient)	10,916	93.2%	423	3.6%	195	1.7%	16	0.1%
Hospital (out-patient)	1,164	96.3%	21	1.7%	10	0.8%	2	0.2%
Hospital ER/ED	2,083	97.3%	21	1.0%	13	0.6%	2	0.1%
Urgent care center/clinic	305	97.8%	3	1.0%	1	0.3%		
Ambulatory care setting (surgical/other)	1,818	95.8%	45	2.4%	18	0.9%	2	0.1%
Physician/dentist private office	3,060	98.1%	23	0.7%	18	0.6%	3	0.1%
Primary care center/clinic	794	94.5%	30	3.6%	4	0.5%	2	0.2%
Mental health/addictions facility/unit	1,090	92.7%	58	4.9%	12	1.0%	2	0.2%
Community/public health clinic	627	92.6%	41	6.1%	2	0.3%	1	0.1%
Longterm care facility/unit	3,132	94.0%	116	3.5%	45	1.4%	11	0.3%
Home care/hospice	2,335	96.6%	43	1.8%	11	0.5%	4	0.2%
Nursing education	662	94.6%	27	3.9%	3	0.4%	2	0.3%
School/college setting	1,202	94.6%	55	4.3%	3	0.2%	4	0.3%
Other	2,180	93.6%	101	4.3%	14	0.6%	5	0.2%

	Multiracial	Row %	Other	Row %	Total	Row %
All Settings	**154**	**0.3%**	**316**	**0.7%**	**44,883**	**100.0%**
Hospital (in- & out-patient)	43	0.4%	80	0.7%	11,756	100.0%
Hospital (in-patient)	47	0.4%	115	1.0%	11,712	100.0%
Hospital (out-patient)	4	0.3%	8	0.7%	1,209	100.0%
Hospital ER/ED	4	0.2%	17	0.8%	2,140	100.0%
Urgent care center/clinic	1	0.3%	2	0.6%	312	100.0%
Ambulatory care setting (surgical/other)	6	0.3%	8	0.4%	1,897	100.0%
Physician/dentist private office	6	0.2%	8	0.3%	3,118	100.0%
Primary care center/clinic	6	0.7%	4	0.5%	840	100.0%

Mental health/addictions facility/unit	5	0.4%	9	0.8%	1,176	100.0%
Community/public health clinic	3	0.4%	3	0.4%	677	100.0%
Longterm care facility/unit	6	0.2%	21	0.6%	3,331	100.0%
Home care/hospice	6	0.2%	17	0.7%	2,416	100.0%
Nursing education	3	0.4%	3	0.4%	700	100.0%
School/college setting	3	0.2%	3	0.2%	1,270	100.0%
Other	11	0.5%	18	0.8%	2,329	100.0%

Missing: 732

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Setting Profile

Table II-F(4b), RNs by Race and Principal Setting, 2001[1]

	White	Col. %	Black/ Af. Am.	Col. %	Asian/ Pac. Isl.	Col. %	Am. In./ Al.Nat.	Col. %
All Settings	42,555	100.0%	1,335	100.0%	450	100.0%	73	100.0%
Hospital (in- & out-patient)	11,187	26.3%	328	24.6%	101	22.4%	17	23.3%
Hospital (in-patient)	10,916	25.7%	423	31.7%	195	43.3%	16	21.9%
Hospital (out-patient)	1,164	2.7%	21	1.6%	10	2.2%	2	2.7%
Hospital ER/ED	2,083	4.9%	21	1.6%	13	2.9%	2	2.7%
Urgent care center/clinic	305	0.7%	3	0.2%	1	0.2%		
Ambulatory care setting (surgical/other)	1,818	4.3%	45	3.4%	18	4.0%	2	2.7%
Physician/dentist private office	3,060	7.2%	23	1.7%	18	4.0%	3	4.1%
Primary care center/clinic	794	1.9%	30	2.2%	4	0.9%	2	2.7%
Mental health/addictions facility/unit	1,090	2.6%	58	4.3%	12	2.7%	2	2.7%
Community/public health clinic	627	1.5%	41	3.1%	2	0.4%	1	1.4%
Longterm care facility/unit	3,132	7.4%	116	8.7%	45	10.0%	11	15.1%
Home care/hospice	2,335	5.5%	43	3.2%	11	2.4%	4	5.5%
Nursing education	662	1.6%	27	2.0%	3	0.7%	2	2.7%
School/college setting	1,202	2.8%	55	4.1%	3	0.7%	4	5.5%
Other	2,180	5.1%	101	7.6%	14	3.1%	5	6.8%

	Multiracial	Col. %	Other	Col. %	Total	Col. %
All Settings	154	100.0%	316	100.0%	44,883	100.0%
Hospital (in- & out-patient)	43	27.9%	80	25.3%	11,756	26.2%
Hospital (in-patient)	47	30.5%	115	36.4%	11,712	26.1%
Hospital (out-patient)	4	2.6%	8	2.5%	1,209	2.7%
Hospital ER/ED	4	2.6%	17	5.4%	2,140	4.8%
Urgent care center/clinic	1	0.6%	2	0.6%	312	0.7%
Ambulatory care setting (surgical/other)	6	3.9%	8	2.5%	1,897	4.2%

Physician/dentist private office	6	3.9%	8	2.5%	3,118	6.9%
Primary care center/clinic	6	3.9%	4	1.3%	840	1.9%
Mental health/addictions facility/unit	5	3.2%	9	2.8%	1,176	2.6%
Community/public health clinic	3	1.9%	3	0.9%	677	1.5%
Longterm care facility/unit	6	3.9%	21	6.6%	3,331	7.4%
Home care/hospice	6	3.9%	17	5.4%	2,416	5.4%
Nursing education	3	1.9%	3	0.9%	700	1.6%
School/college setting	3	1.9%	3	0.9%	1,270	2.8%
Other	11	7.1%	18	5.7%	2,329	5.2%

Missing: 732

_____

[1] A blank cell indicates that there were no data in this category

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Principal Setting Profile

Table II-F(5a), RNs by Principal Setting and Age, 2001

	Average	30 and younger	Row %	31-44	Row %	45-54	Row %
All Settings	**45.3**	**3,896**	**8.7%**	**16,750**	**37.3%**	**15,869**	**35.4%**
Hospital (in- & out-patient)	44.7	1,004	8.5%	4,569	38.8%	4,330	36.8%
Hospital (in-patient)	42.5	1,754	14.9%	4,966	42.2%	3,478	29.6%
Hospital (out-patient)	46.8	51	4.2%	419	34.7%	512	42.4%
Hospital ER/ED	41.9	253	11.8%	1,019	47.6%	662	30.9%
Urgent care center/clinic	47.1	23	7.2%	100	31.3%	127	39.8%
Ambulatory care setting (surgical/other)	44.8	137	7.3%	764	40.6%	717	38.1%
Physician/dentist private office	45.8	221	7.1%	1,152	37.1%	1,121	36.1%
Primary care center/clinic	46.4	66	7.8%	275	32.5%	320	37.8%
Mental health/addictions facility/unit	49.0	50	4.3%	313	26.7%	450	38.4%
Community/public health clinic	48.9	27	4.0%	189	28.3%	254	38.1%
Longterm care facility/unit	48.3	157	4.7%	1,059	31.9%	1,179	35.5%
Home care/hospice	47.9	71	3.0%	768	32.1%	982	41.1%
Nursing education	51.9	4	0.6%	122	17.5%	308	44.1%
School/college setting	49.6	20	1.6%	346	27.2%	549	43.2%
Other	49.2	58	2.5%	689	29.6%	880	37.8%

	55-64	Row %	65 and older	Row %	Total	Row %
All Settings	**7,103**	**15.8%**	**1,269**	**2.8%**	**44,887**	**100.0%**
Hospital (in- & out-patient)	1,681	14.3%	184	1.6%	11,768	100.0%
Hospital (in-patient)	1,385	11.8%	182	1.5%	11,765	100.0%
Hospital (out-patient)	193	16.0%	32	2.7%	1,207	100.0%
Hospital ER/ED	194	9.1%	15	0.7%	2,143	100.0%
Urgent care center/clinic	55	17.2%	14	4.4%	319	100.0%
Ambulatory care setting (surgical/other)	235	12.5%	30	1.6%	1,883	100.0%
Physician/dentist private office	491	15.8%	122	3.9%	3,107	100.0%

Primary care center/clinic	157	18.6%	28	3.3%	846	100.0%
Mental health/addictions facility/unit	307	26.2%	53	4.5%	1,173	100.0%
Community/public health clinic	149	22.3%	48	7.2%	667	100.0%
Longterm care facility/unit	715	21.5%	211	6.4%	3,321	100.0%
Home care/hospice	474	19.8%	97	4.1%	2,392	100.0%
Nursing education	217	31.0%	48	6.9%	699	100.0%
School/college setting	281	22.1%	74	5.8%	1,270	100.0%
Other	569	24.5%	131	5.6%	2,327	100.0%

Missing: 728

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Principal Setting Profile

Table II-F(5b), RNs by Age and Principal Setting, 2001

	Average	30 and younger	Column %	31-44	Column %	45-54	Column %
All Settings	**45.3**	**3,896**	**100.0%**	**16,750**	**100.0%**	**15,869**	**100.0%**
Hospital (in- & out-patient)	44.7	1,004	25.8%	4,569	27.3%	4,330	27.3%
Hospital (in-patient)	42.5	1,754	45.0%	4,966	29.6%	3,478	21.9%
Hospital (out-patient)	46.8	51	1.3%	419	2.5%	512	3.2%
Hospital ER/ED	41.9	253	6.5%	1,019	6.1%	662	4.2%
Urgent care center/clinic	47.1	23	0.6%	100	0.6%	127	0.8%
Ambulatory care setting (surgical/other)	44.8	137	3.5%	764	4.6%	717	4.5%
Physician/dentist private office	45.8	221	5.7%	1,152	6.9%	1,121	7.1%
Primary care center/clinic	46.4	66	1.7%	275	1.6%	320	2.0%
Mental health/addictions facility/unit	48.9	50	1.3%	313	1.9%	450	2.8%
Community/public health clinic	48.9	27	0.7%	189	1.1%	254	1.6%
Longterm care facility/unit	48.3	157	4.0%	1,059	6.3%	1,179	7.4%
Home care/hospice	47.9	71	1.8%	768	4.6%	982	6.2%
Nursing education	51.9	4	0.1%	122	0.7%	308	1.9%
School/college setting	49.6	20	0.5%	346	2.1%	549	3.5%
Other	49.2	58	1.5%	689	4.1%	880	5.5%

	55-64	Column %	65 and older	Column %	Total	Column %
All Settings	**7,103**	**100.0%**	**1,269**	**100.0%**	**44,887**	**100.0%**
Hospital (in- & out-patient)	1,681	23.7%	184	14.5%	11,768	26.2%
Hospital (in-patient)	1,385	19.5%	182	14.3%	11,765	26.2%
Hospital (out-patient)	193	2.7%	32	2.5%	1,207	2.7%
Hospital ER/ED	194	2.7%	15	1.2%	2,143	4.8%
Urgent care center/clinic	55	0.8%	14	1.1%	319	0.7%

Ambulatory care setting (surgical/other)	235	3.3%	30	2.4%	1,883	4.2%
Physician/dentist private office	491	6.9%	122	9.6%	3,107	6.9%
Primary care center/clinic	157	2.2%	28	2.2%	846	1.9%
Mental health/addictions facility/unit	307	4.3%	53	4.2%	1,173	2.6%
Community/public health clinic	149	2.1%	48	3.8%	667	1.5%
Longterm care facility/unit	715	10.1%	211	16.6%	3,321	7.4%
Home care/hospice	474	6.7%	97	7.6%	2,392	5.3%
Nursing education	217	3.1%	48	3.8%	699	1.6%
School/college setting	281	4.0%	74	5.8%	1,270	2.8%
Other	569	8.0%	131	10.3%	2,327	5.2%

Missing: 728

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Setting Profile

Table II-F(6a), RNs by Principal Setting
and Highest Degree in Nursing, 2001[1]

	Diploma	Row %	Associate	Row %	Bachelor's	Row %
All Settings	**6,648**	**14.7%**	**19,834**	**43.9%**	**15,709**	**34.8%**
Hospital (in- & out-patient)	1,650	13.9%	5,089	43.0%	4,501	38.0%
Hospital (in-patient)	1,252	10.6%	5,703	48.3%	4,547	38.5%
Hospital (out-patient)	214	17.6%	425	34.9%	461	37.8%
Hospital ER/ED	230	10.7%	1,035	48.0%	811	37.6%
Urgent care center/clinic	73	23.0%	115	36.3%	87	27.4%
Ambulatory care setting (surgical/other)	296	15.5%	832	43.6%	720	37.8%
Physician/dentist private office	689	22.0%	1,114	35.5%	895	28.5%
Primary care center/clinic	144	16.9%	286	33.6%	205	24.1%
Mental health/addictions facility/unit	182	15.5%	576	48.9%	329	28.0%
Community/public health clinic	134	19.7%	208	30.6%	257	37.8%
Longterm care facility/unit	608	18.2%	1,971	59.0%	684	20.5%
Home care/hospice	397	16.4%	1,152	47.5%	801	33.0%
Nursing education	15	2.1%	20	2.8%	158	22.4%
School/college setting	320	24.9%	368	28.7%	489	38.1%
Other	444	19.0%	940	40.2%	764	32.6%

	Master's	Row %	Doctorate	Row %	Total	Row %
All Settings	**2,822**	**6.2%**	**171**	**0.4%**	**45,184**	**100.0%**
Hospital (in- & out-patient)	592	5.0%	8	0.1%	11,840	100.0%
Hospital (in-patient)	301	2.5%	5	0.04%	11,808	100.0%
Hospital (out-patient)	113	9.3%	5	0.4%	1,218	100.0%
Hospital ER/ED	82	3.8%			2,158	100.0%
Urgent care center/clinic	42	13.2%			317	100.0%
Ambulatory care setting (surgical/other)	58	3.0%	1	0.1%	1,907	100.0%
Physician/dentist private office	437	13.9%	1	0.03%	3,136	100.0%

Primary care center/clinic	207	24.3%	9	1.1%	851	100.0%
Mental health/addictions facility/unit	88	7.5%	2	0.2%	1,177	100.0%
Community/public health clinic	80	11.8%			679	100.0%
Longterm care facility/unit	78	2.3%			3,341	100.0%
Home care/hospice	73	3.0%	1	0.04%	2,424	100.0%
Nursing education	386	54.8%	125	17.8%	704	100.0%
School/college setting	102	8.0%	4	0.3%	1,283	100.0%
Other	183	7.8%	10	0.4%	2,341	100.0%

Missing: 431

_____

[1] A blank cell indicates that there were no data in this category.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Setting Profile

Table II-F(6b), RNs by Highest Degree in Nursing
and Principal Setting, 2001[1]

	Diploma	Column %	Associate	Column %	Bachelor's	Column %
All Settings	**6,648**	**100.0%**	**19,834**	**100.0%**	**15,709**	**100.0%**
Hospital (in- & out-patient)	1,650	24.8%	5,089	25.7%	4,501	28.7%
Hospital (in-patient)	1,252	18.8%	5,703	28.8%	4,547	28.9%
Hospital (out-patient)	214	3.2%	425	2.1%	461	2.9%
Hospital ER/ED	230	3.5%	1,035	5.2%	811	5.2%
Urgent care center/clinic	73	1.1%	115	0.6%	87	0.6%
Ambulatory care setting (surgical/other)	296	4.5%	832	4.2%	720	4.6%
Physician/dentist private office	689	10.4%	1,114	5.6%	895	5.7%
Primary care center/clinic	144	2.2%	286	1.4%	205	1.3%
Mental health/addictions facility/unit	182	2.7%	576	2.9%	329	2.1%
Community/public health clinic	134	2.0%	208	1.0%	257	1.6%
Longterm care facility/unit	608	9.1%	1,971	9.9%	684	4.4%
Home care/hospice	397	6.0%	1,152	5.8%	801	5.1%
Nursing education	15	0.2%	20	0.1%	158	1.0%
School/college setting	320	4.8%	368	1.9%	489	3.1%
Other	444	6.7%	940	4.7%	764	4.9%

	Master's	Column %	Doctorate	Column %	Total	Column %
All Settings	**2,822**	**100.0%**	**171**	**100.0%**	**45,184**	**100.0%**
Hospital (in- & out-patient)	592	21.0%	8	4.7%	11,840	26.2%
Hospital (in-patient)	301	10.7%	5	2.9%	11,808	26.1%
Hospital (out-patient)	113	4.0%	5	2.9%	1,218	2.7%
Hospital ER/ED	82	2.9%			2,158	4.8%
Urgent care center/clinic	42	1.5%			317	0.7%
Ambulatory care setting (surgical/other)	58	2.1%	1	0.6%	1,907	4.2%
Physician/dentist private office	437	15.5%	1	0.6%	3,136	6.9%

Primary care center/clinic	207	7.3%	9	5.3%	851	1.9%
Mental health/addictions facility/unit	88	3.1%	2	1.2%	1,177	2.6%
Community/public health clinic	80	2.8%			679	1.5%
Longterm care facility/unit	78	2.8%			3,341	7.4%
Home care/hospice	73	2.6%	1	0.6%	2,424	5.4%
Nursing education	386	13.7%	125	73.1%	704	1.6%
School/college setting	102	3.6%	4	2.3%	1,283	2.8%
Other	183	6.5%	10	5.8%	2,341	5.2%

Missing: 431

_____

[1] A blank cell indicates that there were no data in this category.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Setting Profile

Table II-F(7b), RNs by Principal Setting
and Average Weekly Hours, 2001
(All Activities in Nursing)

	1-9	Row %	10-19	Row %	20-29	Row %	30-39	Row %
All Settings	**1,194**	**2.6%**	**2,142**	**4.7%**	**6,820**	**15.0%**	**11,871**	**26.2%**
Hospital (in- & out-patient)	243	2.0%	458	3.9%	1,851	15.6%	3,086	26.0%
Hospital (in-patient)	309	2.6%	517	4.4%	2,233	18.8%	4,145	34.9%
Hospital (out-patient)	45	3.7%	68	5.6%	226	18.5%	229	18.7%
Hospital ER/ED	42	1.9%	77	3.6%	329	15.2%	703	32.5%
Urgent care center/clinic	15	4.7%	28	8.8%	67	20.9%	68	21.3%
Ambulatory care setting (surgical/other)	50	2.6%	105	5.5%	303	15.8%	379	19.8%
Physician/dentist private office	130	4.1%	250	7.9%	495	15.7%	842	26.8%
Primary care center/clinic	20	2.4%	45	5.3%	99	11.7%	192	22.6%
Mental health/addictions facility/unit	27	2.3%	42	3.6%	131	11.1%	287	24.3%
Community/public health clinic	28	4.1%	46	6.8%	98	14.4%	177	26.0%
Longterm care facility/unit	76	2.3%	162	4.8%	283	8.4%	556	16.6%
Home care/hospice	59	2.4%	143	5.9%	332	13.7%	382	15.7%
Nursing education	12	1.7%	31	4.4%	52	7.4%	48	6.9%
School/college setting	67	5.2%	74	5.8%	121	9.5%	425	33.3%
Other	71	3.0%	96	4.1%	200	8.5%	352	15.0%

	40-49	Row %	50-59	Row %	60 and over	Row %	Total	Row %
All Settings	**19,166**	**42.3%**	**2,864**	**6.3%**	**1,282**	**2.8%**	**45,339**	**100.0%**
Hospital (in- & out-patient)	5,060	42.6%	817	6.9%	370	3.1%	11,885	100.0%
Hospital (in-patient)	3,972	33.5%	407	3.4%	287	2.4%	11,870	100.0%
Hospital (out-patient)	578	47.3%	58	4.7%	19	1.6%	1,223	100.0%
Hospital ER/ED	819	37.9%	117	5.4%	73	3.4%	2,160	100.0%
Urgent care center/clinic	118	36.9%	15	4.7%	9	2.8%	320	100.0%
Ambulatory care setting (surgical/other)	957	50.0%	92	4.8%	27	1.4%	1,913	100.0%

Physician/dentist private office	1,228	39.0%	154	4.9%	47	1.5%	3,146	100.0%
Primary care center/clinic	421	49.6%	53	6.2%	19	2.2%	849	100.0%
Mental health/addictions facility/unit	578	48.9%	74	6.3%	43	3.6%	1,182	100.0%
Community/public health clinic	301	44.3%	24	3.5%	6	0.9%	680	100.0%
Longterm care facility/unit	1,661	49.5%	442	13.2%	174	5.2%	3,354	100.0%
Home care/hospice	1,202	49.5%	233	9.6%	78	3.2%	2,429	100.0%
Nursing education	353	50.6%	152	21.8%	50	7.2%	698	100.0%
School/college setting	538	42.1%	39	3.1%	14	1.1%	1,278	100.0%
Other	1,380	58.7%	187	8.0%	66	2.8%	2,352	100.0%

Missing: 276

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Principal Setting Profile

**Table II-F(7b), RNs by Average Weekly Hours
and Principal Setting, 2001
(All Activities in Nursing)**

	1-9	Column %	10-19	Column %	20-29	Column %	30-39	Column %
All Settings	**1,194**	**100.0%**	**2,142**	**100.0%**	**6,820**	**100.0%**	**11,871**	**100.0%**
Hospital (in- & out-patient)	243	20.4%	458	21.4%	1,851	27.1%	3,086	26.0%
Hospital (in-patient)	309	25.9%	517	24.1%	2,233	32.7%	4,145	34.9%
Hospital (out-patient)	45	3.8%	68	3.2%	226	3.3%	229	1.9%
Hospital ER/ED	42	3.5%	77	3.6%	329	4.8%	703	5.9%
Urgent care center/clinic	15	1.3%	28	1.3%	67	1.0%	68	0.6%
Ambulatory care setting (surgical/other)	50	4.2%	105	4.9%	303	4.4%	379	3.2%
Physician/dentist private office	130	10.9%	250	11.7%	495	7.3%	842	7.1%
Primary care center/clinic	20	1.7%	45	2.1%	99	1.5%	192	1.6%
Mental health/addictions facility/unit	27	2.3%	42	2.0%	131	1.9%	287	2.4%
Community/public health clinic	28	2.3%	46	2.1%	98	1.4%	177	1.5%
Longterm care facility/unit	76	6.4%	162	7.6%	283	4.1%	556	4.7%
Home care/hospice	59	4.9%	143	6.7%	332	4.9%	382	3.2%
Nursing education	12	1.0%	31	1.4%	52	0.8%	48	0.4%
School/college setting	67	5.6%	74	3.5%	121	1.8%	425	3.6%
Other	71	5.9%	96	4.5%	200	2.9%	352	3.0%

	40-49	Column %	50-59	Column %	60 and over	Column %	Total	Column %
All Settings	**19,166**	**100.0%**	**2,864**	**100.0%**	**1,282**	**100.0%**	**45,339**	**100.0%**
Hospital (in- & out-patient)	5,060	26.4%	817	28.5%	370	28.9%	11,885	26.2%
Hospital (in-patient)	3,972	20.7%	407	14.2%	287	22.4%	11,870	26.2%
Hospital (out-patient)	578	3.0%	58	2.0%	19	1.5%	1,223	2.7%
Hospital ER/ED	819	4.3%	117	4.1%	73	5.7%	2,160	4.8%
Urgent care center/clinic	118	0.6%	15	0.5%	9	0.7%	320	0.7%

Ambulatory care setting (surgical/other)	957	5.0%	92	3.2%	27	2.1%	1,913	4.2%
Physician/dentist private office	1,228	6.4%	154	5.4%	47	3.7%	3,146	6.9%
Primary care center/clinic	421	2.2%	53	1.9%	19	1.5%	849	1.9%
Mental health/addictions facility/unit	578	3.0%	74	2.6%	43	3.4%	1,182	2.6%
Community/public health clinic	301	1.6%	24	0.8%	6	0.5%	680	1.5%
Longterm care facility/unit	1,661	8.7%	442	15.4%	174	13.6%	3,354	7.4%
Home care/hospice	1,202	6.3%	233	8.1%	78	6.1%	2,429	5.4%
Nursing education	353	1.8%	152	5.3%	50	3.9%	698	1.5%
School/college setting	538	2.8%	39	1.4%	14	1.1%	1,278	2.8%
Other	1,380	7.2%	187	6.5%	66	5.1%	2,352	5.2%

Missing: 276

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Setting Profile

Table II-F(8), RNs by Principal Setting, Age,
and Average Weekly Hours, 2001
(Full and Part-time, All Activities in Nursing)[1]

Age Category -- Full-time

	Under 30	31-44	45-54	55-64	65 and older
All Settings	**42.8**	**43.6**	**43.9**	**43.6**	**43.1**
Hospital (in- & out-patient)	42.8	44.0	44.2	43.7	42.8
Hospital (in-patient)	42.8	43.9	44.1	43.6	42.7
Hospital (out-patient)	40.5	42.5	42.5	43.3	*41.6
Hospital ER/ED	44.4	44.4	44.4	42.5	*40.0
Urgent care center/clinic	41.0	44.7	43.2	42.8	*40.0
Ambulatory care setting (surgical/other)	41.5	42.3	42.3	42.6	*42.9
Physician/dentist private office	42.0	42.6	43.3	42.4	42.5
Primary care center/clinic	42.6	42.5	43.2	43.2	*40.3
Mental health/addictions facility/unit	42.0	44.0	43.6	44.1	41.7
Community/public health clinic	40.6	42.0	42.4	41.2	40.0
Longterm care facility/unit	44.6	44.7	45.3	44.6	43.3
Home care/hospice	42.7	43.6	44.1	43.3	45.1
Nursing education	*40.0	44.4	44.6	47.1	48.2
School/college setting	41.7	41.4	42.0	42.5	41.6
Other	44.1	42.8	43.0	43.0	42.7

Age Category -- Part-time

	Under 30	31-44	45-54	55-64	65 and older
All Settings	**30.9**	**26.9**	**28.2**	**27.5**	**20.3**
Hospital (in- & out-patient)	31.0	27.1	28.4	27.9	19.5
Hospital (in-patient)	31.6	27.6	29.2	28.7	20.8
Hospital (out-patient)	28.5	24.2	26.4	25.4	16.0

Hospital ER/ED	31.5	28.3	29.8	30.0	23.6
Urgent care center/clinic	21.3	22.4	25.4	27.8	*21.3
Ambulatory care setting (surgical/other)	27.8	24.9	27.0	24.6	18.3
Physician/dentist private office	28.5	25.6	27.0	24.7	20.6
Primary care center/clinic	29.0	25.5	28.8	25.9	19.9
Mental health/addictions facility/unit	26.1	28.0	29.5	29.9	22.5
Community/public health clinic	32.3	27.2	26.7	27.2	18.1
Longterm care facility/unit	27.6	26.4	27.1	27.7	21.4
Home care/hospice	25.0	24.1	25.9	25.2	20.5
Nursing education	*22.0	23.1	24.5	23.1	11.8
School/college setting	*35.8	26.0	28.4	30.3	22.7
Other	30.2	25.8	26.6	25.9	19.0

Missing: 880

_____

[1] Full-time = 40 or more hours per week; part-time = 1-39 hours per week.
* Fewer than 10 RNs in this calculation

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Setting Profile

Table II-F(9), RNs by Principal Setting and Principal Position, 2001[1]
(part 1 of 4)

NOTE: This table is presented here across 4 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

Principal Setting	All Positions	Row %	STF/GEN NRS	Row %	CHG/TM LDR	Row %	HD/ ASST	Row %	OFC NRS	Row %
All Settings	**45,420**	**100.0%**	**21,776**	**47.9%**	**4,443**	**9.8%**	**1,078**	**2.4%**	**3,096**	**6.8%**
Hospital (in- & out-patient)	11,905	100.0%	7,555	63.5%	1,186	10.0%	401	3.4%	43	0.4%
Hospital (in-patient)	11,867	100.0%	8,917	75.1%	1,695	14.3%	209	1.8%	7	0.1%
Hospital (out-patient)	1,226	100.0%	661	53.9%	104	8.5%	39	3.2%	75	6.1%
Hospital ER/ED	2,167	100.0%	1,615	74.5%	349	16.1%	47	2.2%	1	0.05%
Urgent care center/clinic	321	100.0%	121	37.7%	31	9.7%	7	2.2%	75	23.4%
Ambulatory care setting (surgical/other)	1,916	100.0%	1,313	68.5%	157	8.2%	50	2.6%	65	3.4%
Physician/dentist private office	3,152	100.0%	98	3.1%	25	0.8%	30	1.0%	2,273	72.1%
Primary care center/clinic	853	100.0%	95	11.1%	32	3.8%	12	1.4%	352	41.3%
Mental health/addictions facility/unit	1,184	100.0%	503	42.5%	271	22.9%	30	2.5%	39	3.3%
Community/public health clinic	681	100.0%	128	18.8%	22	3.2%	17	2.5%	85	12.5%
Longterm care facility/unit	3,358	100.0%	307	9.1%	359	10.7%	171	5.1%	12	0.4%
Home care/hospice	2,433	100.0%	55	2.3%	38	1.6%	12	0.5%	7	0.3%
Nursing education	709	100.0%	2	0.3%	1	0.1%			2	0.3%
School/college setting	1,290	100.0%	42	3.3%	7	0.5%	6	0.5%	13	1.0%
Other	2,358	100.0%	364	15.4%	166	7.0%	47	2.0%	47	2.0%

Missing: 195

_____
[1] A blank cell indicates that there were no data in this category

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Setting Profile

Table II-F(9), RNs by Principal Setting and Principal Position, 2001[1]
(part 2 of 4)

NOTE: This table is presented here across 4 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

Principal Setting	NRS CLIN	Row %	CNS	Row %	CRNA	Row %	NP	Row %	CNMW	Row %	SCHL RN	Row %
All Settings	**237**	**0.5%**	**443**	**1.0%**	**140**	**0.3%**	**1,174**	**2.6%**	**49**	**0.1%**	**1,114**	**2.5%**
Hospital (in- & out-patient)	86	0.7%	165	1.4%	97	0.8%	70	0.6%	6	0.1%		
Hospital (in-patient)	37	0.3%	67	0.6%	8	0.1%	35	0.3%	2	0.02%		
Hospital (out-patient)	30	2.4%	30	2.4%			72	5.9%				
Hospital ER/ED	3	0.1%	6	0.3%			32	1.5%				
Urgent care center/clinic	1	0.3%	2	0.6%			38	11.8%				
Ambulatory care setting (surgical/other)	15	0.8%	15	0.8%	30	1.6%	33	1.7%			1	0.1%
Physician/dentist private office	23	0.7%	42	1.3%	2	0.1%	444	14.1%	20	0.6%		
Primary care center/clinic	8	0.9%	15	1.8%			217	25.4%	6	0.7%	1	0.1%
Mental health/addictions facility/unit	11	0.9%	46	3.9%			10	0.8%			3	0.3%
Community/public health clinic	10	1.5%	6	0.9%	1	0.1%	79	11.6%	10	1.5%	4	0.6%
Longterm care facility/unit	1		5	0.1%			30	0.9%				
Home care/hospice	5	0.2%	6	0.2%			3	0.1%				
Nursing education	1	0.1%	1	0.1%			3	0.4%			1	0.1%
School/college setting	1	0.1%	2	0.2%			37	2.9%			1,094	84.8%
Other	5	0.2%	35	1.5%	2	0.1%	71	3.0%	5	0.2%	10	0.4%

Missing: 195

---
[1] A blank cell indicates that there were no data in this category

Indiana Registered Nurse Survey Databook, 2001

Active RNs with an Indiana License and an Indiana Principal Position

Principal Setting Profile

Table II-F(9), RNs by Principal Setting and Principal Position, 2001[1]

Principal Position

Principal Setting	All Positions	Row %	STF/GEN NRS	Row %	CHG/TM LDR	Row %	HD/ASST	Row %	OFC NRS	Row %	NRS CLIN	Row %	CNS	Row %	CRNA	Row %	NP	Row %
All Settings	45,420	100.0%	21,776	47.9%	4,443	9.8%	1,078	2.4%	3,096	6.8%	237	0.5%	443	1.0%	140	0.3%	1,174	2.6%
Hospital (in- & out-patient)	11,905	100.0%	7,555	63.5%	1,186	10.0%	401	3.4%	43	0.4%	86	0.7%	165	1.4%	97	0.8%	70	0.6%
Hospital (in-patient)	11,867	100.0%	8,917	75.1%	1,695	14.3%	209	1.8%	7	0.1%	37	0.3%	67	0.6%	8	0.1%	35	0.3%
Hospital (out-patient)	1,226	100.0%	661	53.9%	104	8.5%	39	3.2%	75	6.1%	30	2.4%	30	2.4%			72	5.9%
Hospital ER/ED	2,167	100.0%	1,615	74.5%	349	16.1%	47	2.2%	1	0.05%	3	0.1%	6	0.3%			32	1.5%
Urgent care center/clinic	321	100.0%	121	37.7%	31	9.7%	7	2.2%	75	23.4%	1	0.3%	2	0.6%			38	11.8%
Ambulatory care setting (surgical/other)	1,916	100.0%	1,313	68.5%	157	8.2%	50	2.6%	65	3.4%	15	0.8%	15	0.8%	30	1.6%	33	1.7%
Physician/dentist private office	3,152	100.0%	98	3.1%	25	0.8%	30	1.0%	2,273	72.1%	23	0.7%	42	1.3%	2	0.1%	444	14.1%
Primary care center/clinic	853	100.0%	95	11.1%	32	3.8%	12	1.4%	352	41.3%	8	0.9%	15	1.8%			217	25.4%
Mental health/addictions facility/unit	1,184	100.0%	503	42.5%	271	22.9%	30	2.5%	39	3.3%	11	0.9%	46	3.9%			10	0.8%
Community/public health clinic	681	100.0%	128	18.8%	22	3.2%	17	2.5%	85	12.5%	10	1.5%	6	0.9%	1	0.1%	79	11.6%
Longterm care facility/unit	3,358	100.0%	307	9.1%	359	10.7%	171	5.1%	12	0.4%	1		5	0.1%			30	0.9%
Home care/hospice	2,433	100.0%	55	2.3%	38	1.6%	12	0.5%	7	0.3%	5	0.2%	6	0.2%			3	0.1%
Nursing education	709	100.0%	2	0.3%	1	0.1%			2	0.3%	1	0.1%	1	0.1%			3	0.4%
School/college setting	1,290	100.0%	42	3.3%	7	0.5%	6	0.5%	13	1.0%	1	0.1%	2	0.2%			37	2.9%
Other	2,358	100.0%	364	15.4%	166	7.0%	47	2.0%	47	2.0%	5	0.2%	35	1.5%	2	0.1%	71	3.0%

Principal Position

Principal Setting	LTC RN	Row %	HM NRS	Row %	HSPC NRS	Row %	CASE MAN/CARE COORD	Row %	ADM	Row %	QA/UT RVW	Row %	NRS CONS	Row %	NRS FAC	Row %	CON ED	Row %
All Settings	1,634	3.6%	1,485	3.3%	381	0.8%	1,430	3.1%	2,801	6.2%	471	1.0%	269	0.6%	664	1.5%	579	1.3%
Hospital (in- & out-patient)	8	0.1%	16	0.1%	7	0.1%	313	2.6%	936	7.9%	154	1.3%	34	0.3%	10	0.1%	259	2.2%
Hospital (in-patient)	37	0.3%	2	0.02%	13	0.1%	274	2.3%	251	2.1%	74	0.6%	4	0.03%	15	0.1%	81	0.7%
Hospital (out-patient)	2	0.2%	9	0.7%	2	0.2%	36	2.9%	65	5.3%	2	0.2%	2	0.2%	1	0.1%	2	0.2%
Hospital ER/ED					1		12	0.6%	66	3.0%	5	0.2%					11	0.5%
Urgent care center/clinic							7	2.2%	27	8.4%								
Ambulatory care setting (surgical/other)							10	0.5%	149	7.8%	2	0.1%	1	0.1%	1	0.1%	10	0.5%
Physician/dentist private office	1	0.03%					13	0.4%	96	3.0%	6	0.2%	6	0.2%			3	0.1%
Primary care center/clinic					1	0.1%	18	2.1%	57	6.7%	7	0.8%			1	0.1%	4	0.5%
Mental health/addictions facility/unit	9	0.8%	5	0.4%			46	3.9%	122	10.3%	26	2.2%	4	0.3%	1	0.1%	9	0.8%
Community/public health clinic	1	0.1%	26	3.8%	1	0.1%	43	6.3%	67	9.8%	6	0.9%	5	0.7%	1	0.1%		
Longterm care facility/unit	1,558	46.4%	6	0.2%	5	0.1%	120	3.6%	398	11.9%	28	0.8%	96	2.9%	2	0.1%	123	3.7%
Home care/hospice	2	0.1%	1,396	57.4%	337	13.9%	156	6.4%	324	13.3%	45	1.8%	8	0.3%			11	0.5%
Nursing education	2	0.3%	3	0.4%			2	0.3%	7	1.0%	1	0.1%	2	0.3%	628	88.6%	44	6.2%
School/college setting	1	0.1%	1	0.1%			3	0.2%	33	2.6%							4	0.3%
Other	13	0.6%	21	0.9%	14	0.6%	377	16.0%	203	8.6%	115	4.9%	107	4.5%	4	0.2%	18	0.8%

Missing: 195

[1] A blank cell indicates that there were no data in this category.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Principal Setting Profile

Table II-F(9), RNs by Principal Setting and Principal Position, 2001[1]
(part 3 of 4)

NOTE: This table is presented here across 4 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

Principal Setting	LTC RN	Row %	HM NRS	Row %	HSPC NRS	Row %	CASE MAN/ CARE COORD	Row %	ADM	Row %
All Settings	**1,634**	**3.6%**	**1,485**	**3.3%**	**381**	**0.8%**	**1,430**	**3.1%**	**2,801**	**6.2%**
Hospital (in- & out-patient)	8	0.1%	16	0.1%	7	0.1%	313	2.6%	936	7.9%
Hospital (in-patient)	37	0.3%	2	0.02%	13	0.1%	274	2.3%	251	2.1%
Hospital (out-patient)	2	0.2%	9	0.7%	2	0.2%	36	2.9%	65	5.3%
Hospital ER/ED					1		12	0.6%	66	3.0%
Urgent care center/clinic							7	2.2%	27	8.4%
Ambulatory care setting (surgical/other)							10	0.5%	149	7.8%
Physician/dentist private office	1	0.03%					13	0.4%	96	3.0%
Primary care center/clinic					1	0.1%	18	2.1%	57	6.7%
Mental health/addictions facility/unit	9	0.8%	5	0.4%			46	3.9%	122	10.3%
Community/public health clinic	1	0.1%	26	3.8%	1	0.1%	43	6.3%	67	9.8%
Longterm care facility/unit	1,558	46.4%	6	0.2%	5	0.1%	120	3.6%	398	11.9%
Home care/hospice	2	0.1%	1,396	57.4%	337	13.9%	156	6.4%	324	13.3%
Nursing education	2	0.3%	3	0.4%			2	0.3%	7	1.0%
School/college setting	1	0.1%	1	0.1%			3	0.2%	33	2.6%
Other	13	0.6%	21	0.9%	14	0.6%	377	16.0%	203	8.6%

Missing: 195

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Principal Setting Profile

Table II-F(9), RNs by Principal Setting and Principal Position, 2001[1]
(part 4 of 4)

NOTE: This table is presented here across 4 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

Principal Setting	QA/UT RVW	Row %	NRS CONS	Row %	NRS FAC	Row %	CON ED	Row %	OTHER	Row %
All Settings	471	1.0%	269	0.6%	664	1.5%	579	1.3%	2,156	4.7%
Hospital (in- & out-patient)	154	1.3%	34	0.3%	10	0.1%	259	2.2%	559	4.7%
Hospital (in-patient)	74	0.6%	4	0.03%	15	0.1%	81	0.7%	139	1.2%
Hospital (out-patient)	2	0.2%	2	0.2%	1	0.1%	2	0.2%	94	7.7%
Hospital ER/ED	5	0.2%					11	0.5%	19	0.9%
Urgent care center/clinic									12	3.7%
Ambulatory care setting (surgical/other)	2	0.1%	1	0.1%	1	0.1%	10	0.5%	64	3.3%
Physician/dentist private office	6	0.2%	6	0.2%			3	0.1%	70	2.2%
Primary care center/clinic	7	0.8%			1	0.1%	4	0.5%	27	3.2%
Mental health/addictions facility/unit	26	2.2%	4	0.3%	1	0.1%	9	0.8%	49	4.1%
Community/public health clinic	6	0.9%	5	0.7%	1	0.1%			169	24.8%
Longterm care facility/unit	28	0.8%	96	2.9%	2	0.1%	123	3.7%	137	4.1%
Home care/hospice	45	1.8%	8	0.3%			11	0.5%	28	1.2%
Nursing education	1	0.1%	2	0.3%	628	88.6%	44	6.2%	9	1.3%
School/college setting							4	0.3%	46	3.6%
Other	115	4.9%	107	4.5%	4	0.2%	18	0.8%	734	31.1%

Missing: 195

---

[1] A blank cell indicates that there were no data in this category

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Advanced Practical Nurse (APN) Profile[1]

Chart III-A(1), APNs by Type of APN, 1997 and 2001

_____

[1] This chart depicts only those Advanced Practical Nurses who have prescriptive authority under Indiana law.

accessIndiana | Agency Listing   Policies   Contact Webmaster   Help

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-B(1), APNs by County of Principal Position

	IN Rural2	Fed. Rural2	Clinical Nurse Specialist	%	Nurse Practitioner	%	Certified Nurse Midwife	%	Total	%
Indiana			86	100.0%	1,060	100.0%	42	100.0%	1,188	100.0%
Adams	R				3	0.3%			3	0.3%
Allen			3	3.5%	62	5.8%	1	2.4%	66	5.6%
Bartholomew		R	2	2.3%	14	1.3%			16	1.3%
Benton	R	R			2	0.2%			2	0.2%
Blackford	R	R			2	0.2%			2	0.2%
Boone					2	0.2%			2	0.2%
Brown	R	R			2	0.2%			2	0.2%
Carroll	R	R			4	0.4%			4	0.3%
Cass		R	1	1.2%	3	0.3%			4	0.3%
Clark					15	1.4%	2	4.8%	17	1.4%
Clay										
Clinton					3	0.3%	1	2.4%	4	0.3%
Crawford	R	R			2	0.2%			2	0.2%
Daviess		R			5	0.5%			5	0.4%
Dearborn					3	0.3%			3	0.3%
Decatur		R			5	0.5%			5	0.4%
De Kalb					5	0.5%			5	0.4%
Delaware			2	2.3%	30	2.8%			32	2.7%
Dubois		R			6	0.6%			6	0.5%
Elkhart			1	1.2%	21	2.0%	4	9.5%	26	2.2%
Fayette		R	1	1.2%	3	0.3%			4	0.3%
Floyd					12	1.1%			12	1.0%
Fountain	R	R			1	0.1%			1	0.1%
Franklin	R	R			2	0.2%			2	0.2%
Fulton	R	R	1	1.2%	5	0.5%			6	0.5%
Gibson	R	R			2	0.2%			2	0.2%
Grant		R			14	1.3%			14	1.2%
Greene	R	R			2	0.2%			2	0.2%
Hamilton			2	2.3%	29	2.7%			31	2.6%
Hancock			1	1.2%	12	1.1%			13	1.1%
Harrison					3	0.3%			3	0.3%
Hendricks			1	1.2%	16	1.5%	1	2.4%	18	1.5%

County										
Henry		R			6	0.6%			6	0.5%
Howard			2	2.3%	12	1.1%			14	1.2%
Huntington					3	0.3%			3	0.3%
Jackson		R			4	0.4%			4	0.3%
Jasper	R	R	1	1.2%	5	0.5%			6	0.5%
Jay	R	R			5	0.5%			5	0.4%
Jefferson		R			4	0.4%			4	0.3%
Jennings	R	R			1	0.1%			1	0.1%
Johnson					14	1.3%			14	1.2%
Knox		R	1	1.2%	5	0.5%			6	0.5%
Kosciusko		R			4	0.4%			4	0.3%
Lagrange	R	R			4	0.4%			4	0.3%
Lake			9	10.5%	81	7.6%	3	7.1%	93	7.8%
La Porte		R			18	1.7%			18	1.5%
Lawrence		R			8	0.8%			8	0.7%
Madison			1	1.2%	23	2.2%	5	11.9%	29	2.4%
Marion			34	39.5%	282	26.6%	11	26.2%	327	27.5%
Marshall	R	R			5	0.5%			5	0.4%
Martin	R	R			2	0.2%			2	0.2%
Miami		R	1	1.2%	4	0.4%			5	0.4%
Monroe			3	3.5%	38	3.6%	4	9.5%	45	3.8%
Montgomery		R			5	0.5%			5	0.4%
Morgan					11	1.0%			11	0.9%
Newton	R	R			2	0.2%			2	0.2%
Noble	R	R	1	1.2%	2	0.2%			3	0.3%
Ohio	R				1	0.1%			1	0.1%
Orange	R	R			5	0.5%			5	0.4%
Owen	R	R			1	0.1%			1	0.1%
Parke	R	R								
Perry	R	R			1	0.1%			1	0.1%
Pike	R	R			2	0.2%			2	0.2%
Porter			1	1.2%	19	1.8%	1	2.4%	21	1.8%
Posey										
Pulaski	R	R			3	0.3%			3	0.3%
Putnam	R	R			1	0.1%			1	0.1%
Randolph	R	R			6	0.6%			6	0.5%
Ripley	R	R			3	0.3%			3	0.3%
Rush	R	R			5	0.5%	2	4.8%	7	0.6%
St. Joseph			2	2.3%	25	2.4%	4	9.5%	31	2.6%
Scott	R				5	0.5%			5	0.4%
Shelby					4	0.4%			4	0.3%
Spencer	R	R			1	0.1%			1	0.1%
Starke	R	R			3	0.3%			3	0.3%
Steuben	R	R			3	0.3%			3	0.3%
Sullivan	R	R	1	1.2%	3	0.3%			4	0.3%
Switzerland	R	R			1	0.1%			1	0.1%

Tippecanoe			3	3.5%	37	3.5%	2	4.8%	42	3.5%
Tipton					1	0.1%			1	0.1%
Union	R	R								
Vanderburgh			7	8.1%	35	3.3%	1	2.4%	43	3.6%
Vermillion	R				2	0.2%			2	0.2%
Vigo					20	1.9%			20	1.7%
Wabash		R			4	0.4%			4	0.3%
Warren	R	R			2	0.2%			2	0.2%
Warrick					9	0.8%			9	0.8%
Washington	R	R				0.0%			0	0.0%
Wayne		R	4	4.7%	9	0.8%			13	1.1%
Wells	R				5	0.5%			5	0.4%
White	R	R			6	0.6%			6	0.5%
Whitley										

---

[1] This chart depicts only those Advanced Practical Nurses who have prescriptive authority under Indiana law. Blank cells indicate that there were no data in these categories.

[2] See Chapter 1 for a discussion of state and federal rural classifications.

Indiana Registered Nurse Survey, 2001

Advanced Practical Nurse (APN) Profile

**Map III-B(1a), Clinical Nurse Specialists,
by County of Principal Position Location, 2001[1]**

Evansville

---

[1] The data on this map reflect only those APNs who have prescriptive authority under Indiana law (see Chapter 1, "Terminology"). The map depicts the relative density of this type of APN in a particular county, not the precise location of each APN.

Prev Page | Table of Contents | Next Page

Indiana Registered Nurse Survey, 2001

Advanced Practical Nurse (APN) Profile

Map III-B(1b), Nurse Practitioners,
by County of Principal Position Location, 2001[1]

Evansville

[1] The data on this map reflect only those APNs who have prescriptive authority under Indiana law (see Chapter 1, "Terminology"). The map depicts the relative density of this type of APN in a particular county, not the precise location of each APN.

Indiana Registered Nurse Survey, 2001

Advanced Practical Nurse (APN) Profile

Map III-B(1c), Certified Nurse Midwives,
by County of Principal Position Location, 2001[1]

Evansville

_____

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Advanced Practical Nurse (APN) Profile[1]

Table III-C(1a), APNs by sex and type of APN, 2001

Sex	Type of APN							
	Clinical Nurse Specialist	Row %	Nurse Practitioner	Row %	Certified Nurse Midwife	Row %	Total	Row %
All Sexes	**85**	**7.3%**	**1,039**	**89.1%**	**42**	**3.6%**	**1,166**	**100.0%**
Female	80	7.2%	996	89.1%	42	3.8%	1,118	100.0%
Male	5	10.4%	43	89.6%			48	100.0%

Table III-C(1b), APNs type of APN and sex, 2001

Sex	Type of APN							
	Clinical Nurse Specialist	Column %	Nurse Practitioner	Column %	Certified Nurse Midwife	Column %	Total	Column %
All Sexes	**85**	**100.0%**	**1,039**	**100.0%**	**42**	**100.0%**	**1,166**	**100.0%**
Female	80	94.1%	996	95.9%	42	100.0%	1,118	95.9%
Male	5	5.9%	43	4.1%			48	4.1%

Missing: 22

---

[1] These tables contain data on only those APNs who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent..

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-C(2a), APNs by Hispanic Origin and type of APN, 2001

Hispanic Origin	Type of APN							
	Clinical Nurse Specialist	Row %	Nurse Practitioner	Row %	Certified Nurse Midwife	Row %	Total	Row %
Total	78	7.3%	949	88.9%	40	3.7%	1,067	100.0%
Hispanic Origin	1	7.1%	13	92.9%			14	100.0%
No Hispanic Origin	77	7.3%	936	88.9%	40	3.8%	1,053	100.0%

Table III-C(2b), APNs type of APN and Hispanic Origin, 2001

Hispanic Origin	Type of APN							
	Clinical Nurse Specialist	Column%	Nurse Practitioner	Column%	Certified Nurse Midwife	Column%	Total	Column%
Total	**78**	**100.0%**	**949**	**100.0%**	**40**	**100.0%**	**1,067**	**100.0%**
Hispanic Origin	1	1.3%	13	1.4%			14	1.3%
No Hispanic Origin	77	98.7%	936	98.6%	40	100.0%	1,053	98.7%

Missing: 121

---

[1] These tables contain data on only those APNs who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent..

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-C(3a), APNs by Race and type of APN, 2001

	Type of APN							
Race	Clinical Nurse Specialist	Row %	Nurse Practitioner	Row %	Certified Nurse Midwife	Row %	Total	Row %
All Races	**85**	**7.3%**	**1,037**	**89.2%**	**41**	**3.5%**	**1,163**	**100.0%**
White	81	7.3%	995	89.2%	39	3.5%	1,115	100.0%
Black/Af. Am.	3	12.5%	21	87.5%			24	100.0%
Asian/Pac. Isl.	1	11.1%	8	88.9%			9	100.0%
Am. Ind./Al. Nat.			1	100.0%			1	100.0%
Multiracial			4	80.0%	1	20.0%	5	100.0%
Other			8	88.9%	1	11.1%	9	100.0%

Table III-C(3b), APNs by Type of APN and Race, 2001

	Type of APN							
Race	Clinical Nurse Specialist	Column %	Nurse Practitioner	Column %	Certified Nurse Midwife	Column %	Total	Column %
All Races	**85**	**100.0%**	**1,037**	**100.0%**	**41**	**100.0%**	**1,163**	**100.0%**
White	81	95.3%	995	95.9%	39	95.1%	1,115	95.9%
Black/Af. Am.	3	3.5%	21	2.0%			24	2.1%
Asian/Pac. Isl.	1	1.2%	8	0.8%			9	0.8%
Am. Ind./Al. Nat.			1	0.1%			1	0.1%
Multiracial			4	0.4%	1	2.4%	5	0.4%
Other			8	0.8%	1	2.4%	9	0.8%

Missing: 25

---

[1] These tables contain data on only those APNs who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent..

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Advanced Practical Nurse (APN) Profile[1]

Table III-C(4a), APNs by Age and type of APN, 2001

Age	Type of APN							
	Clinical Nurse Specialist	Row %	Nurse Practitioner	Row %	Certified Nurse Midwife	Row %	Total	Row %
All Ages	**84**	**7.1%**	**1,052**	**89.3%**	**42**	**3.6%**	**1,178**	**100.0%**
30 and younger			53	96.4%	2	3.6%	55	100.0%
31-44	26	5.8%	408	90.5%	17	3.8%	451	100.0%
45-54	34	6.9%	441	89.3%	19	3.8%	494	100.0%
55-64	23	13.9%	138	83.6%	4	2.4%	165	100.0%
65 and older	1	7.7%	12	92.3%			13	100.0%

Table III-C(4b), APNs by Type of APN and Age, 2001

Age	Type of APN							
	Clinical Nurse Specialist	Column %	Nurse Practitioner	Column %	Certified Nurse Midwife	Column %	Total	Column %
All Ages	**84**	**100.0%**	**1,052**	**100.0%**	**42**	**100.0%**	**1,178**	**100.0%**
30 and younger			53	5.0%	2	4.8%	55	4.7%
31-44	26	31.0%	408	38.8%	17	40.5%	451	38.3%
45-54	34	40.5%	441	41.9%	19	45.2%	494	41.9%
55-64	23	27.4%	138	13.1%	4	9.5%	165	14.0%
65 and older	1	1.2%	12	1.1%			13	1.1%

Missing: 10

---

[1] These tables contain data on only those APNs who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent..

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-C(5a), APNs by Highest Degree in Nursing and type of APN, 2001

Highest Degree in Nursing	Type of APN							
	Clinical Nurse Specialist	Row %	Nurse Practitioner	Row %	Certified Nurse Midwife	Row %	Total	Row %
All Degrees	**85**	**7.2%**	**1,056**	**89.3%**	**42**	**3.6%**	**1,183**	**100.0%**
Diploma			3	100.0%			3	100.0%
Associate	1	33.3%	2	66.7%			3	100.0%
Bachelor's	3	3.7%	76	93.8%	2	2.5%	81	100.0%
Master's	78	7.3%	955	89.0%	40	3.7%	1,073	100.0%
Doctorate	3	13.0%	20	87.0%			23	100.0%

Table III-C(5b), APNs by Type of APN and Highest Degree in Nursing, 2001

Highest Degree in Nursing	Type of APN							
	Clinical Nurse Specialist	Column %	Nurse Practitioner	Column %	Certified Nurse Midwife	Column %	Total	Column %
All Degrees	**85**	**100.0%**	**1,056**	**100.0%**	**42**	**100.0%**	**1,183**	**100.0%**
Diploma			3	0.3%			3	0.3%
Associate	1	1.2%	2	0.2%			3	0.3%
Bachelor's	3	3.5%	76	7.2%	2	4.8%	81	6.8%
Master's	78	91.8%	955	90.4%	40	95.2%	1,073	90.7%
Doctorate	3	3.5%	20	1.9%			23	1.9%

Missing: 5

---

[1] These tables contain data on only those APNs who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent..

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-D(1a), APNs by Average Weekly Hours
and type of APN, 2001

Average Weekly Hours	Type of APN							
	Clinical Nurse Specialist	Row %	Nurse Practitioner	Row %	Certified Nurse Midwife	Row %	Total	Row %
All Hours	86	7.3%	1,054	89.2%	42	3.6%	1,182	100.0%
1-9			16	94.1%	1	5.9%	17	100.0%
10-19	3	7.3%	35	85.4%	3	7.3%	41	100.0%
20-29	8	6.6%	110	90.2%	4	3.3%	122	100.0%
30-39	22	8.6%	230	89.5%	5	1.9%	257	100.0%
40-49	45	7.8%	512	88.9%	19	3.3%	576	100.0%
50-59	7	5.5%	113	89.0%	7	5.5%	127	100.0%
60 and greater	1	2.4%	38	90.5%	3	7.1%	42	100.0%

Table III-D(1b), APNs by Type of APN
and Average Weekly Hours, 2001

Average Weekly Hours	Type of APN							
	Clinical Nurse Specialist	Column %	Nurse Practitioner	Column %	Certified Nurse Midwife	Column %	Total	Column %
All Hours	86	100.0%	1,054	100.0%	42	100.0%	1,182	100.0%
1-9			16	1.5%	1	2.4%	17	1.4%
10-19	3	3.5%	35	3.3%	3	7.1%	41	3.5%
20-29	8	9.3%	110	10.4%	4	9.5%	122	10.3%
30-39	22	25.6%	230	21.8%	5	11.9%	257	21.7%
40-49	45	52.3%	512	48.6%	19	45.2%	576	48.7%
50-59	7	8.1%	113	10.7%	7	16.7%	127	10.7%
60 and greater	1	1.2%	38	3.6%	3	7.1%	42	3.6%

Missing: 6

---

[1] These tables contain data on only those APNs who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent..

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-D(2), Clinical Nurse Specialists by Age and Average Weekly Hours, 2001

Age	Average Weekly Hours								
	1-9	Row %	10-19	Row %	20-29	Row %	30-39	Row %	40-49	Row %
All Ages			**3**	**3.6%**	**7**	**8.3%**	**22**	**26.2%**	**44**	**52.4%**
30 and younger										
31-44			2	7.7%	5	19.2%	7	26.9%	11	42.3%
45-54							10	29.4%	19	55.9%
55-64			1	4.3%	2	8.7%	4	17.4%	14	60.9%
65 and older							1	100.0%		

Age	Average Weekly Hours					
	50-59	Row %	60 and greater	Row %	Total	Row %
All Ages	**7**	**8.3%**	**1**	**1.2%**	**84**	**100.0%**
30 and younger						
31-44	1	3.8%			26	100.0%
45-54	4	11.8%	1	2.9%	34	100.0%
55-64	2	8.7%			23	100.0%
65 and older					1	100.0%

Missing: 2

---

[1] These tables contain data on only those APNs who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent..

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-D(3), Nurse Practitioners
by Age and Average Weekly Hours, 2001

Age	Average Weekly Hours									
	1-9	Row %	10-19	Row %	20-29	Row %	30-39	Row %	40-49	Row %
All Ages	**16**	**1.5%**	**35**	**3.3%**	**110**	**10.5%**	**227**	**21.7%**	**509**	**48.7%**
30 and younger	2	3.8%	2	3.8%	7	13.2%	11	20.8%	22	41.5%
31-44	8	2.0%	17	4.2%	58	14.3%	94	23.2%	184	45.4%
45-54	4	0.9%	8	1.8%	35	8.0%	89	20.3%	226	51.5%
55-64	2	1.5%	5	3.6%	9	6.6%	30	21.9%	73	53.3%
65 and older			3	25.0%	1	8.3%	3	25.0%	4	33.3%

Age	Average Weekly Hours					
	50-59	Row %	60 and greater	Row %	Total	Row %
All Ages	**111**	**10.6%**	**38**	**3.6%**	**1,046**	**100.0%**
30 and younger	7	13.2%	2	3.8%	53	100.0%
31-44	36	8.9%	8	2.0%	405	100.0%
45-54	56	12.8%	21	4.8%	439	100.0%
55-64	11	8.0%	7	5.1%	137	100.0%
65 and older	1	8.3%			12	100.0%

Missing: 14

---

[1] These tables contain data on only those APNs who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent..

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-D(4), Certified Nurse Midwives by Age and Average Weekly Hours, 2001

Age	1-9	Row %	10-19	Row %	20-29	Row %	30-39	Row %	40-49	Row %
All Ages	1	2.4%	3	7.1%	4	9.5%	5	11.9%	19	45.2%
30 and younger			1	50.0%	1	50.0%				
31-44	1	5.9%	2	11.8%	2	11.8%	3	17.6%	4	23.5%
45-54					1	5.3%	2	10.5%	13	68.4%
55-64									2	50.0%
65 and older										

Age	50-59	Row %	60 and greater	Row %	Total	Row %
All Ages	7	16.7%	3	7.1%	42	100.0%
30 and younger					2	100.0%
31-44	3	17.6%	2	11.8%	17	100.0%
45-54	3	15.8%			19	100.0%
55-64	1	25.0%	1	25.0%	4	100.0%
65 and older						

Missing: 0

---

[1] These tables contain data on only those APNs who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent..

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-E(1a), APNs by Principal Position
and Type of APN, 2001

Principal Position	Type of APN							
	Clinical Nurse Specialist	Row %	Nurse Practitioner	Row %	Certified Nurse Midwife	Row %	Total	Row %
All Positions	**86**	**7.3%**	**1,058**	**89.2%**	**42**	**3.5%**	**1,186**	**100.0%**
Staff/General Nurse	1	2.9%	32	94.1%	1	2.9%	34	100.0%
Charge Nurse/Tm. Leader	1	20.0%	4	80.0%			5	100.0%
Head Nurse or Assistant	1	20.0%	4	80.0%			5	100.0%
Office Nurse	1	20.0%	4	80.0%			5	100.0%
Nurse Clinician			1	100.0%			1	100.0%
Clinical Nurse Specialist	66	95.7%	3	4.3%			69	100.0%
Cert. Nurse Anesthetist			1	50.0%	1	50.0%	2	100.0%
Nurse Practitioner	7	0.7%	946	99.3%			953	100.0%
Cert. Nurse Midwife			2	4.8%	40	95.2%	42	100.0%
School Nurse			3	100.0%			3	100.0%
Longterm Care Nurse			1	100.0%			1	100.0%
Home Care Nurse			2	100.0%			2	100.0%
Hospice Nurse								
Case man./Care coord.			3	100.0%			3	100.0%
Administrator/Manager	2	14.3%	12	85.7%			14	100.0%
Qual. Assur./Util. Review								
Nursing Consultant	1	33.3%	2	66.7%			3	100.0%
Faculty in Nursing Prog.	4	11.1%	32	88.9%			36	100.0%
Con. Ed./Staff Devel.								
Other	2	25.0%	6	75.0%			8	100.0%

Missing: 2

_____

[1] These tables contain data on only those Advanced Practical Nurses who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Advanced Practical Nurse (APN) Profile[1]

**Table III-E(1b), APNs by Type of APN
and Principal Position, 2001**

Principal Position	Type of APN							
	Clinical Nurse Specialist	Col %	Nurse Practitioner	Col %	Certified Nurse Midwife	Col %	Total	Col %
All Positions	**86**	**100.0%**	**1,058**	**100.0%**	**42**	**100.0%**	**1,186**	**100.0%**
Staff/General Nurse	1	1.2%	32	3.0%	1	2.4%	34	2.9%
Charge Nurse/Tm. Leader	1	1.2%	4	0.4%			5	0.4%
Head Nurse or Assistant	1	1.2%	4	0.4%			5	0.4%
Office Nurse	1	1.2%	4	0.4%			5	0.4%
Nurse Clinician			1	0.1%			1	0.1%
Clinical Nurse Specialist	66	76.7%	3	0.3%			69	5.8%
Cert. Nurse Anesthetist			1	0.1%	1	2.4%	2	0.2%
Nurse Practitioner	7	8.1%	946	89.4%			953	80.4%
Cert. Nurse Midwife			2	0.2%	40	95.2%	42	3.5%
School Nurse			3	0.3%			3	0.3%
Longterm Care Nurse			1	0.1%			1	0.1%
Home Care Nurse			2	0.2%			2	0.2%
Hospice Nurse								
Case man./Care coord.			3	0.3%			3	0.3%
Administrator/Manager	2	2.3%	12	1.1%			14	1.2%
Qual. Assur./Util. Review								
Nursing Consultant	1	1.2%	2	0.2%			3	0.3%
Faculty in Nursing Prog.	4	4.7%	32	3.0%			36	3.0%
Con. Ed./Staff Devel.								
Other	2	2.3%	6	0.6%			8	0.7%

Missing: 2

_____

[1] These tables contain data on only those Advanced Practical Nurses who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-F(1a), APNs by Principal Setting
and Type of APN, 2001

	Type of APN							
	Clinical Nurse Specialist	Row %	Nurse Practitioner	Row %	Certified Nurse Midwife	Row %	Total	Row %
All Settings	**85**	**7.2%**	**1,057**	**89.3%**	**42**	**3.5%**	**1,184**	**100.0%**
Hospital (in- & out-patient)	12	15.0%	64	80.0%	4	5.0%	80	100.0%
Hospital (in-patient)	2	5.3%	34	89.5%	2	5.3%	38	100.0%
Hospital (out-patient)	6	9.2%	59	90.8%			65	100.0%
Hospital ER/ED			34	100.0%			34	100.0%
Urgent care center/clinic			37	100.0%			37	100.0%
Amulatory care setting (surg./other)	1	3.6%	27	96.4%			28	100.0%
Physician/dentist private office	14	3.4%	383	92.1%	19	4.6%	416	100.0%
Primary care center/clinic	1	0.5%	202	97.1%	5	2.4%	208	100.0%
Mental health/addictions facil./unit	39	81.3%	9	18.8%			48	100.0%
Community/pub. Health clinic	1	1.6%	54	84.4%	9	14.1%	64	100.0%
Longterm care facility/unit			28	100.0%			28	100.0%
Home care/hospice			5	100.0%			5	100.0%
Nursing education	2	9.5%	19	90.5%			21	100.0%
School/college setting	2	4.1%	47	95.9%			49	100.0%
Other	5	7.9%	55	87.3%	3	4.8%	63	100.0%

Missing: 4

---

[1] These tables contain data on only those Advanced Practical Nurses who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Advanced Practical Nurse (APN) Profile[1]

**Table III-F(1b), APNs by Type of APN
and Principal Setting, 2001**

	Type of APN							
	Clinical Nurse Specialist	**Column %**	**Nurse Practitioner**	**Column %**	**Certified Nurse Midwife**	**Column %**	**Total**	**Column %**
All Settings	**85**	**100.0%**	**1,057**	**100.0%**	**42**	**100.0%**	**1,184**	**100.0%**
Hospital (in- & out-patient)	12	14.1%	64	6.1%	4	9.5%	80	6.8%
Hospital (in-patient)	2	2.4%	34	3.2%	2	4.8%	38	3.2%
Hospital (out-patient)	6	7.1%	59	5.6%			65	5.5%
Hospital ER/ED			34	3.2%			34	2.9%
Urgent care center/clinic			37	3.5%			37	3.1%
Amulatory care setting (surg./other)	1	1.2%	27	2.6%			28	2.4%
Physician/dentist private office	14	16.5%	383	36.2%	19	45.2%	416	35.1%
Primary care center/clinic	1	1.2%	202	19.1%	5	11.9%	208	17.6%
Mental health/addictions facil./unit	39	45.9%	9	0.9%			48	4.1%
Community/public health clinic	1	1.2%	54	5.1%	9	21.4%	64	5.4%
Longterm care facility/unit			28	2.6%			28	2.4%
Home care/hospice			5	0.5%			5	0.4%
Nursing education	2	2.4%	19	1.8%			21	1.8%
School/college setting	2	2.4%	47	4.4%			49	4.1%
Other	5	5.9%	55	5.2%	3	7.1%	63	5.3%

Missing: 4

_____

[1] These tables contain data on only those Advanced Practical Nurses who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent.

Indiana Registered Nurse Survey, 2001

**Active RNs with an Indiana License and an
Indiana Principal Position Location**

Advanced Practical Nurse (APN) Profile[1]

**Table III-F(2), APNs by Principal Position, Principal
Setting and Type of APN, 2001**
(part 1 of 4)

NOTE: This table is presented here across 4 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

Principal Position	Principal Setting									
	ALL SETTINGS					HOSPITAL-IN & OUT-PATIENT				
	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %
All Positions	85	1,057	42	1,184	100.0%	12	64	4	80	6.8%
Staff/General Nurse	1	32	1	34	100.0%		8		8	23.5%
Charge Nurse/Tm. Leader	1	4		5	100.0%		2		2	40.0%
Head Nurse or Assistant	1	3		4	100.0%		1		1	25.0%
Office Nurse	1	5		6	100.0%					
Nurse Clinician		1		1	100.0%		1		1	100.0%
Clinical Nurse Specialist	66	3		69	100.0%	11			11	15.9%
Cert. Nurse Anesthetist		1	1	2	100.0%					
Nurse Practitioner	6	945		951	100.0%	1	44		45	4.7%
Cert. Nurse Midwife		2	37	39	100.0%			4	4	10.3%
School Nurse		3		3	100.0%					
Longterm Care Nurse		1		1	100.0%					
Home Care Nurse		2		2	100.0%					
Hospice Nurse										
Case man./Care coord.		3		3	100.0%		1		1	33.3%
Administrator/Manager	2	12		14	100.0%		4		4	28.6%
Qual. Assur./Util. Review										
Nursing Consultant	1	2		3	100.0%					
Faculty in Nursing Prog.	4	32		36	100.0%					
Con. Ed./Staff Devel.										
Other	2	6	3	11	100.0%		3		3	27.3%

Principal Position	Principal Setting									
	HOSPITAL-IN-PATIENT					HOSPITAL-OUT-PATIENT				
	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %
All Positions	**2**	**34**	**2**	**38**	**3.2%**	**6**	**59**		**65**	**5.5%**
Staff/General Nurse		19	1	20	58.8%					
Charge Nurse/Tm. Leader	1	2		3	60.0%					
Head Nurse or Assistant						1	1		2	50.0%
Office Nurse		1		1	16.7%					
Nurse Clinician										
Clinical Nurse Specialist	1			1	1.4%	5			5	7.2%
Cert. Nurse Anesthetist										
Nurse Practitioner		9		9	0.9%		56		56	5.9%
Cert. Nurse Midwife			1	1	2.6%					
School Nurse										
Longterm Care Nurse										
Home Care Nurse							1		1	50.0%
Hospice Nurse										
Case man./Care coord.		1		1	33.3%					
Administrator/Manager		1		1	7.1%		1		1	7.1%
Qual. Assur./Util. Review										
Nursing Consultant										
Faculty in Nursing Prog.		1		1	2.8%					
Con. Ed./Staff Devel.										
Other										

Missing: 4

---

[1] These tables contain data on only those Advanced Practical Nurses who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-F(2), APNs by Principal Position, Principal
Setting and Type of APN, 2001
(part 2 of 4)

NOTE: This table is presented here across 4 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

	Principal Setting									
Principal Position	**HOSP-ER/ED**					**URGENT CARE CENTER/CLINIC**				
	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %
All Positions		34		34	2.9%		37		37	3.1%
Staff/General Nurse		4		4	11.8%					
Charge Nurse/Tm. Leader										
Head Nurse or Assistant										
Office Nurse							1		1	16.7%
Nurse Clinician										
Clinical Nurse Specialist										
Cert. Nurse Anesthetist										
Nurse Practitioner		30		30	3.2%		36		36	3.8%
Cert. Nurse Midwife										
School Nurse										
Longterm Care Nurse										
Home Care Nurse										
Hospice Nurse										
Case man./Care coord.										
Administrator/Manager										
Qual. Assur./Util. Review										
Nursing Consultant										
Faculty in Nursing Prog.										
Con. Ed./Staff Devel.										
Other										

Principal Position	Principal Setting									
	AMBULATORY CARE SETTING					PRIVATE OFFICE				
	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %
All Positions	**1**	**27**		**28**	**2.4%**	**14**	**383**		**19**	**416**	**35.1%**
Staff/General Nurse										
Charge Nurse/Tm. Leader										
Head Nurse or Assistant							1		1	25.0%
Office Nurse							2		2	33.3%
Nurse Clinician										
Clinical Nurse Specialist	1			1	1.4%	10	1		11	15.9%
Cert. Nurse Anesthetist							1		1	50.0%
Nurse Practitioner		25		25	2.6%	4	378		382	40.2%
Cert. Nurse Midwife								19	19	48.7%
School Nurse										
Longterm Care Nurse										
Home Care Nurse										
Hospice Nurse										
Case man./Care coord.										
Administrator/Manager		1		1	7.1%					
Qual. Assur./Util. Review										
Nursing Consultant										
Faculty in Nursing Prog.		1		1	2.8%					
Con. Ed./Staff Devel.										
Other										

Missing: 4

---

[1] These tables contain data on only those Advanced Practical Nurses who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent.

Active RNs with an Indiana License and an Indiana Principal Practice Location

Advanced Practice Nurse (APN) Profile[1]

Table III-F(2), APNs by Principal Position, Principal Setting and Type of APN, 2001

Principal Setting

Principal Position	ALL SETTINGS					HOSPITAL-IN & OUT-PATIENT					HOSPITAL-IN-PATIENT					HOSPITAL-OUT-PATIENT				
	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %
All Positions	85	1,057	42	1,184	100.0%	12	64	4	80	6.8%	2	34	2	38	3.2%	6	59		65	5.5%
Staff/General Nurse	1	32	1	34	100.0%		8		8	23.5%		19	1	20	58.8%					
Charge Nurse/Tm. Leader	1	4		5	100.0%		2		2	40.0%	1	2		3	60.0%					
Head Nurse or Assistant	1	3		4	100.0%		1		1	25.0%						1	1		2	50.0%
Office Nurse	1	5		6	100.0%							1		1	16.7%					
Nurse Clinician		1		1	100.0%		1		1	100.0%										
Clinical Nurse Specialist	66	3		69	100.0%	11			11	15.9%	1			1	1.4%	5			5	7.2%
Cert. Nurse Anesthetist		1	1	2	100.0%															
Nurse Practitioner	6	945		951	100.0%	1	44		45	4.7%		9		9	0.9%		56		56	5.9%
Cert. Nurse Midwife		2	37	39	100.0%			4	4	10.3%			1	1	2.6%					
School Nurse		3		3	100.0%															
Longterm Care Nurse		1		1	100.0%															
Home Care Nurse		2		2	100.0%												1		1	50.0%
Hospice Nurse																				
Case man./Care coord.		3		3	100.0%		1		1	33.3%		1		1	33.3%					
Administrator/Manager	2	12		14	100.0%		4		4	28.6%		1		1	7.1%		1		1	7.1%
Qual. Assur./Util. Review																				
Nursing Consultant	1	2		3	100.0%															
Faculty in Nursing Prog.	4	32		36	100.0%							1		1	2.8%					
Con. Ed./Staff Devel.																				
Other	2	6	3	11	100.0%		3		3	27.3%										

Missing: 4

Principal Setting

Principal Position	HOSP-ER/ED					URGENT CARE CENTER/CLINIC					AMBULATORY CARE SETTING					PRIVATE OFFICE				
	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %
All Positions		34		34	2.9%		37		37	3.1%	1	27		28	2.4%	14	383	19	416	35.1%
Staff/General Nurse		4		4	11.8%															
Charge Nurse/Tm. Leader																				
Head Nurse or Assistant																	1		1	25.0%
Office Nurse							1		1	16.7%							2		2	33.3%
Nurse Clinician																				
Clinical Nurse Specialist											1			1	1.4%	10	1		11	15.9%
Cert. Nurse Anesthetist																	1		1	50.0%
Nurse Practitioner		30		30	3.2%		36		36	3.8%		25		25	2.6%	4	378		382	40.2%
Cert. Nurse Midwife																		19	19	48.7%
School Nurse																				
Longterm Care Nurse																				
Home Care Nurse																				
Hospice Nurse																				
Case man./Care coord.																				
Administrator/Manager												1		1	7.1%					
Qual. Assur./Util. Review																				
Nursing Consultant																				
Faculty in Nursing Prog.												1		1	2.8%					
Con. Ed./Staff Devel.																				
Other																				

[1] These tables contain data on only those advanced practice nurses who have prescriptive authority under Indiana law. A blank cell indicates that there were no data in this category. Rounding may affect the calculation of total percent.

Active RNs with an Indiana License and an Indiana Principal Practice Location

Advanced Practice Nurse (APN) Profile[1]

Table III-F(2), APNs by Principal Position, Principal Setting and Type of APN, 2001

Principal Setting

Principal Position	PRIMARY CARE CENTER/CLINIC					MENTAL HEALTH/ADD. FACILITY/UNIT					COMMUNITY/ PUBLIC HEALTH CLINIC					LONGTERM CARE FACILITY/UNIT				
	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %
All Positions	1	202	5	208	17.6%	39	9		48	4.1%	1	54	9	64	5.4%		28		28	2.4%
Staff/General Nurse						1	1		2	5.9%										
Charge Nurse/Tm. Leader																				
Head Nurse or Assistant																				
Office Nurse		1		1	16.7%															
Nurse Clinician																				
Clinical Nurse Specialist	1			1	1.4%	34	1		35	50.7%										
Cert. Nurse Anesthetist												1		1	50.0%					
Nurse Practitioner		200		200	21.0%		7		7	0.7%	1	52		53	5.6%		27		27	2.8%
Cert. Nurse Midwife		1	5	6	15.4%							1	8	9	23.1%					
School Nurse																				
Longterm Care Nurse																	1		1	100.0%
Home Care Nurse																				
Hospice Nurse																				
Case man./Care coord.																				
Administrator/Manager						2			2	14.3%	1			1	7.1%					
Qual. Assur./Util. Review																				
Nursing Consultant						1			1	33.3%										
Faculty in Nursing Prog.																				
Con. Ed./Staff Devel.																				
Other						1			1	9.1%										

Principal Setting

Principal Position	HOME CARE/HOSPICE					NURSING EDUCATION					SCHOOL/COLLEGE					OTHER				
	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %
All Positions		5		5	0.4%	4	61		65	5.5%		5		5	0.4%	5	55	3	63	5.3%
Staff/General Nurse																				
Charge Nurse/Tm. Leader																				
Head Nurse or Assistant																				
Office Nurse																1			1	16.7%
Nurse Clinician																				
Clinical Nurse Specialist																3	1		4	5.8%
Cert. Nurse Anesthetist																				
Nurse Practitioner		3		3	0.3%		31		31	3.3%							47		47	4.9%
Cert. Nurse Midwife																				
School Nurse												3		3	100.0%					
Longterm Care Nurse																				
Home Care Nurse		1		1	50.0%															
Hospice Nurse																				
Case man./Care coord.																	1		1	33.3%
Administrator/Manager												2		2	14.3%		2		2	14.3%
Qual. Assur./Util. Review																				
Nursing Consultant		1		1	33.3%												1		1	33.3%
Faculty in Nursing Prog.						4	30		34	94.4%										
Con. Ed./Staff Devel.																				
Other																1	3	3	7	63.6%

[1] These tables contain data on only those Advanced Practice Nurses who have prescriptive authority under Indiana law. A blank cell indicates that there were no data in this category. Rounding may affect the calculation of total percent.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-F(2), APNs by Principal Position, Principal
Setting and Type of APN, 2001
(part 3 of 4)

NOTE: This table is presented here across 4 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

	Principal Setting									
Principal Position	**PRIMARY CARE CENTER/CLINIC**					**MENTAL HEALTH/ADD. FACILITY/UNIT**				
	CNS	**NP**	**CNMW**	**Total**	**Row %**	**CNS**	**NP**	**CNMW**	**Total**	**Row %**
All Positions	**1**	**202**	**5**	**208**	**17.6%**	**39**	**9**		**48**	**4.1%**
Staff/General Nurse						1	1		2	5.9%
Charge Nurse/Tm. Leader										
Head Nurse or Assistant										
Office Nurse		1		1	16.7%					
Nurse Clinician										
Clinical Nurse Specialist	1			1	1.4%	34	1		35	50.7%
Cert. Nurse Anesthetist										
Nurse Practitioner		200		200	21.0%		7		7	0.7%
Cert. Nurse Midwife		1	5	6	15.4%					
School Nurse										
Longterm Care Nurse										
Home Care Nurse										
Hospice Nurse										
Case man./Care coord.										
Administrator/Manager						2			2	14.3%
Qual. Assur./Util. Review										
Nursing Consultant						1			1	33.3%
Faculty in Nursing Prog.										
Con. Ed./Staff Devel.										
Other						1			1	9.1%

	Principal Setting

Principal Position	COMMUNITY/ PUBLIC HEALTH CLINIC					LONGTERM CARE FACILITY/UNIT				
	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %
All Positions	**1**	**54**	**9**	**64**	**5.4%**		**28**		**28**	**2.4%**
Staff/General Nurse										
Charge Nurse/Tm. Leader										
Head Nurse or Assistant										
Office Nurse										
Nurse Clinician										
Clinical Nurse Specialist										
Cert. Nurse Anesthetist			1	1	50.0%					
Nurse Practitioner	1	52		53	5.6%		27		27	2.8%
Cert. Nurse Midwife		1	8	9	23.1%					
School Nurse										
Longterm Care Nurse							1		1	100.0%
Home Care Nurse										
Hospice Nurse										
Case man./Care coord.										
Administrator/Manager		1		1	7.1%					
Qual. Assur./Util. Review										
Nursing Consultant										
Faculty in Nursing Prog.										
Con. Ed./Staff Devel.										
Other										

Missing: 4

_____
[1] These tables contain data on only those Advanced Practical Nurses who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an
Indiana Principal Position Location

Advanced Practical Nurse (APN) Profile[1]

Table III-F(2), APNs by Principal Position, Principal
Setting and Type of APN, 2001
(part 4 of 4)

NOTE: This table is presented here across 4 pages to make it easier to view on the web. You may select this link to view/print the entire table in Adobe Acrobat (pdf) format.

Principal Position	HOME CARE/HOSPICE					NURSING EDUCATION				
	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %
All Positions		5		5	0.4%	4	61		65	5.5%
Staff/General Nurse										
Charge Nurse/Tm. Leader										
Head Nurse or Assistant										
Office Nurse										
Nurse Clinician										
Clinical Nurse Specialist										
Cert. Nurse Anesthetist										
Nurse Practitioner		3		3	0.3%		31		31	3.3%
Cert. Nurse Midwife										
School Nurse										
Longterm Care Nurse										
Home Care Nurse		1		1	50.0%					
Hospice Nurse										
Case man./Care coord.										
Administrator/Manager										
Qual. Assur./Util. Review										
Nursing Consultant		1		1	33.3%					
Faculty in Nursing Prog.						4	30		34	94.4%
Con. Ed./Staff Devel.										
Other										

Principal Position	SCHOOL/COLLEGE	OTHER

	CNS	NP	CNMW	Total	Row %	CNS	NP	CNMW	Total	Row %
All Positions		5		5	0.4%	5	55	3	63	5.3%
Staff/General Nurse										
Charge Nurse/Tm. Leader										
Head Nurse or Assistant										
Office Nurse						1			1	16.7%
Nurse Clinician										
Clinical Nurse Specialist						3	1		4	5.8%
Cert. Nurse Anesthetist										
Nurse Practitioner							47		47	4.9%
Cert. Nurse Midwife										
School Nurse		3		3	100.0%					
Longterm Care Nurse										
Home Care Nurse										
Hospice Nurse										
Case man./Care coord.							1		1	33.3%
Administrator/Manager		2		2	14.3%		2		2	14.3%
Qual. Assur./Util. Review										
Nursing Consultant							1		1	33.3%
Faculty in Nursing Prog.										
Con. Ed./Staff Devel.										
Other						1	3	3	7	63.6%

Missing: 4

---

[1] These tables contain data on only those Advanced Practical Nurses who have prescriptive authority under Indiana law. A blank cell indicates there were no data in this category. Rounding may influence the calculation of total percent.

Indiana Registered Nurse Survey, 2001

Active RNs with an Indiana License and an Indiana Principal Position Location

Unemployed RN Profile, 2001 and 1997

Table IV-A(1), Unemployed RNs by Number of RNs, 1997 and 2001

	1997	%	2001	%
RNs	762	100.0%	647	100.0%
Total	762	100.0%	647	100.0%

Table IV-A(2), Unemployed RNs by Sex, 1997 and 2001

Sex	1997	%	2001	%
Female	698	96.1%	618	96.1%
Male	28	3.9%	25	3.9%
Total	726	100.0%	643	100.0%
	Missing: 0		Missing: 4	

Table IV-A(3), Unemployed RNs by Age, 1997 and 2001

Age	1997	%	2001	%
30 or younger	50	6.7%	37	5.8%
31-44	302	40.2%	189	29.8%
45-54	277	36.9%	221	34.8%
55-64	99	13.2%	143	22.5%
65 and older	23	3.1%	45	7.1%
Total	751	100.0%	635	100.0%
	Missing: 11		Missing: 8	

Table IV-A(4), Unemployed RNs by Race, 1997 and 2001

Race	1997	%	2001	%

White	688	91.0%	580	91.1%
Black/Af. Am.	39	5.2%	23	3.6%
Asian/Pac. Is.	18	2.4%	21	3.3%
Am. Ind/Nat. Al.	3	0.4%		
Multi-racial	NA[1]	NA[1]	5	0.8%
Other	8	1.1%	8	1.3%
Total	**756**	**100.0%**	**637**	**100.0%**
	Missing: 6		Missing: 10	

**Table IV-A(5), Unemployed RNs by Hispanic Origin,
1997 and 2001**

Hispanic Or.	1997	%	2001	%
Hispanic Or.	10	1.5%	11	2.0%
No Hispanic Or.	668	98.5%	536	98.0%
Total	**678**	**100.0%**	**547**	**100.0%**
	Missing: 84		Missing: 100	

---

[1] "Multi-racial" was not a selection option on the 1997 survey.